

The Thoreau Institute at Walden Woods Library

**The Walden Woods Project Archives
And Research Collection**

The Henry David Thoreau Animal Index



THE HENRY DAVID THOREAU ANIMAL INDEX

The Henry David Thoreau Animal Index is based on *The Writings of Henry David Thoreau Journal* (1906), edited by Bradford Torrey. While Torrey included a large portion of the animals, including birds, aquatic life, and insects, mentioned in Thoreau's *Journal*, the list was incomplete. Here, we present a comprehensive index of Thoreau's notations.

In most cases, the animal's common name is listed. Thoreau also noted Latin names or descriptive identifiers. In some instances, the Latin name noted by Thoreau is no longer in use due to taxonomic changes. We clarify those animals by noting the Latin or common name in use during Thoreau's life. The *Journal* volumes and pages correspond to Thoreau's observations in his 14 journals, including page notes.

Key:

Animal (*Latin name* or note) **Journal Volume**:page

Example:

Bittern, least (*Ardea exilis*) **XIII**:421
(See also Cowbird)

THE HENRY DAVID THOREAU ANIMAL INDEX

Key: Animal	<i>Journal</i> :page
Adder	XII :277
Adder, checkered	IV :168; VI :308, 309
Adder, water (See also Snake, water)	V :354; VIII :402, 412, 413, 424, 446; X :416, 429
Alewife (herring)	VII :174, 479; IX :321, 322, 327; XIII :207
Alewives	II :234, 347; VII :136, 227, 479; VIII :397
Alewives, William Wood on catching	VII :136, 137
Alligator	IX :99; XI :441
<i>Amphibia</i>	IX :359
<i>Amphibian</i>	XI :348
Anemone	X :379
Anemone, sea	X :443
Animal(s)	VIII :122, 220, 221; IX :210, 225, 453; X :448; XII :54, 57; XIV :124, 125, 142
Animal, small	XI :376
Animal tracks	XIII :266, 267
<i>Anodon</i> (freshwater bivalve)	VII :447
<i>Anomia ehippium</i> (Saddle Oyster)	VII :470
Ant(s)	III :92, 128, 209-212, 214, 302, 463; VII :304; VIII :4, 234, 251, 443, 444; IX :41, 347, 381, 395; X :148, 182, 189, 199, 310, 373, 493; XI :156, 219, 220, 283; XII :41, 42, 69, 83, 181; XIII :209, 263; XIV :35
Ants, winged	VII :8, 398
Ant, black	VII :454; X :219; VIII :11, 12
Ant, grub	X :189
Ant, hill(s)	V :59; VIII :251; IX :41, 381, 395; X :199; XI :10, 157; XII :454
Ants, little	XII :69
Ant, middle-sized	XII :181
Ant(s), red and black	VIII :251
Ant(s), spicy-scented	IX :347, 371, 372
Ant, wood	IX :347, 371, 372; XII :183
Ant-lion	VII :116
Ape, Topsell's description of	XIII :151, 152
Aphid	VIII :443; IX :9
Aphides	V :249, 309; IX :8, 9
Aphis, monster	IX :25
Auk, little (Ice bird)	XIII :419, 420; XIV :253

THE HENRY DAVID THOREAU ANIMAL INDEX

Banded Sunfish (<i>Pomotis</i> or <i>Bryttus obesus</i>)	XI: 348, 349 note, 350; XIII: 273, 349, 351
Bashaw (insect)	X: 310
Bass	VII: 136, 437, 441; IX: 326, 442; XII: 267; XIII: 331, 351
Bass, striped	II: 363
Bat(s)	II: 388; VII: 19, 31, 57, 58; VIII: 5; IX: 383; X: 447; XII: 327, 441; XIII: 325, 332
Bat, hoary	XIV: 53
Bat, New York	XIII: 342, 343
Bat, red	XIII: 342
Bay-wing (or grass bird or grass finch)	VI: 354; V: 109; VI: 42, 214, 395; VII: 306, 317, 337, 371, 411, 445, 490; VIII: 279, 287, 385; IX: 327, 363, 404, 413, 426; X: 343, 344, 420; X: 319, 343, 344, 420; XI: 202; XII: 127, 142, 143, 144; XIII: 247; XIV: 338
Bay-wing, eggs	VII: 381; X: 310
Bay-wing, nest	VII: 445; IX: 404
Beach-flea	IX: 442, 443
Bear(s)	VII: 134; VIII: 141, 220; IX: 214; X: 261; XI: 11, 13, 14, 20, 28, 44, 48, 58; XIV: 315; XIII: 304
Bear, black	VII: 134; XI: 14, 28, 42, 44
Bear, black, foot of	XIII: 304, 305
Bear claws	IX: 214
Bear, grizzly	II: 271; IV: 491
Bear, polar	VII: 74
Bear, white	IV: 482
Beast	VIII: 445; XII: 275; IX: 360
Beaver	VI: 136; VII: 135; VIII: 220; IX: 163, 164, 274; XII: 121; XIII: 152, 153
Bedbug	IX: 453
Bee(s)	II: 272; III: 71, 293, 294, 354, 355, 360, 463, 465, 466; IV: 257, 368-373, 374, 404; V: 72, 81, 96, 105, 209, 361; VI: 400, 404, 405, 463; VII: 318, 332; VIII: 27, 220, 332; VIII: 220, 416, 436, 460;
Bee(s) (continued)	IX: 15, 16, 82, 111, 118, 311, 469, 470; X: 192, 346, 393, 396; XI: 17, 47, 48, 49, 430; XII: 147, 148, 267, 304, 309; XIII: 201, 202, 238, 263, 278, 287, 288, 333, 414; XIV: 35
Beeswax	V: 34
Bumblebee	IV: 34, 286, 328; VII: 332, 362, 371; IX: 4, 87, 123, 469, 470; XIII: 278

THE HENRY DAVID THOREAU ANIMAL INDEX

Bee, drones	IX:311
Bees, hives of	XI:49
Bee, honey	III:70; IV:171; VI:186, 309, 463; IX:88, 112; X:338, 393; XII:321; XIII:200, 201, 209, 238, 263, 288
Bee, mining	XIII:287, 288
Bee, tailor	IX:61
Bees, worker	IX:311
Beetle(s)	V:33; VI:151 VII:292, 367, 440; VIII:302; IX:294, 343, 348; X:495; XII:113, 311, 312, 356; XIII:277, 282
Beetle, black	VII:103; XII:54; XIV:337
Beetle, diving (<i>Dytiscus</i>)	XIII:277
Beetle (<i>Gyrinus</i>)	VII:231, 238; X:249; XIII:209
Beetle (<i>Gyrinus natator</i>)	X:182
Beetle, large black dor-bug like	XIV:336
Beetle, predaceous diving (<i>Dyticidae</i>)	XIV:311
Beetle, tiger (<i>Cicindela</i>)	XII:76; XIII:201, 209; XIV:336
Beggar-tick	IX:93, 143
Bird(s)	I:125, 132, 480; II:63; III:29, 30, 46, 377, 444, 459; IV:31, 50, 51, 141, 182, 190, 197, 198, 245, 282; V:110, 144, 169, 247, 276, 290, 389, 480; VI:10, 145, 146, 204, 211, 217, 223, 263, 303, 307, 318, 354, 364, 389, 390, 430, 413, 435, 440, 457, 458, 485;
Bird(s) (continued)	VII:6, 12, 31, 35, 41, 74, 122, 127, 166, 167, 176, 182, 184, 188, 189, 190, 197, 238, 311, 318, 319, 332, 336, 353, 366, 367, 371, 372, 376, 377, 378, 380, 381, 398, 401, 404, 411, 413, 440, 445, 449, 455, 459, 489, 497, 510;
Bird(s) (continued)	VIII:6, 39, 40, 41, 42, 43, 67, 68, 71, 73, 74, 116, 122, 156, 161, 163, 166, 167, 196, 234, 262, 263, 264, 333, 335, 411; IX:87, 119, 125, 153, 158, 266, 274, 275, 282, 286, 289, 302, 305, 310, 323, 333, 358, 360, 364, 37, 383, 388, 389, 410, 411, 450, 456, 492, 497;
Bird(s) (continued)	X:28, 64, 73, 136, 138, 184, 186, 194, 195, 201, 203, 244, 254, 257, 262, 264, 265, 266, 294, 296, 301, 302, 304, 305, 310, 319, 321, 325, 326, 330, 338, 355, 377, 386, 387, 395, 411, 420, 423, 430, 432, 434, 436, 437, 461, 510; XI:34, 51, 104, 181, 182, 183, 184, 350, 392;

THE HENRY DAVID THOREAU ANIMAL INDEX

Bird(s) (continued)	XII: 21, 39, 71, 104, 124, 125, 127, 144, 241, 275, 277, 286, 287, 288, 294, 306, 309, 310, 337, 338, 442, 443; XIII: 9, 32, 182, 188, 191, 198, 228, 266, 295, 296, 311, 329, 358; XIV: 8, 32-34, 67, 136, 141, 146, 298, 310, 332
Birds, chickadee-like	VII: 179
Bird, bill	X: 194
bird, blue	X: 73
Bird, dropping	XIII: 20
Bird, migratory	XIII: 209
Bird(s) nest(s)	III: 102; VII: 252, 390, 413, 442; VIII: 10, 23, 73, 74, 89, 90, 108, 109, 113, 114, 359, 368, 416; X: 243; XI: 140; XII: 17, 18, 237; XIII: 40
Bird of prey	X: 330; XI: 34
Bird, old	IV: 174
Bird, skeleton	X: 194
Bird, snipe-like	VII: 70
Bird, southern	XI: 398
Bird, tatter or snipe	XIV: 336
Bird, tongue-case	X: 195
Bird-tracks	VI: 456
Bird, tweezer	VIII: 395, 396
Birds, unidentified	III: 434; IV: 328, 388; V: 51, 99, 146, 175, 246, 426, 458, 459, 468, 470; VI: 28, 197, 198, 312, 313, 321, 343, 363, 369, 372, 459, 488; VII: 62, 77, 94, 189, 190, 243, 329, 359, 360, 371, 379, 380, 382, 392, 397, 399, 457, 458; VIII: 342, 355; IX: 8, 92, 183; X: 330, 331, 395-396, 408, 421, 423; XI: 34, 35, 44, 45, 64, 117, 118, 177; XII: 108, 190
Bird, vireo-like, somewhat yellowish	IX: 92
Bird, warbling	IX: 8
Bird, well marked	XIII: 419, 420; XIV: 253
Bird, white	VIII: 213
Bird wing(s)	XIII: 198; XI: 393
Birds' eggs	IV: 268, 269; VIII: 10, 11; XIV: 167, 168
Birds, migrating	X: 123
Bird-cedar	VI: 458
Bittern(s)	VI: 466; VIII: 4, 16, 440; IX: 421; X: 60, 61, 147, 445; XII: 248, 268, 270; XIII: 332, 346

THE HENRY DAVID THOREAU ANIMAL INDEX

Bittern, American (or Stake-driver, <i>ardea minor</i>)	I: 138, 141; II: 255, 304; III: 5, 46, 54, 69, 76; IV: 28, 107, 123, 124, 233, 234, 334; V: 152, 193, 367; VI: 364; VII: 453, 456; VIII: 350, 380; IX: 421; X: 60, 147, 384, 394, 444, 498, 503; XI: 68, 134, 139, 148, 251, 331, 446; XII: 248, 249, 266; XIII: 250, 251, 331, 332, 346; XIV: 110, 133, 337
Bittern (Stake-driver) crop	XIV: 337
Bittern, egg (<i>Ardea minor</i>)	X: 444
Bittern, great	VI: 482; VII: 31, 41, 453, 456, 460
Bittern, green or green heron	VI: 377, 453; VII: 380; VIII: 435, 440; XIV: 61
Bittern, least (<i>Ardea exilis</i>) (See also Cowbird)	XIII: 421
Black birds	XII: 93, 105, 117
Black bug	XII: 92
Black-back(s)	X: 61; XI: 183
Blackbird(s)	IV: 30, 36, 37; V: 26, 27, 37, 61, 91, 94, 241, 242, 418; VI: 212; VII: 16, 30, 40, 62, 257, 261, 343, 355, 367, 370, 371, 410, 456, 459; VIII: 16, 114, 160, 244, 245, 250, 283; IX: 123, 297, 312, 333, 352, 457;
Blackbird(s) (continued)	X: 5, 28, 117, 132, 147, 301, 303, 304, 457, 482, 495; XI: 455; XII: 5, 38, 42, 44, 93, 94, 131, 204, 232, 336, 344; XIII: 183, 258, 261
Blackbird, cow	VI: 342; VIII: 410; XIII: 245
Blackbird, crow	IV: 34; VI: 202, 258, 262, 265, 332, 353; VII: 297, 307, 352, 369, 420, 456; VIII: 160, 161, 285; IX: 312, 315, 352, 419, 461; X: 344, 346, 373; XII: 42, 204; XIII: 258, 422; XIV: 58
Blackbird, nest	IX: 471; XII: 207
Blackbird, red-wing	III: 409, 457; IV: 169; V: 33, 61, 62, 153, 301; VI: 164, 202, 268, 457; VII: 30, 261, 342, 343, 354, 376, 381, 418, 421; VIII: 16, 24, 68, 69, 240, 250, 266, 290, 313, 407, 409; IX: 297, 397; X: 301, 303, 308, 398, 486, 487; XII: 35, 140, 270, 314; XIII: 196, 198, 258, 264, 425; XIV: 58
Blackbird, red-wing, egg	VII: 386, 387, 414, 415, 417
Blackbird, rusty (See also Grackle, rusty)	VI: 249; VII: 54, 282, 297, 298, 317; VIII: 273, 284; X: 95, 101, 102, 131, 132, 308, 329; XI: 186, 215; XII: 48, 451; XIII: 183
Blackburnian	XII: 190
Blackfish	VII: 433, 436, 441, 442, 463, 464; IX: 170, 423, 451
Blue yellow-back	X: 502

THE HENRY DAVID THOREAU ANIMAL INDEX

Bluebird	I: 449; II: 310; III: 344, 386; IV: 254; V: 15, 23, 26, 32, 93, 94, 357, 488; VI: 206, 306, 354, 457; VII: 30, 35, 220, 226, 243, 249, 257, 258, 261, 274, 367, 418, 420, 421, 502; VIII: 10, 201, 224, 270, 332, 385, 408;
Bluebird (continued)	IX: 91, 279, 295, 307; X: 261, 299, 302, 303, 405, 493; XI: 453, 455; XII: 5, 21, 22, 30, 34, 35, 42, 310; XIII: 183, 196, 203, 225, 234; XIV: 320, 321
Bluebird day	VII: 242
Bluebird, egg	VIII: 409
Blueblue	IX: 267, 270, 279
Bluefish	IX: 431
Bluet	XIII: 255
Bobolink(s)	II: 275; IV: 159, 229, 246, 303; V: 133, 136, 137, 163, 164, 282, 335, 336; VI: 350, 354, 430, 441, 452, 457; VII: 16, 31, 376, 431, 443; VIII: 333, 407, 411; IX: 357, 378, 397-399, 413, 446, 460, 461, 479;
Bobolink(s) (continued)	X: 409, 495, 499, 503, 507; XI: 51, 108, 111, 159; XII: 187, 189, 225, 232, 294, 300; XIII: 285, 291, 402; XIV: 55, 69
Bottle-head	VII: 464
Brant	VII: 25; VIII: 31; X: 245, 336, 377; XIV: 167
Bream(s)	I: 475; IV: 149, 165, 171, 212, 261, 262; V: 252, 261, 314, 325; VI: 308, 347, 355, 364, 481; VII: 429; VIII: 36, 376, 415; IX: 460; X: 486; XI: 11, 347, 348, 358, 362, 368; XII: 83, 261, 280, 288; XIII: 243, 258, 273, 323, 324, 423
Breams, barred	XIII: 273
Breams, common	XII: 83
Bream, striped	XI: 346-350, 358-360, 363, 364; XIII: 273
Brewer's blue yellow-back (bird)	VII: 364
Buffalo	I: 130; IV: 178
Bug(s)	IX: 484; X: 256, 258, 268, 461; XII: 251, 311, 312
Bugs, black	X: 70
Bug, brown	XIII: 424
Bug, smelling	IX: 319
Bull (See also Cattle)	IX: 357
Bullfrog	I: 379, 380; IV: 89, 107, 124, 125, 162; V: 145, 231, 250, 251, 253, 285, 298, 387, 409-411, 485; VI: 6, 307, 476; VII: 12, 369, 445, 446; VIII: 413, 416, 424;

THE HENRY DAVID THOREAU ANIMAL INDEX

Bullfrog (continued)	IX: 313, 353, 359, 374, 389, 456; X: 45, 229, 328, 333, 353, 357, 365, 374, 381, 382, 383, 385, 388, 390, 391, 394, 397, 400, 401, 402, 409, 410, 411, 416, 461, 467, 485, 488, 508, 509; XI: 30, 94; XII: 235; XIII: 275, 300, 325, 356, 357, 407; XIV: 36
Bullfrog spawn	X: 483
<i>Faint stertorous</i> (bullfrog-like sound)	IX: 313
Bullock	XII: 301
Bulls, winged	IX: 214
Bunting	VII: 83, 86
Bunting, black-throated	VII: 435
Bunting, black-throated/ yellow-throat	IX: 421, 426
Bunting(s), snow	VII: 289; VIII: 80, 81, 87; X: 245, 319, 456; XI: 290, 370, 391; XII: 457
Bunting, towhee (<i>F. Pennsylvanicus</i>)	IX: 110
Bunting, yellow throat	IX: 411
Bunting(s), snow or arctic snowbird	III: 357; VI: 32, 43, 45; VII: 81; VIII: 80, 81, 91, 112; IX: 228, 229, 235; X: 287; XI: 290, 291, 391, 392; XII: 6, 7; XIII: 36, 41-43, 71, 72, 100, 209
Butcher-bird	VII: 223; XI: 439
Butterfly/ Butterflies	II: 308, 318, 322; V: 341; VII: 353, 440; VIII: 265, 418, 436; IX: 82, 112, 420; X: 326, 341; XI: 47; XII: 304, 309; XIII: 280, 302, 303, 413, 414, 415; XIV: 35, 95, 203
Butterfly, blue	X: 397; XII: 167; XIII: 252
Butterfly, blue-slate	XIII: 315
Butterfly, buff-edged	IX: 308
Butterfly, copper	XIV: 194
Butterfly, large yellow and black	XIII: 351, 352
Butterfly, mourning cloak (<i>Vanessa antiopa</i>)	V: 31, 34, 104, 109; VIII: 242; IX: 308, 311, 469; X: 325, 328, 341, 397, 497; XIII: 209
Butterfly, orange brown	XIII: 407
Butterfly, orange with blackish spots	XIII: 294
Butterfly, <i>papilio Turnus</i>	XII: 198, 199
Butterfly, two-tailed pashas	X: 407
Butterfly, red/ reddish	X: 335; XIII: 209, 235, 336, 380
Butterfly, sulfur-yellow (<i>Colias Philodice</i>)	IX: 319
Butterfly/ Butterflies, yellow	II: 308, 319; IV: 226, 227; VI: 411, 412; VII: 8, 379; IX: 121; X: 71, 426; XI: 159; XII: 198, 335, 397; XIV: 241

THE HENRY DAVID THOREAU ANIMAL INDEX

Butterfly, yellow and dark	XIII:337
Buzzard, American	XI:303
<i>C. bullata</i>	XIII:341
<i>C. monile</i>	XIII:341
Caddis-worms, cases of	I:482; IV:393, 408, 451; VIII:415; IX:477
Calf or calves	III:28, 29; VI:15, 206; VII:186; VIII:34; X:366; XI:44, 358; XII:328; XIII:283
Calf, double headed	VIII:34
Cankerworm	VI:348
<i>Capelin</i> (fish)	IX:291
Caracal	IX:100
Caribou	IX:488
Cat(s)	II:89, 98, 184, 255; VII:173, 185, 202, 211, 241, 353; VIII:31, 40, 51, 52, 93, 154; IX:141, 204, 205, 213, 264, 346, 453, 470; X:202; XI:191, 259; XII:323, 357, 444; XIV:341, 342, 344, 345
Cat, California	VI:316
Cat (domestic)	IX:100; XIV:315
Cat (Kitten)	V:181-183; VIII:5, 31, 60, 158; XII:131; XIV:314, 315, 340-342, 344, 345
Cat (Kitten, tortoise-shell)	VIII:391
Min (Thoreau's cat)	VIII:158, 192, 193; IX:141, 154, 155
Cat, white	VII:19, 20
Cat, wild (as in feral)	XI:16
Catbird (or cat-bird)	IV:5, 39, 67, 68; V:124, 143; VI:354, 453; VII:31, 60, 240, 368, 376, 409, 411, 419, 423, 424, 455, 461; VIII:42, 405; IX:359, 413; X:61, 409, 412, 493; XI:181; XII:147, 184; XIII:282
Catbird nest	VI:405; VII:411, 412-413, 419, 429; VIII:96; X:213; XII:202; XIII:328
Catchflies, slender	VII:374
Caterpillar	IV:196; V:398; VI:304, 320, 330, 348, 354, 406, 407, 458; VII:14, 106, 112, 115, 249, 331, 455; VIII:74; IX:18, 26, 211, 220, 299, 305, 306, 371; IX:212, 253, 468, 469; X:189, 213, 214, 254, 495; XI:260, 416-419, 420-422, 427; XII:22, 42, 322; XIII:209
Caterpillar cocoons	IX:220, 221
Caterpillar, black	VII:116
Caterpillar, black fuzzy	XI:421, 427
Caterpillar, black and reddish-brown	VII:236
Caterpillar, blackish spiny	IX:468

THE HENRY DAVID THOREAU ANIMAL INDEX

Caterpillar, brown	XI:421
Caterpillar, dark shell head	XI:418
Caterpillar, fish-worm color	XI:421
Caterpillar, fuzzy	X:213, 237
Caterpillar, glow-worm-like	XI:421, 422, 426, 429
Caterpillar, hedgehog	XII:403
Caterpillar, striped	XI:427
Caterpillar, sphinx moth	XI:159
Caterpillar, tent	XIII:278
Cattle	IV:72, 73, 102, 134, 137, 189; V:527; VI:463, 484; VII:492; VIII:29, 38, 164, 165; IX:48, 83, 94, 342, 356, 418, 441, 477; X:133, 137, 151, 156, 193, 256, 287, 296, 298, 311, 316, 338; XII:301, 350; XIII:268; XIV:9, 10, 19, 133, 151
Cheetah	IX:100
Cherry-bird(s) (Cedar Waxwing)	II:318; IV:126; V:217, 218; VI:336, 348, 354, 355, 360, 378, 457, 486; VII:31, 422-424, 429; VIII:197; IX:370; X:65, 298, 311; XII:191, 237, 293, 309, 342; XIII:313
Chewink (<i>or</i> towhee finch)	II:9, 10, 13, 17, 388; IV:5; V:119, 124, 186; VI:347, 457; VII:31, 43, 48, 377, 404, 412, 413; VIII:361, 362, 374; IX:87, 362; X:61, 384, 428, 430, 432, 450, 451, 460, 461; XI:10, 169, 181, 198; XII:334; XIII:285; XIV:11, 22, 33
Chewink, nest	VI:317; IX:472; X:450
Chickadee(s)	II:85, 90; III:91, 138, 345, 350, 468; IV:17, 22, 41, 171, 172, 179, 204, 386, 396, 482; V:38, 76, 97; VI:3, 86, 110, 122, 354, 457, 458; VII:30, 66, 81, 82, 106, 123, 129, 220, 262, 275, 355; VIII:22, 28, 39, 53, 72, 99, 153, 154, 160, 196, 214, 264, 364;
Chickadee(s) (continued)	IX:25, 105, 108, 114, 119, 128, 151, 152, 280, 355, 497; X:57, 171, 242, 308, 316; XI:198, 290, 318, 320, 350, 380, 381, 391, 455; XII:95, 97, 202, 386, 453, 458; XIII:20, 87, 95, 97, 209, 307; XIV:336
Chickadee <i>or</i> titmouse	I:70, 399; III:62, 65; VI:121, 122; VII:105, 180; VIII:50, 53; XII:448; XIV:116, 248
Chicken(s)	VI:485; VII:27, 331, 497; VIII:94; IX:434; X:51, 304; XI:396, 397, 398
Chick-le-see (chickillesse)	VII:445; IX:413
Chironomus	XII:200
Chirp-bird	XIV:338

THE HENRY DAVID THOREAU ANIMAL INDEX

Chrysalid	IX:109
Chub	II:16; VI:312
Cicada (harvest-fly)	VI:349, 355; VII:383
<i>Septendecim</i> (Cicada or locust)	VI:349, 355
Clam(s)	II:255-259; IV:178, 216; V:495; VI:318, 327, 345, 459, 461; VII:7, 55, 68, 70, 214, 429, 408, 436, 439, 447, 454, 463, 466, 467, 488; VIII:20, 258; IX:317; X:7, 247, 397, 399, 408, 429; XI:252, 375; XII:33, 274; XIII:265, 270, 271, 277
Clam, common unio	VII:466
Clams, fresh-water (<i>Unio Complanatus</i>)	IV:178, 215; V:46, 376; VI:383, 406; VII:68, 214, 215, 295, 488; VIII:21, 258; X:408; XII:274
Clam, green-rayed	VII:447
Clam, horseshoe	IX:430
Clam, sea	IX:445; XII:283
Clam, soft shell (also called Ipswich or Essex) (<i>Mya arenaria</i>)	VII:436
Clam, thick shelled	VII:436
Clamshell(s)	IV:58; VI:7, 8; VII:7, 352, 421, 447, 471; VIII:12, 21, 168, 297, 393; IX:362; X:11, 486; XII:268, 283, 450
Cobweb(s)	II:75; IV:199, 289, vI:234, 260; VII:38, 294; XI:224, 225, 363; XII:265, 266
Cock(s) (rooster)	IV:110, 166; VII:112, 498; VIII:52, 426; IX:9, 25, 154, 155, 342; X:140, 166, 298; XI:422; XIII:3; XIV:22, 249, 318
Cock, black	III:427
Cock, heath	VII:135
Cock-crowing	I:202, 227; II:301, 334, 384; VII:106, 179, 497; VIII:52, 426; IX:245; X:227
Cockerel (young rooster)	VII:90; VIII:56; IX:200; XI:190, 191
Cocoon	II:125; V:86, 185; VI:19, 23, 73, 131, 132; VII:103, 401; VIII:124, 418; IX:220, 221; XIII:356; IX:366, 471
Cod	VII:433, 437, 440, 444
Cod, atlantic (<i>Morrhua vulgaris</i>)	VII:444
Colt	IX:419, 420
Coot (<i>Fulica Americana</i>)	III:127; VIII:307, 308; X:140, 209, 225, 245, 247
Cormorant	VII:135
Cougar	VII:134; VIII:220; IX:71-74, 78, 100, 101, 133, 134; XI:15; XIV:250

THE HENRY DAVID THOREAU ANIMAL INDEX

Cowbird(s) (Cow Troopial)	II: 309; V: 367; VI: 342, 354; VII: 329, 414, 419, 420, 443, 453; VIII: 410; IX: 342, 348; XI: 146, 205; XII: 191, 264; XIII: 353
Cow(s)	II: 18, 19, 21, 37, 61, 99, 106, 311, 359; III: 7, 8; IV: 160, 166, 168, 175, 176, 199, 254; V: 11, 23, 159, 312; VI: 348, 434; VII: 21, 375, 453, 455; VIII: 93, 94, 109, 127, 341, 396, 410, 413, 415, 443, 444; IX: 104, 267, 357, 364, 373, 381, 441, 478;
Cow(s) (continued)	X: 136, 145, 151, 160, 168, 182, 186, 193, 202, 210, 213, 237, 366, 409, 448, 499, 510; XI: 134, 208, 280, 291, 300, 351; XII: 264, 301, 316, 346, 357, 447; XIII: 240, 339, 353, 394, 415; XIV: 4, 22, 145, 151, 305
Coo's (Cow's) tongue	IX: 206
Cow-killer	IX: 89
Crabs	II: 358; XIII: 420
Crab, fiddler	VII: 480
Crab, horseshoe	IX: 418
Crab shell, horseshoe	VII: 443; IX: 418
Crane	VII: 136; XIII: 27
Crayfish	XI: 397
Creature(s)	VI: 456; IX: 210
<i>Crepidula fornicata</i> (Common slipper shell)	VII: 471
Creeper	VII: 129; VIII: 162; IX: 204; X: 398; XIII: 295, 347
Creeper, black and white	VI: 350, 354; VII: 372, 375, 379, 405; IX: 360, 392; X: 395, 398; XII: 192; XIII: 281
Creeper, brown	VI: 122; VIII: 54; IX: 230; XII: 453
Cricket(s)	I: 57, 109; II: 93, 254, 276, 291, 306, 370, 378, 385, 406, 408, 409, 421, 422, 447, 475, 479, 480, 482, 483; III: 39, 128; IV: 20, 109, 110, 114, 264, 278; V: 158, 194, 340, 356, 357, 379, 498; VI: 108, 290, 291, 310, 327, 347, 419, 439, 461, 473;
Cricket(s) (continued)	VII: 21, 35, 367, 369, 374, 451, 462, 463, 498; VIII: 21, 361, 372; IX: 8, 128, 378, 403; X: 12, 44, 45, 46, 57, 72, 93, 99, 107, 108, 140, 189, 254, 482; XI: 166, 197, 272, 273, 281, 288, 292, 310, 319; XII: 192, 266, 292, 294, 306, 321, 362; XIII: 288, 292, 300; XIV: 35, 341
Cricket, alder	VIII: 444; IX: 8
Cricket, black (<i>Acheta Abbreviata</i>)	X: 107; XI: 421
Cricket, fall	IX: 22

THE HENRY DAVID THOREAU ANIMAL INDEX

Cricket, mole (<i>Gryllotalpa brevipennis</i>)	VI: 460; VII: 12, 21, 452, 454, 456, 462, 463; IX: 14, 91; X: 9, 45; XI: 95; XII: 293; XIV: 52
Cricket, z-ing	XII: 441, 444
Croaker	VII: 245; IX: 313; X: 333, 342
Crossbill (finch)	VIII: 38; XII: 149, 289; XIII: 209, 245
Crow(s)	III: 88, 219; IV: 179; V: 65, 243, 291, 470; VI: 154, 341, 353, 457; VII: 60, 81, 82, 87, 94, 106, 111, 112, 113, 121, 142, 179, 220, 232, 263, 282, 289, 297, 312, 327, 353, 354, 358, 359, 362, 365, 369, 375, 410, 492, 493, 526;
Crow(s) (continued)	VIII: 35, 36, 50, 52, 94, 110, 114, 129, 132, 133, 135, 137, 156, 157, 159, 160, 166, 168, 202, 206, 214, 218, 230, 254, 255, 257; IX: 148, 333, 457, 496; X: 52, 53, 140, 187, 217, 298, 330, 392, 393, 398, 430, 438, 454, 482, 490; XI: 202, 407, 408, 411, 412, 420, 422, 425;
Crow(s) (continued)	XII: 11, 12, 100, 115, 105, 204; XIII: 66, 70, 76, 88, 100, 115, 126, 159, 160, 175, 179, 205, 209, 291, 318, 326; XIV: 22, 92, 101, 102, 107, 214, 266, 267, 295, 296, 309, 310, 313
Crow-quill	VI: 464
Crow, blackbird(s)	VII: 370, 371, 433; XII: 69
Crow droppings	VIII: 132
Crow's nest	VI: 316; X: 498; XI: 358, 359, 362
Crow, track of	VIII: 129
Cuckoo	IV: 205; VI: 343, 399; VII: 31, 383; IX: 111, 288, 289, 390; X: 8, 9, 411; XI: 8; XIII: 306
Cuckoo's nest and eggs	V: 275, 276, 306; VIII: 366, 373; XII: 201
Cuckoo, St. Domingo	VI: 263; XII: 339
Cuckoo, yellow-billed	XII: 202, 237
Curculio	IX: 471
Deer	II: 61; III: 306; VII: 26, 73, 115, 134, 135, 178; VIII: 165, 393; IX: 423; X: 15; XIII: 27, 221; XIV: 86, 315, 317
Deer (totem)	X: 292
Deer horns	XI: 18, 27
Deer, white-tailed	XIV: 231
Devil-fishing	XIV: 315
Dildees	XII: 149
Dipper(s)	VI: 462; VII: 30, 37, 41, 491; IX: 490; X: 140, 208, 209, 225, 322, 323, 503; XI: 153, 187, 338; XII: 318, 447; XIV: 74, 96, 97, 103

THE HENRY DAVID THOREAU ANIMAL INDEX

Dog(s)	I: 227; II: 113, 275, 371, 397, 398; III: 74, 75, 225, 294, 383, 419; IV: 401, 491; V: 20, 21, 262, 353, 522-525; VII: 23, 88, 125, 134, 152, 154, 163, 179, 353, 354; VIII: 29, 36, 76, 78, 93, 138, 194, 256, 257;
Dog(s) (continued)	IX: 26, 27, 133, 180, 198, 356, 423, 456, 457; X: 206, 207, 226, 227, 252, 253, 341, 342, 430, 436, 461, 499; XI: 190, 196, 321, 322, 340, 350, 353, 354, 387; XII: 212; XIII: 205, 266, 350; XIV: 316, 325, 326, 339, 340
Dog, brown pointer	IX: 98
Dog, Esquimau	IX: 299
Dog, mastiff	XI: 339
Dog, hound	XI: 353
Dog, Newfoundland (Ricketson's "Ranger")	IX: 320
Dog, spaniel	IX: 27; XIV: 339
Dog, terrier	IX: 198; X: 195; XIV: 108
Dog tracks	VIII: 139
Dogfish	IX: 451
Dor-bug(s)	IV: 12, 100; V: 195; VI: 302; VII: 213, 440; IX: 345; XII: 185; XIII: 270, 271, 335; XIII: 340
Dor-bug, red-brown	XII: 187
Dorbug, yellow (<i>Areoda lanigera</i>)	VII: 341; IX: 319; XIII: 340
Dove(s)	IV: 283; VII: 317; XIV: 314
Dove, egg	VII: 445
Dove, ring	X: 226, 227
Dragon-fly	VI: 312, 355; VIII: 441; XII: 190
Dragonfly (<i>Aeslona</i> ; or Devil's-needles)	IV: 189, 208, 411; V: 253, 267, 295, 296, 317; VI: 308, 332, 348, 355, 381, 400; VII: 411; VIII: 420, 430, 441; IX: 400, 407, 408, 412; XI: 332, 335; XII: 185, 273, 302; XIII: 344, 360, 361; XIV: 311
Dragon-flies, larvae	VI: 286; VII: 116, 313
Drums	IX: 321; X: 393
Duck(s)	VI: 461; VII: 6, 23, 26, 27, 31, 39, 40, 41, 60, 104, 136, 243, 252, 255, 337, 355, 432, 323, 485; VIII: 5, 16, 17, 19, 20, 24, 195, 211, 252, 254, 260, 268, 394, 395, 407, 443, 444; IX: 130, 280, 312, 333, 365, 366;

THE HENRY DAVID THOREAU ANIMAL INDEX

Duck(s) (continued)	X: 100, 107, 129, 131, 133, 134, 147, 311, 315, 317, 318, 321, 322, 326, 332, 333, 334, 336, 361, 366, 367, 376, 377, 411; XI: 129, 157, 163, 165, 197, 201, 203, 321, 364;
Duck(s) (continued)	XII: 39, 41, 62, 85, 88, 99, 104, 141, 150, 224, 315, 318, 329, 451; XIII: 181, 210, 214, 217, 218, 250, 279, 327; XIV: 88, 96, 102
Duck(s), black	V: 59, 79, 80; VI: 168, 173, 174, 175, 178, 182, 188, 195; VII: 30, 253, 316, 327, 333, 353, 458, 483; VIII: 192, 194, 257, 261, 264, 290, 292;
Duck(s), black (continued)	IX: 301, 366, 456, 466, 467; X: 96, 245, 317, 321, 335, 336, 344, 377; XI: 311; XII: 46, 94, 133, 135, 150, 199; XIII: 33, 182, 207, 211, 213; XIV: 337
Duck, buffle-headed	VII: 83; XIV: 338
Duck, dark	VII: 411
Duck, domestic	IV: 197; V: 101, 102; XII: 135
Duck, dusky	V: 442
Duck, egg	X: 383
Duck, eider	XII: 149
Ducks, golden eye (or whistler)	VII: 252, 287; X: 322; XII: 71, 147
Ducks, goosander	VII: 252
Duck, gray	VII: 4; XIII: 211
Duck, grayish	XII: 84
Duck, grebe or sheldrake	X: 133
Duck, heads	XIII: 181
Duck, mallards	X: 336
Ducks, red-breasted merganser	VII: 252
Duck, small	XI: 311
Duck, spindle-tail	XII: 149
Duck, spirit	VII: 83
Duck, summer	I: 6; VI: 202, 354; VII: 411, 451; VIII: 16, 443, 444, 451; IX: 85; X: 100, 117, 129, 147, 317, 424, 425; XII: 150, 199; XIV: 56, 88, 108
Duck, tails	XIII: 181
Duck, tufted (<i>Fuligula albeola</i>)	X: 323; XIII: 33
Duck, unidentified	III: 395; V: 40, 65, 95, 96; VI: 169, 170, 194, 286, 292; VII: 5, 23, 55, 243, 244, 255, 280, 323, 324, 485; XIII: 33, 211, 424, 425
Duck, velvet	X: 245, 247

THE HENRY DAVID THOREAU ANIMAL INDEX

Duck, wild	I: 128, 422; III: 394, 425, 426, 429, 430, 435; IV: 19, 196, 383, 384, 487; V: 23, 95, 96, 99; VI: 286; VII: 4, 270, 271, 272, 283, 284, 323, 324; VIII: 299; IX: 109; X: 117, 118, 133, 134, 317, 318, 320, 321, 326, 366; XII: 101, 134; XIII: 425
Duck, wood	I: 6; VI: 202; VII: 5, 26, 30, 36, 55, 353; VIII: 443, 444, 451, 459; X: 100, 317, 424, 425; XI: 197; XII: 224, 232, 315; XIV: 56, 88, 102, 108
Ducks, young	XIII: 424, 425
Eagle(s)	I: 351; V: 95; VII: 135, 349, 350; VIII: 255; IX: 125, 431; X: 331, 482; XI: 34; XII: 74, 265; XIII: 195
Eagle, bald	X: 247
Eagle, black	IX: 22
Eagle, golden	X: 248
Eagle, white-headed	VI: 189, 190, 214, 215; VII: 354; IX: 22; XI: 117, 118, 131
Earthworm	VII: 272, 273; XII: 114; XIII: 267
Eel(s)	VII: 170; VIII: 94, 96, 303, 304, 327, 328; IX: 317, 326, 430; X: 114, 399, 429; XI: 233, 234; XII: 281; XIII: 332
Eel, lamprey	X: 378, 399, 406, 407, 417
Eel, sand	II: 358
Egg(s)	VII: 96; VIII: 23; XII: 243, 244, 258, 279, 284
Egret	VII: 365
Elephants	II: 132, 244
Elk	VII: 74
Ephemerae	VI: 157, 331; VIII: 370-372; IX: 406; XIII: 276
<i>Esox ornatus</i> (Pickerel)	XI: 349 note
<i>Esox reticulatus</i> (Pickerel)	X: 412; XI: 349 note
Evergreen-forest note or bird (Golden-winged Warbler; See also Warbler, black-throated green)	VI: 262, 321, 343, 354, 363; IX: 360
<i>Falco fuscatus</i> (Forest falcon)	XI: 151
Falcon, winter	XI: 397
Father-long-legs	XII: 397
Fawn	XII: 83
Feather	VIII: 124; XII: 185
Field plover	VII: 439
Field-rat	VII: 239
Finch, grass	VI: 187

THE HENRY DAVID THOREAU ANIMAL INDEX

Finch, purple	I: 449; IV: 6, 17, 31, 69, 108; V: 303; VI: 181, 193, 194, 198, 201, 210, 306, 312; VII: 302, 355, 385; VIII: 278, 284, 402; IX: 111, 347, 419; X: 345, 346, 497, 503; XII: 140, 237, 259, 292; XIII: 241, 243; XIV: 336, 342
Finch's, purple, nest and eggs	X: 497, 498; XII: 191
Finch, seaside	VII: 94
Fireflies (Firefly)	II: 249, 260; IV: 108, 109, 111, 129; VII: 21; X: 485; XIV: 55
Fish(es)	I: 120, 137, 474, 475; II: 36, 321; IV: 216, 217, 221; VI: 308, 311, 338, 339, 343, 364, 373, 374, 459, 460, 465; VII: 55, 136, 369, 375, 381; VIII: 104, 116, 168, 210, 212, 326, 327, 342, 343, 371, 372;
Fish(es) (continued)	IX: 22, 85, 129, 130, 162, 210, 299, 308, 321, 322, 326, 327, 335, 351, 353, 386, 402, 423, 424, 454; X: 205, 257, 259, 313, 314, 334, 349, 350, 359, 360, 361-363, 367, 368, 370, 371, 372, 383, 384, 385, 387, 390, 499;
Fish(es) (continued)	XI: 159, 187, 287, 303, 310, 311, 346, 349, 350, 360, 383, 397, 407, 413; XII: 131, 135, 145, 210, 266, 280, 286, 288, 338; XIII: 41, 197, 261, 273, 275, 276, 344, 349, 394; XIV: 146, 331
Fish bones	XI: 410
Fish scales	XI: 410
Fish, alewife	VII: 484
Fish, embryo	X: 368
Fish, fresh-water	VIII: 397; X: 294
Fish, little or small	IV: 163; XI: 303, 383
Fish, parent	XI: 383
Fish spawn embryo	X: 362
Fisher	VII: 248, 459
Fishworm (earthworm)	VII: 257, 272, 273; IX: 357; XI: 136; XII: 114, 156, 157; XIII: 201, 205, 209, 234, 267
Five-finger (fish)	IX: 321
Flatfish	IX: 321
Fleas, pink	XI: 204
Fleas, purple	II: 455
Flea, snow	II: 125, 138; III: 192; IV: 426; V: 30, 464, 511; VI: 49, 60, 113, 114; VII: 81, 155, 162, 521; VIII: 105, 202, 208, 266, 337; X: 131; XI: 310, 418, 425; XII: 101, 450; XIII: 79, 101, 102, 116

THE HENRY DAVID THOREAU ANIMAL INDEX

Flicker (Woodpecker, pigeon)	I: 252; II: 304; III: 66, 460; IV: 11; V: 60, 61, 98, 122, 151, 289, 290; VI: 128, 181, 207, 419, 430, 463; VII: 30, 46, 53, 294, 329, 330, 333, 334, 420, 444; VIII: 220, 281, 295, 375;
Flicker (Woodpecker, pigeon) (continued)	IX: 265, 289; X: 65, 300, 301, 368, 487, 492; XI: 367; XII: 42, 77, 81, 140, 231; XIII: 245, 251, 276, 285, 318; XIV: 69
Flicker (Woodpecker, pigeon), nest	XII: 199
Flies (Fly)	II: 86, 87, 317, 438; III: 161; IV: 174; V: 105; VI: 457; VII: 438, 446; VIII: 265, 439; IX: 112, 267, 280; X: 300, 328, 343; XI: 35, 49; XII: 146, 147, 182, 184, 185, 196, 204, 208, 256, 257; XIII: 182, 201, 209, 346; XIV: 35
Flies, black	VIII: 150; XI: 29, 32, 35, 51; XII: 182; XIII: 299
Flies, kelp	IX: 417
Flies, wood	IX: 481, 482
Flycatcher, great crested or olive-sided (<i>Muscicapa Cooperi</i>)	VII: 415
Fly, green	XIII: 197, 209
Fly, wings	XIII: 201
Fly-catcher	VII: 240, 379, 415, 416; VIII: 353, 365, 370; IX: 408; XIII: 313
Flying Childers (racehorse)	XII: 345
Fowl	VII: 497; VIII: 93; IX: 130, 274, 351; X: 131
Fowl, skeleton	X: 195
Fox(es)	I: 89, 185-187, 421, 470; II: 461; V: 242; VI: 84, 97, 98, 139; VII: 57, 81, 95, 98, 115, 151-153, 154, 169, 174, 215, 231, 241, 251, 343, 442; VIII: 40, 47, 48, 50, 53, 76, 78, 79, 80, 104, 107, 158, 171, 175, 176, 308; IX: 197, 198, 211, 219, 228, 446, 456; X: 129, 206, 207, 220, 228, 240, 251, 252, 253, 254, 416, 429, 433-437;
Fox(es) (continued)	X: 429, 434, 435, 436, 437, 438; XI: 168, 321, 345, 351, 376, 387, 408, 447; XII: 127, 129, 149; XIII: 21, 22, 73-76, 80, 81, 100, 101, 104, 123, 124, 153, 154, 205, 209, 251, 341, 360, 361, 373, 377, 397, 398; XIV: 90, 92, 93, 103, 167, 232, 310, 339, 340
Fox, arctic	IV: 82
Fox, black	VII: 154; IX: 163; XIV: 77
Fox, cross	XII: 150
Fox, red	VII: 154
Fox, Sampson	VII: 154

THE HENRY DAVID THOREAU ANIMAL INDEX

Fox, silver-gray	VII:192
Foxhound	VII:128; VIII:460
Fox-skins	VIII:191
<i>Fringilla hyemalis</i> (dark-eyed junco)	III:357, 358, 373, 410; V:32, 40, 50, 58, 83, 94; VI:169, 175, 181, 212; VII:30, 56, 60, 260, 302; VIII:7, 250; IX:297, 488, 496; X:66, 128, 201, 203, 297, 308, 309, 362, 455, 456, 457, 461; XI:20, 30, 51, 374; XII:68, 71; XIII:182; XIV:12, 22, 33, 52
Frog-spawn	III:478; V:124; VI:355; IX:318; X:380, 383, 396, 440, 467, 468; XI:141
Frog(s)	II:207, 250; III:392; IV:8, 14, 34, 45, 69, 125, 162, 166, 221; V:42, 45, 106; VI:283, 307, 461; VII:22, 30, 36, 174, 233, 245, 311, 318, 456, 482; VIII:21, 31, 103, 105, 204, 214, 260, 271, 286, 354, 414; IX:271, 278, 301, 303, 304, 306, 313, 347, 353, 367, 476, 477;
Frog(s) (continued)	X:26, 44, 195, 251, 254, 259, 268, 269, 328, 332, 333, 346, 347, 350, 351, 352, 353, 354, 355, 360, 364, 365, 367, 369, 373, 374, 375, 376, 381, 382, 383, 384, 385, 388, 389, 390, 391, 395, 397, 400, 401, 402, 403, 408, 409, 410, 488, 508;
Frog(s) (continued)	XI:107, 108, 160, 192, 345, 346, 397; XII:35, 74, 76, 78, 79, 80, 127, 141, 217, 218, 280, 285; XIII:183, 184, 196, 251, 286, 407, 411; XIV:35, 36, 310, 336
Frog, bullfrog-like	X:365
Frog eggs (oat-seed spawn)	VII:369
Frog, croaking	IX:312, 318, 319
Frog, northern leopard (<i>Rana pipiens</i>)	X:401; XI:345
Frog, pickerel (<i>Rana Palustris</i>)	VI:461, 466, 473; VII:12, 21, 245, 424; IX:318, 353, 359, 401; X:267, 381, 382, 385, 388, 390, 391, 394, 397, 400, 401, 402, 403, 407, 409, 440, 485, 508; XI:345; XII:346, 355; XIII:325, 356, 357
Frog, pollywog	X:191
Frog(s), shad	VI:466; XIII:183
Frog, spring (<i>Rana Fontinalis</i>)	X:353, 374, 375, 402, 467, 488, 508; XI:192; XII:35, 80; XIII:201-202, 210, 233, 238; XIV:35
Frog, southern leopard (<i>Rana Halecina</i>)	VI:466; X:24, 341, 342, 347, 350, 351, 352, 355, 360, 362, 367, 373, 374, 375, 378, 380, 381, 383, 384, 388, 389, 391, 394, 397, 401, 402, 403, 407, 485; XII:133, 140, 147, 355; XIII:204, 243, 274
Frog, tadpole	XIV:310

THE HENRY DAVID THOREAU ANIMAL INDEX

Frog tympanum (ear)	X:382, 389
Frog(s), wood (<i>Rana Sylvatica</i>)	IV:154; VI:316; X:31, 101, 348, 352, 353, 355, 356, 357, 364, 373, 374, 401, 402, 410; XI:261; XII:103, 141, 346; XIII:195, 202, 210, 285
Frog(s), wood (<i>Rana Sylvatica</i>) spawn	X:364, 372
Frog spittle	VI:465
Frogs (in alcohol; <i>Seaphiopus Solitarius</i>)	IX:413
Gadwall (duck)	XIII:211
Game, small	VIII:394
Gander	XII:192
Geese	I:401, 402; III:360, 418, 434, 436, 439, 444, 449, 454, 477; IV:19, 169, 177, 416, 418, 430; V:52, 53, 54, 86, 207, 485, 511, 515, 518; VI:72, 162; VII:71, 72, 80, 136, 206, 239, 258, 267, 297, 299, 317, 322, 471; VIII:22, 23, 24, 31, 33, 46, 220, 256, 260;
Geese (continued)	IX:268, 306, 381, 447, 467; X:130, 169, 177, 216, 218, 242, 245, 265, 324, 335, 336, 338, 377, 378; XI:180, 240, 242, 287, 319; XII:39, 80, 94, 95, 99, 153, 192, 324, 397, 454; XIII:213, 218, 234; XIV:69, 212, 322
Geese, wild	VII:96; VIII:24
<i>Globicephalus deductor</i> or <i>melas</i> (whales)	VII:464
Glow-worms	IV:145, 259, 260; X:3-5, 33, 34, 248; XI:170, 338
Gnat(s)	V:18; VII:336, 340; VIII:322; IX:123, 124, 338, 339, 385; X:307, 327; XI:169, 184, 229, 299; XII:33, 74, 82, 83, 106, 148, 183, 206, 318; XIII:183, 196, 206, 209, 228, 262; XIV:72
Gnats, fuzzy	VIII:220; XII:106; XIII:256
Gnat, plumed	XII:200
Gnat, small-fuzzy	XIV:336
Gnat, winter	X:307
Goat	VIII:25; X:314; XI:16
Goat, mountain (Chamois)	XII:353
Goat-sucker (Dor-hawk) (See also Wheel bird)	VII:126
Goldfinch(es)	II:350; III:29, 57, 66; IV:229, 232, 251, 267, 278, 285, 319, 326; V:150, 357, 358, 365, 389; VI:236, 354, 430, 440, 457; VII:27, 31, 224, 292, 355, 436, 446, 457; VIII:324, 338, 342, 410, 424, 458; IX:24, 31, 115, 226, 377; X:99, 377;

THE HENRY DAVID THOREAU ANIMAL INDEX

Goldfinch(es) (continued)	XI: 7, 85, 86, 88, 93, 103, 104, 107, 109, 205, 317, 374, 395; XII: 80, 145, 147 note, 187, 266, 294, 300, 301, 316, 335, 442, 446, 450; XIII: 67, 77, 79 and note, 105, 111, 246, 280; XIV: 73
Goosander (See also Sheldrake)	VII: 77, 252, 287, 288-290, 291, 329; X: 321; XII: 77
Goose	I: 130, 422; III: 395, 426, 427, 434 note, 438, 444; IV: 19; V: 524; VII: 23, 71, 72, 136, 258, 299, 308, 322; XII: 98, 285; XIII: 211
Goose, white or snow	VI: 136
Gosling	XII: 135
Goshawk	V: 114; VI: 184; VII: 70, 353
Gossamer (spider's web)	III: 87; VII: 66; IX: 128, 268, 269, 271; X: 327; XI: 311, 322; XIII: 197, 198
Grackle(s)	VI: 217, 306, 424; VII: 54, 317, 344, 354, 361, 368, 456, 527; VIII: 16, 240 note, 250, 273, 284, 309, 313; IX: 312; X: 61, 95, 101, 132, 304, 308, 348; XI: 186, 198, 215, 237; XII: 28, 46, 48, 140, 147, 156, 185, 336, 344, 372, 451; XIII: 183, 196; XIV: 132, 195
Grackle, rusty (See Blackbird, rusty)	VI: 258, 263, 306; VII: 47, 297; VIII: 273 X: 329
Grass-bird (See Bay-wing)	VI: 457; VII: 442, 490; VIII: 252
Grasshopper(s)	IV: 3 note, 72, 140, 197, 265, 344, 346, 348; V: 33, 40; VI: 205, 369; VIII: 305; IX: 18, 22, 23, 60, 112; X: 495; XI: 95, 96, 149, 422; XII: 332, 444; XIII: 105, 172; XIV: 35, 83, 133, 341
Grasshopper, brown	X: 310; XI: 418, 427; XII: 100; XIII: 201, 209
Grasshopper, green	XI: 427; XIII: 201, 209
Grasshopper, red-winged	VII: 376-377; XIII: 273
Grasshopper, winged	VI: 462;
Grasshopper, yellow-winged	XIII: 277; XIV: 203
Grebe	XII: 447
Grebe, little	X: 247
Grebe, unidentified	VI: 28
Grebe, white-breasted	X: 503
Grosbeak	V: 247; VII: 120; IX: 380; XIII: 294
Grosbeak, cardinal	V: 78
Grosbeak, pine	III: 127, 130, 153, 352, 357; VI: 124, 146; VIII: 43; IX: 325; XI: 50; XIII: 100
Grosbeak, rose-breasted	V: 247 note; VI: 302, 459 note; VII: 384-385, 411; VIII: 342, 351, 356; IX: 380, 381; XI: 50; XII: 194, 198, 202, 258, 260, 277; XIII: 395
Grosbeak, social	VII: 120

THE HENRY DAVID THOREAU ANIMAL INDEX

Ground bird	XII:68
Ground-robin (See Chewink)	VI:317
Grouse	V:343; VI:457; VII:452; X:35
Grub(s)	IV:72, 73; V:9, 18, 37, 51, 52, 168, 528; VI:73, 151, 305, 321, 459; VII:14, 84, 88, 106, 112, 204; VIII:116, 284, 357, 411; IX:15, 128, 279, 282, 310; X:148; XI:136, 163, 440; XII:23, 113, 157, 170, 308, 309; XIII:209, 359, 372, 408
Grub, donacia (Leaf beetle)	VII:71
Grub, fly	XII:151
Grub, snow	VI:181
Grub, white	VII:273; VIII:116, 357; IX:371, 462; X:148, 189
Guinea cocks	VII:93
Guinea hens	VII:93
Guinea-fowl	II:228
Gull(s)	III:385, 392, 394, 412, 416, 417, 425, 441; V:11, 17, 25, 28, 99, 100, 458, 485; VI:158, 164, 176, 177, 186, 238, 484; VII:254, 262, 283, 284, 310, 311, 355, 372, 433; VIII:297; IX:317, 333; X:14, 127, 317, 326; XI:317, 326; XII:51, 60, 71, 78, 84, 95, 99, 133, 141, 166; XIII:182, 197, 213
Gull, black headed	X:8; XI:171
Gull, breast	XIII:197
Gull, common	X:8
Gull, herring	VII:254; IX:317; X:321; XII:141
Gull, kittiwake	III:127
Gull(s), mackerel	VII:434, 437, 438; VIII:393; IX:451; XII:104, 149-150
Gull, saddle-back	XII:141
Gull, white	III:383; VII:311; VIII:393; XIII:213
Haddock	IV:476; VIII:430
Hair-bird	VII:423, 429; X:497
Hairworm	VI:482; VII:447
Halibut	VII:433, 440; IX:445
Hang-bird	VII:218; VIII:119
Hare (See Rabbit)	VII:143, 151, 163, 171; IX:145; X:197; XII:149
Hare, gray (See Rabbit, gray)	V:6
Hare, long-eared	XIII:27
Harrier	VIII:234 note; XIII:297

THE HENRY DAVID THOREAU ANIMAL INDEX

Hawk(s) (See also Hen-hawk)	I: 351; III: 23, 60, 108, 143, 145, 463; IV: 103, 172, 331, 332, 352, 353; V: 60, 74, 83, 97, 231-233, 235, 236, 245, 246, 340, 341, 364, 380, 384, 418; VI: 354, 386, 470, 482; VII: 19, 21, 39, 89, 94, 159, 162, 174, 227, 256, 273, 330, 335, 346, 350, 351, 355, 364, 365, 366, 378, 412;
Hawk(s) (See also Hen-hawk) (continued)	VIII: 7, 9, 67, 162, 234 note, 260, 262, 297, 350, 436, 437; IX: 79, 109, 145, 288, 348, 367, 375, 456; X: 27, 48, 135, 138, 214, 296, 305, 331, 336, 368, 376, 392, 393, 395, 423, 439, 449, 482, 487, 490, 498, 509; XI: 69, 83, 161, 190, 202, 305, 335, 396, 398, 431, 451, 453;
Hawk(s) (See also Hen-hawk) (continued)	XII: 70, 74, 80, 108, 114, 116, 117, 118, 140, 207, 327, 338, 358; XIII: 88, 209, 212, 261, 284, 316, 318, 328, 329, 373, 384; XIV: 107, 231, 295
Hawk, black-tipped	VII: 21
Hawk, broadwinged	VII: 331
Hawk, brown	VII: 330, 331
Hawk, Cooper's	XI: 366; XIII: 297, 298, 315, 316, 317
Hawk, egg	X: 439
Hawk, fish	I: 351; VI: 459; VII: 30, 70, 72, 308, 309, 372, 373, 375, 378, 379, 381, 416; VIII: 210, 212, 217, 255, 281-284, 287; IX: 22, 301, 431; X: 126, 141, 482, 384, 385, 386, 392, 393, 482; XII: 116, 117, 118, 141, 355, 451; XIII: 217, 246, 263; XIV: 69, 87, 100, 110
Hawk, frog	VII: 174, 237, 330, 331, 350, 351, 352; XIII: 212
Hawk, marsh (See also Hen-harrier)	VII: 331, 460, 492; VIII: 204, 234 note, 260, 262, 271; IX: 304, 367; X: 44, 134, 135, 376, 486, 487, 501, 502, 503; XI: 202, 335; XII: 70, 71, 80, 105, 197, 418; XIII: 199, 284, 315, 317, 328, 357; XIV: 74
Hawk, marsh, eggs	X: 439, 487
Hawk, marsh, nest	X: 486
Hawk, marsh, wing	XIII: 199
Hawk, meadow	VII: 237
Hawk, nest	VIII: 411
Hawk, partridge	VI: 485; VII: 331; VIII: 195; IX: 110
Hawk, partridge, nest	XI: 181
Hawk, pigeon	VI: 245; VII: 60, 509, 510; X: 117; XI: 134; XII: 327; XIII: 261; XIV: 338
Hawk, pigeon, nest	XI: 181
Hawk, pigeon or Sparrow	VII: 509; X: 117

THE HENRY DAVID THOREAU ANIMAL INDEX

Hawk, red or rusty breasted	XI:397
Hawk, red-shouldered (<i>Falco lineatus</i>)	X:503; XI:396-398
Hawk, red-tailed (or red-tail)	V:54, 55, 90, 91, 93; VI:488; VII:341, 342, 345-350, 355
Hawk, sharp-shinned (<i>Falco fuscus</i>)	VII:312, 351, 355, 356, 363, 428; VIII:398; IX:110; XI:62-64, 133, 135, 366; XIII:258, 259, 298
Hawk, slate-colored	VI:457; VII:19, 24
Hawk, sparrow	III:17; VI:245, 246; VII:60; VIII:354, 398; XI:217; XIII:261
Hawk, unidentified	VI:195, 386; VII:330, 331; VIII:317; IX:76; XII:15, 108, 327, 380
Hawk, white-breasted (<i>Falco leverianus</i>)	XI:303
Heifer	VIII:391
<i>Helix alabolarbris</i> or <i>thyroidus</i>	VII:470
Hen(s)	I:350; II:302, 309, 319; III:192; IV:197; VII:94, 95, 113, 212, 267, 282, 319; VIII:37, 48, 94, 165, 196, 214; IX:239, 342, 434; 419; X:51, 298, 368; XI:302, 303, 305, 397; XIII:243, 252, 280; XIV:84
Hen-Harrier (See also Hawk, marsh)	VII:331, 378; VIII:9; X:331, 448
Hen, mud	XII:264
Hen, wild	VII:498
Hen-hawk(s)	II:480; III:426, 427; V:34; VI:488; VII:27, 285, 331, 350, 353, 365, 372, 455, 460; VIII:199, 234, 436; IX:122; X:135, 224, 296, 321, 330, 398, 487, 503; XI:302, 303, 304-306, 313, 398, 450; XII:74; XIII:194, 195, 212, 255, 291, 426; XIV:61
Hen-hawk or Redtail	VII:375; IX:434
Hen-hawk, body	XIII:195
Hen-hawk, maw	XIII:195
Hen-hawk, wings	XIII:194, 195
Hen-hawk, egg	XII:200
Heron(s)	VI:364, 459, 465, 466; VII:40; XI:165; XII:287, 346
Heron-tracks	VII:25
Heron (<i>Ardea</i>)	VI:466
Heron, blue	VI:482

THE HENRY DAVID THOREAU ANIMAL INDEX

Heron, great blue	II: 263; III: 427, 443, 444; V: 153, 156, 157, 380, 381, 391; VI: 228, 354, 364, 465, 466, 470; VII: 15, 31, 40, 41, 310, 450, 482, 527; VIII: 4, 393; IX: 23; X: 126; XI: 109, 113, 114, 138, 165, 184; XII: 185, 267, 268, 284, 285, 286, 287, 288; XIV: 54, 110, 337
Heron-like bird, blue	VII: 380
Herring	IX: 326, 430
Hog (See also Pigs)	VII: 171; VIII: 164; IX: 214; XII: 343; XIV: 104
Hog bristles	IX: 420; X: 498
Hog, wood	VII: 171
Honey-bird	II: 131
Hopper	XIII: 209
Horned chub	XII: 187
Hornet(s)	VII: 488; VIII: 109; XI: 168, 197, 245; XIV: 344
Hornet nest(s) (See also Wasps)	II: 432; III: 22, 23, 33, 138; IV: 112; VII: 66, 488, 489; IX: 201 X: 230; XI: 2450
Horse(s)	II: 37, 38, 243, 375, 447-449; III: 187, 335, 419; IV: 137; V: 11, 115, 276, 277, 368; VI: 49, 491; VII: 153, 173, 176, 352, 353, 446, 492, 500, 515; VIII: 35, 57, 200, 209, 449;
Horse(s) (continued)	IX: 204, 214, 304, 307, 335, 352, 418, 421, 422, 423; X: 6, 7, 74, 405, 499; XI: 7, 8, 14, 120, 121, 208, 445; XII: 47, 211, 235, 296, 336, 337, 349; XIII: 187, 218, 221, 349; XIV: 9, 10, 132
Horsehair	VIII: 124
Horseshoe	VII: 439
Horse, an old family	IX: 98
Horsefly, great (<i>Tabanus</i>)	IX: 319
Hound	I: 398, 399, 422; VII: 95, 128; VIII: 460; IX: 148; X: 302; XI: 353; XII: 90, 149; XIII: 27; XIV: 316
Housefly (See also Flies)	III: 72
Huckleberry-bird (See Sparrow, field)	IX: 332, 459; X: 365, 428
Huckleberry-bug	VIII: 445
Humblebees (See Bumblebee)	XII: 316, 353
Hummingbird	V: 298; VI: 293; VII: 14, 31, 379; VIII: 17, 172, 340; IX: 387; X: 422, 423, 429, 430; XI: 162; XIII: 300, 395, 396
Hydras	VI: 364

THE HENRY DAVID THOREAU ANIMAL INDEX

<i>Hyla(s)</i>	III: 457, 469, 470, 486; IV: 6, 7, 9, 12-15, 38, 40, 44, 162; V: 35, 87, 106, 170, 500; VII: 375; VIII: 268, 289; IX: 302, 303, 312, 313, 355; X: 94, 358, 368, 370, 372, 373; XI: 91; XII: 312; XIII: 325, 330, 335; XIV: 336
<i>Hylode(s)</i>	IX: 304, 312, 313, 354, 355; X: 66, 347, 357, 362, 365, 372, 373, 390, 402, 410, 458, 467; XI: 195; XII: 74, 141, 399, 458; XIII: 238, 325, 330, 331, 332, 335, 348, 353, 356, 357
<i>Hylodes pickeringii</i>	IX: 302
Ichneumon-fly	IX: 321
Infusoria, dumb-bell (algae)	X: 368
Insect(s) (See also Grubs)	II: 36, 39; III: 16; IV: 373; V: 54, 204; VI: 307, 308, 312; VII: 14, 40, 103, 238, 243, 332, 379, 495, 496; VIII: 122, 204, 220, 269, 386, 410, 414, 415, 420, 430; IX: 18, 22, 28, 112, 122, 271, 275, 279, 309, 311, 350, 376, 383; X: 268, 301, 311, 364, 375, 407, 433, 435, 501;
Insect(s) (See also Grubs) (continued)	XI: 37, 47, 187, 290, 318, 404, 408, 414, 419, 420, 427; XII: 34, 35, 42, 48, 54, 55, 102, 127, 131, 148, 170, 171, 174, 184, 251, 273, 289, 294, 296, 327; XIII: 196, 209, 263, 276, 292; XIV: 35, 133
Insect life	X: 243
Insect, long, narrow wings	IX: 292
Insect, narrow four-winged	IX: 300
Insect, perla	XIII: 209
Insect, skater	IV: 150, 182, 382, 384; V: 70; VI: 349; VII: 20; VIII: 268; X: 372; XI: 311, 319; XII: 100; XIII: 209; XIV: 65
Insect, slender winged	VII: 224
Insect, small white	VII: 39
Insect, unidentified	IX: 292, 300; XI: 170; XII: 289; XIII: 92, 102, 133, 135, 136, 378, 424
Insect, water	X: 312
Insect, wing	VIII: 409
Insect, winged	XIII: 360
Insects, hum	I: 227; XIV: 300
Jackal	XII: 340
Jackass	XI: 333
Jaguar	IX: 100, 133

THE HENRY DAVID THOREAU ANIMAL INDEX

Jay(s)	IV: 179; VI: 457; VII: 39, 48, 82, 190, 223, 261, 410, 461; VIII: 14, 28, 54, 114; IX: 105, 108, 110, 128, 270; X: 64, 149, 271; XI: 154, 279, 290, 298, 308, 319; XII: 131, 338; XIII: 285; XIV: 149, 200, 214, 218, 313, 332
Jay, blue	I: 70, 425; II: 133; III: 23; IV: 204, 386, 481; V: 281, 389, 495; VI: 91, 146, 164; VII: 30, 190, 223, 354, 410, 411; VIII: 160, 202, 366, 415; IX: 105, 110, 325, 497; X: 64; XI: 279, 280, 308, 318, 319; XII: 200, 201; XIV: 180, 200, 313, 332
Jay, blue, egg	VII: 445; VIII: 366
Jay, nest	VII: 410, 411; VIII: 366, 415, 416
Katydid	IX: 136
Kelp Flies	IX: 417
Killdee (See Killdeer)	VII: 484; XI: 190
Killdeer	VII: 435, 484
Kingbird(s)	IV: 53; V: 199; VI: 346, 457, 486; VII: 31, 376, 414, 415, 421; VIII: 10, 123, 124, 400; IX: 360, 408; X: 419, 482, 487, 488; XI: 72, 77, 81, 110; XII: 189, 227, 231, 232, 237, 259, 273; XIII: 332, 341, 344; XIV: 69
Kingbird nest	VII: 376, 414, 421; VIII: 123, 400; X: 488
Kingfisher	III: 465; V: 124; VI: 210, 218, 254, 343, 344, 354, 459, 460; VII: 31, 72, 311, 329; VIII: 273; IX: 348; X: 8, 373; XI: 177; XII: 133, 204, 240; XIII: 237
Kingfisher's nest	XII: 200, 204
Kite	VII: 330
Ladybug	VII: 362
Lamb, dead	VIII: 76
<i>Lampyrus noctiluca</i> (See also Glow-worm)	X: 5, 248
Lark(s)	I: 330; II: 309; III: 50, 410; IV: 159, 278; V: 26, 37, 50, 97, 468; VI: 164, 169, 223, 336, 457, 487; VII: 30, 68, 91, 94, 214, 260, 270, 445, 456, 487, 492; VIII: 30, 264, 429; IX: 242, 306; X: 329; XI: 51, 190, 286; XII: 39, 42; XIII: 198; XIV: 294
Lark, shore (<i>Alauda alpestris</i>)	V: 589; VII: 94, 492 note; X: 302, 319; XI: 265; XII: 84, 373
Larvae	XIII: 194, 209
Larvae, tails	XIII: 194
Leeches	X: 407
Leech, brown	X: 218, 350
Leech, red bellied	X: 350

THE HENRY DAVID THOREAU ANIMAL INDEX

Lice	VI: 477; VII: 14, 52; X: 322; XIII: 204
Lightning-bug (See also Firefly)	XI: 414, 422; XII: 200; XIII: 356, 357
Linaria(s) (See Redpoll, lesser)	VII: 120; XIII: 182
Linnets	XI: 49
Lion	II: 271; VII: 109, 134; VIII: 403, 404, 421; IX: 134; X: 294; XII: 340, 357
Lion, American	IX: 100
Lizard	X: 259; XIII: 233
Lobster(s)	II: 359; VII: 137, 432, 440, 441; IX: 321, 417, 418, 423
Locust(s)	II: 316; IV: 188; V: 248, 373, 386, 387; VI: 318, 349, 462; VII: 15, 45, 99, 104; VIII: 415, 416, 435; IX: 16, 368; X: 26, 67; XII: 274, 321; XIII: 415, 428
Locust, alder	IX: 22; XIV: 54, 62, 64
Locust, colored-flowered	XII: 208
Locust, dog-day	XIV: 35
<i>Locustae</i>	XI: 310
Loon	I: 421, 422; IV: 377, 379-381; VII: 53, 323, 471, 475; VIII: 141, 396; IX: 379; X: 209; XI: 11, 309; XII: 402
Loon, belly	X: 209
Loon, common	XI: 8
Loon, egg	VIII: 396
Loon, red-throated	XI: 309, 310
Lynx	VIII: 220; X: 142; XIV: 142
Lynx, bay (See also Wildcat)	XI: 180
Lynx, Canada	VII: 135, 283; IX: 93, 94; X: 142, 283; XIV: 78-81, 83-87, 142, 231
Lynx, Concord	X: 142; XIV: 142
Lynx, Siberian	X: 142; XIV: 142
Mackerel	VII: 433, 439, 440, 442; IX: 416; XI: 410, 457
Marmot	XII: 149
Marsh-bird	XI: 190
Marten, pine	VII: 239, 485; IX: 307, 346
Martin	VIII: 411; X: 380, 386; XII: 140, 142, 260; XIII: 251
Martin, purple	III: 427; IV: 37; VIII: 284; XI: 135
Meadow-hen (Also see Rail, virginia)	VII: 22, 31; XI: 152, 154, 239, 284; XII: 232, 244
Menhaden	VII: 437; VIII: 398; XI: 303
Merganser	X: 503
Merganser, red-breasted	VI: 215; VII: 77; XII: 134
Mertle-bird	X: 248

THE HENRY DAVID THOREAU ANIMAL INDEX

<i>Mesodesma arctata</i> (Mollusk)	VII:436
Mice	VII:141, 174, 179, 189, 367, 378; VIII:50, 56, 69, 73; IX:304; XI:7; XII:187; XIV:154
Mice, deer	VIII:217
Mice, wild	XIII:248
Miller(s)	VII:409, 458; XII:196
Millipede	X:125
Mink(s)	I:481; III:160; IV:421; V:10, 11, 492; VI:17; VII:163, 168, 207, 239, 248, 250, 252, 270; VIII:22, 27, 34, 31, 32, 34, 36, 38, 40, 194, 230, 259; IX:161, 163, 283, 306, 316, 346, 360, 365;
Mink(s) (continued)	X:369; XI:345, 397, 407, 457; XII:43, 53, 67, 82, 121, 123, 135, 323; XIII:29, 205, 259, 266, 267, 346
Minnow(s) (See also Shiner)	I:475, 476; IV:163; V:14, 307; VI:347; VII:100, 207, 430, 454, 482; VIII:3, 84, 91, 159, 406, 413, 414, 415; IX:308, 309, 477; X:324, 359, 371, 392; XI:75, 345, 346, 347, 349, 376, 407, 413, 454; XII:102, 103, 133, 205, 449; XIII:409; XIV:311
Minnow, banded	XI:376
Minnow(s), brook	XII:134; XIII:209, 273
Minnow (<i>Leuciscus atronarus</i>)	XIII:273
Minnow (<i>Leuciscus pulchellus</i>)	XIII:273
Minnow, red finned	XI:383
Minnow, young shiner	XI:368
Mockingbird	VI:453
Mole(s)	I:425; III:317, 318; VI:483; VII:189, 201, 202, 211, 231, 237, 241, 460; X:364; XI:320; XII:352; XIII:162, 185, 209
Mole (See also Shrew)	VII:219 note
Mole, star-nosed	VIII:173, 267, 368; XII:323
Moles, ground	VII:93, 95
Monkey	IX:281; X:425
Moose	II:112, 113; V:16, 425, 458, 521; VII:74, 100, 134, 447; VIII:149, 220; IX:485, 491; X:293, 294
Moose, cow	X:293
Moose, horn	IX:485, 488
Mosquito(es)	I:141; V:359; VI:348; VII:75, 110, 404; VIII:98, 439; IX:99, 329, 355, 388, 485; X:35, 333, 372, 486; XI:14, 32, 35, 414, 422; XIII:325, 356, 357; XIV:35
Moth(s)	VI:73, 355; VII:401, 402; IX:470, 471; X:397; XII:33; XIII:309

THE HENRY DAVID THOREAU ANIMAL INDEX

Moth, black	VI:312; XIII:330
Moth, cecropia (<i>Attacus cecropia</i>)	VII:401, 402, 409; IX:442, 455, 456; X:402
<i>Attacus cecropia</i> , cocoon	XIV:296
Moth, Emperor, cocoon	VII:286; IX:321; XII:226
Moth, luna (<i>Attacus luna</i>)	IV:202, 203; V:226, 309; X:509; XII:214, 215
Moth, promethea (<i>Attacus Promethea</i>)	II:125; VI:73, 131; IX:369, 470, 471, 473
Moth, sphinx (See also Petrels)	IX:109, 357; XIII:348
Mother Carey's chicken	IX:438, 439
Mouse	I:368, 425; IV:179, 429, 484; V:355, 436, 480; VI:37, 126, 139, 155-157; VII:76, 84, 98, 129, 141, 179, 180, 181, 187, 188, 201, 202, 207, 231, 237, 240, 246, 262, 293, 376; VIII:15, 97, 99, 102, 103, 105, 108, 116, 122, 154, 155, 157, 160, 161, 223, 261, 291, 467, 468;
Mouse (continued)	IX:141, 154, 155, 180, 219, 223, 224, 270, 271, 329, 339, 419, 457, 469, 482; X:43, 136, 189, 213, 220, 226, 254, 450; XI:318, 320, 392, 408; XII:81; XIII:9, 115, 350; XIV:6, 34, 92, 310
Mouse fur	VIII:161
Mouse galleries	VII:261; XIII:239
Mouse droppings	VII:232, 233; IX:339
Mouse, deer (<i>Mus leucopus</i> or <i>Arvicola Emmonsii</i>)	VII:187-189, 197-199, 202, 247; VIII:356; X:214
Mouse, deer (<i>Mus leucopus</i>)	IV:180; VII:239-241, 244, 246, 314, 344; VIII:48, 75, 173; IX:146, 162, 224, 482; X:178-180, 183, 184; XIII:21, 76, 216, 217
Mouse, field	VII:249
Mouse, meadow (<i>Arvicola Pennsylvanica</i>)	VI:29, 30, 456; VII:100, 241, 249, 262, 293; VIII:89, 467, 468; X:450
Mouse, pine (<i>Arvicola pinetorum</i>)	VII:241
Mouse, striped Field (<i>Mus Agrarius</i>)	VII:239
Mouse, short-tailed meadow	X:195; XI:123
Mouse, white-bellied (<i>Mus leucopus</i>)	VII:239, 240, 244, 246, 247, 372; IX:271; X:183, 208
Mouse, white-footed (<i>Mus Leucopus Rafinesque</i> or <i>Arvicola emmonsii</i> or <i>nuttallii</i>)	VII:239, 246; XIV:336
Mouse, wild	IX:108, 138; X:450
Mouse, wood (<i>Mus Sylvaticus</i>)	VII:239, 244
Mouse-nest	IX:339
Mule	XI:49 note

THE HENRY DAVID THOREAU ANIMAL INDEX

Muskrat(s) (also Musquash)	I: 121, 481, 482; II: 14, 111, 149; III: 71, 72, 78, 377, 443; IV: 168, 178, 201, 208, 221, 240, 421, 423, 464; V: 46, 66-68, 82, 155, 325-327, 498, 499, 507, 511, 528, 532; VI: 5, 7, 8, 13, 14, 98, 99, 120, 158, 163, 188, 288, 465, 468;
Muskrat(s) (also Musquash) (continued)	VII: 12, 19, 26, 54, 68, 85, 104, 130, 131, 132, 143, 151, 154, 158, 159, 163, 174, 189, 190, 191, 214, 232, 253, 257, 271, 286, 296, 297, 333, 336, 337, 454, 456, 457, 488, 506, 517;
Muskrat(s) (also Musquash) (continued)	VIII: 4, 5, 6, 12, 14, 16, 22, 25, 27, 38, 136, 157, 168, 242, 248, 256, 257, 258, 260, 261, 262, 264, 268, 297, 298, 300, 301; IX: 33, 161, 183, 265, 274, 282, 283, 295, 296, 316, 346, 351, 352, 386;
Muskrat(s) (also Musquash) (continued)	X: 139, 140, 159, 168, 187, 198, 267, 276, 295, 313, 327, 367, 376, 444, 483, 490; XI: 68, 69, 132, 169, 284, 287, 288, 293, 329, 330, 335, 375, 409, 416, 419, 420, 423, 424, 425, 428, 431, 448, 455, 457;
Muskrat(s) (also Musquash) (continued)	XII: 33, 53, 67, 82, 83, 85, 88, 121, 126, 127, 134, 205, 207, 241, 283, 395, 448, 450; XIII: 24, 60, 61, 64, 65, 72, 181, 182, 205, 209, 274, 275, 310
Muskrat tracks	VIII: 136
Musquash, fur	XIII: 181
Muskrat-house(s) or Muskrat-cabin	III: 52, 53, 73, 74; IV: 378, 389, 413, 423; V: 440, 479, 488, 491, 492, 495, 496, 510, 511; VI: 119; VII: 26, 72, 151, 156, 202, 256, 456, 507; VIII: 14, 20, 224; XI: 293, 294; XII: 388, 389, 391; XIII: 53-55
Musquash, odor	XII: 403
Mussels	II: 358; VII: 436
Mussel, rayed (<i>Modiola plicatula</i>)	VII: 471, 480
Myrtle bird (<i>Sylvicola coronata</i>) (See also Warbler, yellow-rumped)	VII: 322, 329, 334, 336, 340, 344, 355, 360, 371, 375, 487, 488; IX: 124, 129, 317, 327, 357; X: 66, 113, 383, 384, 386, 392, 404, 503; XI: 184; XIII: 283, 307; XIV: 338
Navicula (algae)	X: 368
Nighthawk(s)	II: 235, 259, 270, 387; IV: 160; V: 214, 215, 230, 231, 268; VI: 328, 329, 354, 457; VII: 20, 31, 340, 383, 436, 452; VIII: 360, 384; IX: 377, 380; X: 447, 460, 461, 476, 482; XII: 189, 199, 225; XIII: 298, 320, 367, 406, 407; XIV: 11, 22, 33, 34
Nightingale	IV: 263
Night-jar	See Wheel bird
<i>Notonecta</i> (backswimmer)	XIII: 277

THE HENRY DAVID THOREAU ANIMAL INDEX

Nuthatch	VI: 138, 457; VII: 30, 48, 129; VIII: 14, 40, 162, 255, 448; IX: 128, 158, 204, 266, 297; X: 218; XI: 15, 290, 291, 298, 391, 455; XII: 81, 191, 458; XIII: 182, 209, 398; XIV: 5, 23, 273
Nuthatch, red-bellied	IX: 44, 45
Nuthatch, white-bellied	V: 51; VI: 121, 122; IX: 159, 266, 297; XII: 13-15, 81, 163
Nymph	IX: 109
Nymph, leather-colored	IX: 342
Ocelot (Also Tiger-cat)	IX: 100
Oriole	IV: 35; V: 133, 136; VII: 218, 240, 388, 430; VIII: 119, 120, 336; IX: 461; X: 412, 426; XII: 310; XIII: 38, 245, 296
Oriole, Baltimore (Also Fiery Hangbird)	IV: 35; VII: 240, 376
Otter	III: 338; IV: 474; V: 353; VI: 40, 86; VII: 25, 57, 98, 169, 170, 174, 248, 479; VIII: 183-185, 191, 200; IX: 162, 163, 164, 247, 274, 313, 351, 361; XI: 345, 375; XII: 139; XIII: 126
Ounce	VII: 134; IX: 100
Ova	X: 362; XII: 250, 251
Oven-bird (See also Night-warbler)	I: 145; II: 9, 35, 36; V: 310; VI: 251, 354, 368, 369; VII: 355, 372, 375, 414; IX: 90, 271; X: 409, 411, 412, 426, 501; XI: 37, 51; XII: 185; XIII: 285
Owl(s)	III: 122, 123, 131; IV: 5, 130, 191; V: 85; VI: 13, 14, 52, 53, 60; VII: 12, 21, 94, 135, 164, 241, 365, 366, 371, 375, 380; VIII: 96, 141; IX: 172, 182, 191, 413; X: 183, 248, 438, 482; XI: 372, 378, 390, 392, 431; XII: 31, 447; XIII: 209; XIV: 93, 295
Owl, acadian (<i>Strix Acadia</i>)	XI: 392
Owl, barred (<i>Strix nebulosa</i>)	XI: 373
Owl, cat	III: 122; VII: 380; VIII: 96; X: 227, 438, 499; XIV: 93
Owl, claws	XIV: 295
Owl, downy	X: 248
Owl, eastern Screech (<i>Strix Asio</i>)	VII: 367, 372; XI: 8; XIV: 294
Owl, fern (See also Wheel bird)	VII: 126
Owl, great Gray	VII: 367
Owl, hawk	VI: 14
Owl, hooting	VII: 22
Owl, little Screech (<i>Strix noevia</i>)	XIV: 294
Owl, long-eared	IX: 457, 458; XIII: 398, 421, 422
Owl, nest	VII: 413; X: 183

THE HENRY DAVID THOREAU ANIMAL INDEX

Owl, red	VII:372; XIV:294
Owl, screech	I:378, 379; VI:439; VII:12, 22, 30, 364-367, 371, 32, 375, 387, 390, 457, 521-525; VIII:405, 406; IX:457, 458; XI:33, 341; XII:318; XIII:325, 374; XIV:294, 295, 314
<i>M. Cooperi</i> (Pacific Screech Owl)	VII:379
Owl, short-eared	VI:14
Ox(en)	II:53, 258, 270, 310, 453; III:94, 158, 276, 305, 306, 307; VII:286, 437; VIII:94; IX:143, 154, 310, 491; X:389; XI:179; XII:38, 343, 350; XIII:187, 241
Ox-cart	XII:129
Ox-eye (bird)	XI:177
Oyster(s)	II:42; VII:137, 467, 480; IX:142, 143; X:261; XI:328
Oyster, shell	VIII:393
Panther	VIII:220; IX:102, 134, 488
Parasite	IX:322
Parrot	IX:375
Partlet	XI:190
Partridge(s)	II:85, 140, 250, 313; III:13, 148, 425; IV:5, 158, 172, 387; V:37, 144, 145, 242, 244, 280, 490; VI:10, 49, 87, 88, 139, 144, 151, 156, 376;
Partridge(s) (continued)	VII:30, 81, 82, 84, 89, 94, 98, 114, 141, 142, 149, 157, 179, 180-184, 188, 208, 211, 212, 280, 324, 335, 346, 350, 354, 355, 356, 357, 363, 365, 368, 371, 375, 390, 415; VIII:40, 41, 47, 75, 79, 99, 102, 103, 132, 137, 166, 170, 171, 172, 177, 190, 214, 377, 399, 421;
Partridge(s) (continued)	IX:28, 108, 146, 147, 272, 288, 294, 306, 347, 370, 376, 420, 460, 468, 491-502; X:192, 211, 212, 214, 223, 226, 365, 366, 395, 435, 437, 494; XI:351, 376, 442; XII:34, 90, 102, 126, 149, 156, 185, 207, 208, 337, 453; XIII:21, 27, 47, 90, 102, 198, 252, 353, 364, 375, 383
Partridge-nest	XII:185
Partridge, south American	II:241
Partridge tracks	VIII:137
Passerina (Cardinal family)	X:503
<i>Pecten concentricus</i> (Mollusk)	VII:471
Peawai (See also Peewee)	IV:73, 190, 192; V:389
Peep(s)	VII:438; XI:190; XII:282

THE HENRY DAVID THOREAU ANIMAL INDEX

Peeper (See also <i>Hyla</i>)	IX:313; X:370; XIII:279, 325, 348
Peetweet (See also Sandpiper)	IV:165; V:124, 389; VI:310, 456; VII:421, 422, 429, 437; VIII:323, 401, 410, 431; IX:357, 410, 411, 489; X:395; XI:11, 166, 167, 168; XII:174, 244, 249, 280; XIII:264, 266, 284, 308
Peewee(s) or Pewee	VI:458; VII:344, 352, 412, 428; VIII:252, 269, 319; IX:358; X:396, 401; XIII:236, 278, 283
Pewee, black billed	XIV:338
Peewee egg	VII:445
Peewee or Pewee, wood	VI:354, 457, 458; VII:379, 414, 415, 430; VIII:74, 458; IX:379; X:445, 509; XI:51; XII:190; XIII:312, 347; XIV:8, 54
Penguin	X:323
<i>Pentatoma</i> (Shield bug)	IX:319
Pepe (or Pe-pe) (See also Flycatcher, great crester)	IX:370, 389, 408; X:437, 497, 502; XII:187; XIII:313
Perch	III:124; IV:407, 408, 425, 485; VII:344, 498; VIII:38, 91, 103, 170, 365; IX:199, 361, 418; X:313, 341, 350, 379, 496, 504; XI:192, 345, 346, 362, 373, 373, 374; XII:127, 260, 262, 280; XIII:210, 258; XIV:337
Perch, sea	IX:326
Perch, white	VIII:397, 479
Perch, yellow	I:476; VIII:397; XII:280
Petrel (or Petral)	VII:432; IX:349, 454; XIII:420
Pheasant	VII:91
Phoebe(s)	I:484; III:378, 380, 398, 458 and note, 459; V:117; VI:306, 472; VII:21, 329, 359, 430; VIII:252, 257; IX:99, 315, 333, 463, 469; X:325, 329, 330; XII:105, 148, 237, 278; XIII:278, 279
Pickrel(s)	I:476; II:15, 16, 97, 452; III:54; IV:163, 180, 193, 194, 450, 476, 484, 485; V:307, 447; VI:316, 342, 346, 364, 392; VII:29, 239, 246, 466, 467, 476, 479;
Pickrel(s) (continued)	VIII:31, 36, 37, 55, 84, 85, 91, 96, 103, 112, 113, 115, 127, 129, 133, 170, 194, 275, 393, 397, 400; IX:167, 168, 307, 308, 326, 353, 456, 468, 469; X:313, 341, 359, 360, 363, 371, 373, 379, 390, 391, 399, 412, 413, 429, 443, 444, 453, 454, 485, 501, 504;
Pickrel(s) (continued)	XI:75, 159, 348, 373, 383, 413, 414, 453, 454; XII:104, 110, 111, 127, 134, 135, 212, 262, 280, 288; XIII:210, 214, 243, 274, 275; XIV:110

THE HENRY DAVID THOREAU ANIMAL INDEX

Pickereel, brook	X:359, 360, 413; XI:453
Pickereel, spawn	VII:29; X:363, 429
Pickereel, yellow	VIII:84, 85
Pig(s) (See also Hog)	VI:462; VII:439; VIII:429, 451, 452, 453, 456; IX:23, 26, 27, 28, 418; XI:340
Pig, suckling	VIII:76
Pig, wild	XI:339
Pigeon(s)	II:24, 331; IV:44; V:415; VI:18, 348, 402, 445, 476; VII:15, 31, 35, 36, 43, 94, 135, 161, 190, 334, 335; VIII:398; IX:84, 327, 368; X:54, 149, 454;
Pigeon(s) (continued)	XI:154, 177, 441; XII:67, 140, 184, 309, 318, 324, 325, 328, 337, 355, 356; XIII:103, 104, 324, 353; XIV:73, 106, 149, 209
Pigeon, passenger	I:130, 378; IV:68, 340; VII:391; X:49; XI:158; XIV:73, 209
Pigeons, wild	I:130, 378; IV:68, 340; VII:391; X:49; XI:156, 158; XIV:73, 209
Pike (<i>Esox</i>)	X:360; XI:348
Pintail	XII:149
Plover	II:62; VII:77, 433, 484; VIII:355; XII:232, 282, 347; XIII:406
Plover, golden	VII:12; XII:329
Plover(s), piping	IV:68; VII:434, 438; VIII:355; IX:426, 427, 443
Plover, upland	VII:36, 46, 371, 439, 440; IX:426, 427; XIII:354; XIV:73
Polecat or weasel	VI:316
Pollywog(s)	VI:471; VII:245, 423; IX:371, 394; X:224, 364, 367, 372, 383, 407; XI:48, 345, 346, 362, 368; XII:101; XIII:210, 411, 412
Pollywogs, large legs	XI:361
Pollywogs, small	XI:362
Porcupine	VII:134, 135; XIV:16, 34-35
Potato worm(s)	IX:357; XI:159
Potato-worm, white	XIII:270
Poultry	XIV:317
Pout(s)	I:475, 476; II:14, 15; IV:185, 213, 214, 409; VI:318, 342, 364, 373, 481; VII:170, 309, 378, 381, 482; VIII:32, 37, 406, 412, 425; IX:299, 361, 503; X:483, 484; XI:87, 202, 344, 345; XII:127, 163, 164, 288; XIII:259, 326, 367, 368; XIV:110
Pout, horn of	VIII:170
Pout's nest	XII:202

THE HENRY DAVID THOREAU ANIMAL INDEX

Pout-spawn	X:429
Pullet	IX:467
Puppy	IX:458; X:251
<i>Pyrulas</i>	VII:480
Quadrupeds	VII:134, 200, 201; X:294, 326, 369, 422; XI:7; XIV:34, 35, 136
Quahog(s)	VII:437, 467; VIII:395; IX:317
Quail(s)	IV:194; V:31, 37; VI:61, 344, 354; VII:30, 212, 368, 471; VIII:40, 78, 112, 172, 228, 389; IX:242-244, 306; X:433; XII:199, 266; XIII:5, 72, 77, 319, 323
Rabbit(s)	I:217, 425, 433; II:139; III:13, 317; IV:23, 154, 172; VI:143; VII:98, 99, 115, 141, 163, 177, 182, 188, 215, 231, 236, 250, 410; VIII:42, 67, 78, 79, 80, 99, 103, 159, 163, 166, 410;
Rabbit(s) (continued)	IX:94, 138, 139, 141, 147, 163, 411; X:77, 129, 214, 467; XI:292, 375, 408; XII:126, 198, 260, 319, 326; XIII:73-76; XIV:34, 121
Rabbit dung	X:457
Rabbit fur	VIII:161
Rabbit, gray (See also Hare, gray)	V:507; VI:143; VII:169, 346; VIII:34, 75, 78, 80, 82, 104, 159, 256; X:77, 78; XIII:319
Rabbit, very small, track	VIII:128
Rabbit, tame	IX:139
Rabbit(s), white (See also Hare)	V:507; VI:83, 86, 126; VII:169, 184; VIII:78-80, 97; XIII:104
Rabbit, wild	IX:139
Raccoon	I:421; VII:94, 95, 135, 154; IX:467; XIV:83, 316
Racer	VII:370
Rail	XI:287; XII:197, 201, 261, 264, 270; XIII:405, 406, 422
Rail, carolina (<i>Rallus Carolinus</i>)	XI:167, 192, 288
Rail, clapper	XI:366
Rail, sora	XI:366; XII:258
Rail's egg	XI:366
Virginia Rail (<i>Rallus Virginianus</i>)	V:259; XI:171
Rat(s)	VIII:257, 258, 259; X:225, 364; XI:423; XII:121, 123
Rat, country	X:364
Rat, fat sand (<i>P. obesus</i>)	XI:349
Rat, water	X:18
Rat, wharf	I:482; VII:241; X:364

THE HENRY DAVID THOREAU ANIMAL INDEX

Rat's nest	X:364, 365; XII:38
Rattlesnake	IX:99; X:424
Redpoll(s)	VII:117, 127, 327, 192; VIII:42, 43, 96, 202, 227; XI:317, 371; XII:104, 105, 108, 109, 112
Redpoll, common (<i>Fringilla linaria</i>)	VI:124, 146; VII:83, 86
Redpoll, common (<i>Le Sizerin</i>)	VII:122
Redpoll, lesser (<i>Linaria minor</i>)	IV:412, 414, 426, 427, 446, 455, 494; V:3; VI:146, 463; VII:47, 86, 117, 120, 122, 178, 181, 243, 253, 329, 340, 369; VIII:39, 42, 43, 44; XIII:82, 104, 105, 108, 109, 112, 156, 209
Redpoll, yellow	VI:190, 191, 197, 201, 213, 214; VII:320, 327, 329, 341, 355; VIII:284, 302
Redstart(s)	V:110, 118, 139; VII:397, 405, 408, 424, 430; VIII:74, 339, 410; IX:376, 472; X:32, 398, 419, 426, 502, 507; XIII:288, 289, 291, 347
Red-wing(s) (See also Blackbird, red-wing)	VII:327, 361, 376, 381, 414, 415 note, 418, 421, 430, 435, 444, 456; VIII:68, 266; IX:307, 312, 358, 397; X:348, 373, 395, 398, 486, 487; XI:186; XII:35, 140, 262, 336; XIII:196, 198, 289; XIV:55, 58
Red-wing, shoulder	XIII:196
Reptile(s)	VIII:380, 381; X:369, 404; XIV:146
Robin(s)	I:252, 400, 440; II:350; III:376, 446; IV:54, 98, 158, 161, 172; V:24, 26, 33, 58, 89, 93, 149, 215; VI:260, 306, 463, 486; VII:12, 30, 46, 91, 94, 235, 238, 261, 321, 334, 335, 354, 355, 359, 361, 369, 371, 380, 386, 403, 409, 413, 414, 417, 423, 429, 450, 455;
Robin(s) (continued)	VIII:104, 119, 227, 234, 240, 241, 254, 266, 279, 286, 399; IX:130, 137, 280, 281, 286, 296, 315, 333, 358, 426, 469, 497; X:42, 65, 102, 104, 109, 115, 132, 301, 303, 309, 319, 345, 416, 419, 461, 470, 495, 501;
Robin(s) (continued)	XI:51, 317, 392, 455; XII:20, 53, 147, 189, 309, 314, 319, 335, 342, 349; XIII:236, 241, 261, 282, 328, 336; XIV:11, 22, 33, 132, 202, 310, 313, 342
Robin's nest	VIII:122; X:395, 444
Robin, common	VI:457
Robin, gold(en) (See also Oriole, Baltimore)	VI:457; VII:31, 375, 376, 421; IX:358, 419, 461; X:409; XII:185, 216, 310; XIII:286, 296
Robin, white (albino)	VII:403
Rose-bug	VI:347, 355; XII:202; XIII:356
Rush, bayonet	VII:57, 471; XI:251, 252; XII:73

THE HENRY DAVID THOREAU ANIMAL INDEX

Rush, bayonet <i>or</i> rainbow	VII:471
Rush, rainbow	III:54, 55; XI:251, 252
Sable, American	IV:491; VII:485
Salamander	VII:262, 263, 270; VIII:381; X:166, 167; XI:362, 363, 365; XII:151, 153, 154
Salamander (<i>Salamandra symmetrica</i>)	XI:362, 363; XIII:210; XIV:339
Salamander, red-backed (<i>Salamandra erythronota</i>)	IV:166
<i>Salamandra Dorsalis</i> (Salamander, northern zigzag)	VII:263
Salmon	VII:136; IX:327
Sandpiper (See also Peetweet)	I:457; VII:458; XI:177, 178
Sandpiper, pectoral (<i>Tringa pectoralis</i>)	XI:178, 181, 185
Sandpiper, solitary (<i>Totanus solitarius</i>) (See also Tattler, solitary)	VII:458; XIII:308
Sandpiper, three-toed	XI:7
Sardine	IX:291
Saurian	XII:350
Scallop	VII:467
Scallop shells	IX:322
Scorpion	XII:391
Sculpin	IX:321
sculpins, bait	IX:418
scup (a fish)	IX:431
<i>Scutella parma</i>	VII:441
<i>Scutelleridae</i>	IX:319
Sea-bird	XII:282
Sea-fowl	VII:135
Sea-serpent	IX:415, 416; X:243, 244
Sea clam	X:247
Seal	II:357; VII:100; XI:406
Seringo	IV:3 note, 8, 17, 18, 60, 68, 99; VI:208, 340, 341; VII:324, 433, 509; VIII:263, 295, 356, 357, 388; IX:332, 426; XI:64; XII:165; XIII:247; XIV:338
Seringo nest and egg	VII:445; VIII:356, 357, 388
Serpents	VI:364
Serrator	X:503
Shad	VII:136; IX:326, 327
Shad frog	VII:323
Shad, rattlesnake and	IX:78

THE HENRY DAVID THOREAU ANIMAL INDEX

Shad-fly (flies)	VI: 232, 312, 324, 325, 355; VIII: 322, 372 note; IX: 338, 401, 404; XII: 192, 201; XIII: 255, 261
Shark(s)	VII: 437; IX: 442
Shark, bone	IX: 454
Shark, large fossil tooth	IV: 174
Sheep	II: 131; IV: 345; VII: 476, 478; VIII: 35, 120, 164; IX: 83, 335; X: 15, 126; XI: 7, 14, 44, 410; XII: 350; XIV: 22
Sheldrake(s) (<i>Shecorways</i>) (See also Goosander)	V: 114; VI: 159; VII: 77, 243, 244, 252, 271, 280, 299, 310, 314; VIII: 38, 192, 197, 198, 211, 251, 298, 299, 304; IX: 287, 365, 490;
Sheldrake(s) (<i>Shecorways</i>) (See also Goosander) (continued)	X: 317, 318, 321-324, 333, 334, 336, 378, 503; XII: 84, 101, 106, 107, 133, 134, 135, 147, 149; XIII: 19, 164, 165, 167, 182, 197, 198, 211, 213, 214, 245
Sheldrake, head	XIII: 197
Sheldrake, white	VIII: 251, 257
Shells	III: 478; V: 509, 510; VII: 243, 467
Shellfish	VI: 456; VIII: 204, 210, 218; IX: 430
Shiner(s)	I: 476; VI: 173, 346; VII: 113, 283; VIII: 103, 413, 414; IX: 298; XI: 194, 195, 373, 374, 376, 377, 383, 454; XIII: 204
Shrew (See also Mole, shrew)	IX: 350; XIV: 90, 93
<i>Sorex dekayi</i> (Shrew, DeKay's)	IX: 134
<i>Sorex fosteri</i> (Shrew, Foster's)	IX: 134
Shrew, short-tailed (<i>Sorex brevicaudus</i>)	VIII: 408, 409, 436; IX: 134
Shrike (Butcher-bird)	II: 129; VI: 184; VII: 69, 223, 243; VIII: 67, 68, 162; XI: 351, 352, 375; XII: 19, 20; XIII: 34, 105, 209
Skate (fish)	IX: 321
<i>S. fasciata</i> (Skink, five-lined)	IV: 167
Skunk(s)	II: 5, 355; V: 50, 137, 258, 280, 284, 285; VI: 139, 160-162; VII: 153, 178, 196, 252, 273, 356, 454; VIII: 38, 255, 256, 284; IX: 279, 350; X: 57, 298, 304, 438, 489, 499; XI: 168; XII: 43, 113, 122, 123, 124; XIII: 162, 205, 209, 346
Skylark	X: 344
Slug(s)	IX: 103; X: 124, 125; XII: 338
Slug, snail	VIII: 6
Smelt	IX: 321, 325, 326
Snail(s)	VII: 470, 507; VIII: 261; IX: 309; X: 140; XII: 48, 261, 262, 396; XIII: 124, 270

THE HENRY DAVID THOREAU ANIMAL INDEX

Snail (<i>Helix albolabris</i>)	VIII:242
Snail (<i>Paludina decisa</i>)	VIII:210 note, 213, 214; XII:261, 262
Snail, shell	XIII:122, 202, 210
Snail-spawn	XII:189
Snake(s) (See also Adder(s) and <i>Coluber punctatus</i>)	II:31, 32, 393, 423; III:59; IV:166; V:143, 354; VI:252, 309, 311, 375, 376, 461; VII:17, 356, 370, 399, 482; VIII:40, 96, 267, 346; IX:110, 201, 202, 334, 342, 343, 352, 356, 412;
Snake(s) (See also Adder(s) and <i>Coluber punctatus</i>) (continued)	X:45, 154, 342, 343, 387, 423-426, 429, 430, 431; XI:142, 143, 184; XII:31, 87, 173, 193, 194, 221, 303; XIII:254, 303, 375, 376, 418; XIV:83
Snake, black	III:63; IV:154; VI:316, 461; VII:356, 370, 443; IX:316, 356, 371; X:416, 423, 429; XII:193
Snake, black, eggs	X:429
Snake, chicken (See also Adder, checkered)	XII:277
Snake, common striped	XIV:337
<i>P. guttatus</i> (Corn snake)	XI:349
Snake, green	IV:43; VI:476; XII:277, 303, 344; XIII:303
Snake, little	X:429
Snake, little brown	IX:334; X:139, 140, 387; XI:223
<i>Coluber eximius</i> (Milk snake)	VI:308
<i>Coluber punctatus</i> (Northern Ringneck snake)	XII:186
Snake, red or worm (<i>Coluber amœnus</i>)	IX:110; X:29, 30, 387
Snake, red-bellied	X:29
Snake, striped	VIII:170, 267; X:45, 46, 342, 343; XI:158, 412; XII:109, 114, 198, 303; XIII:206; XIV:203
Snake, water (See also Adder, water)	IV:70 and note; V:209; X:416
Snake, yellow or little brown (<i>Coluber ordinatus</i> or <i>amanus</i>)	XIII:236; X:139
Snipe(s)	V:81, 106; VI:192, 201, 208, 306, 452; VII:31, 298, 311, 339, 340, 355, 459; VIII:286, 309, 310, 407; IX:183, 319, 481; X:127, 330, 363, 368; XI:181, 286, 311; XII:82, 101, 108, 109, 163, 245, 258, 278, 288; XIII:235, 247, 251, 255, 266
Snowbird(s)	VII:78, 94, 176, 499; IX:145, 371; X:24, 203
Snowbird, blue or slate-colored (See also <i>Fringilla hyemalis</i>)	IX:124, 496
Sow-bug	XIII:201, 209

THE HENRY DAVID THOREAU ANIMAL INDEX

Sparrow(s)	II: 69, 89, 257; III: 367, 368; V: 76, 77, 489; VI: 197, 198, 320; VII: 3, 4, 6, 11, 58, 247, 256, 322, 368, 424, 429, 457, 459, 501, 509, 510; VIII: 41, 50, 437; IX: 111, 123, 125, 129, 141, 152, 296, 297, 364, 365, 399;
Sparrow(s) (continued)	X: 61, 128, 262, 263, 302, 303, 305, 308, 309, 318, 319, 320, 343, 345, 346; XI: 164, 182, 191, 265, 395; XII: 80, 90, 91, 105, 106, 116, 120, 164, 294, 300, 353, 399; XIII: 31; XIV: 99, 342
Sparrow, bay-wing	VII: 4, 381; VIII: 258; IX: 110
Sparrow, bay-wing eggs	VII: 381
Sparrow, bay-wing nest	VII: 381
Sparrow, bay-wing, young	VII: 381
Sparrow, chipping or chip-sparrow (<i>Fringilla socialis</i>) (chip-bird)	IV: 3, 4, 10, 109, 253, 278; V: 103, 215; VI: 194, 354; VII: 3, 4, 14, 31, 43, 337, 386, 412; IX: 111, 345, 365; X: 362, 365; XI: 183, 197; XII: 335, 353; XIII: 249; XIV: 102, 161
Sparrow, cinnamon	XIII: 218; XIV: 335
Sparrow, dark-colored	VII: 492
Sparrow, field or Rush (<i>Fringilla pusilla</i> or <i>juncorum</i>)	I: 252, 265, 266; II: 312; III: 470; IV: 5, 117; V: 109, 119, 332; VI: 194, 252, 354; VII: 333 and note, 335, 336, 410, 419, 420; VIII: 265, 287; IX: 105, 111; XII: 154, 155; XIII: 252, 288
Sparrow, fox-colored	III: 367; V: 76, 77, 94; VI: 168, 306; VII: 70, 282; VIII: 253, 266; X: 132, 318, 320, 332; XII: 71, 111, 112, 120; XIII: 214
Sparrow, grasshopper	VII: 325 note
Sparrow, savannah (<i>Fringilla Savanna</i>) (See also Seringo)	V: 109; VI: 341, 344, 354; VII: 3, 4, 94; VIII: 357 note, 387, 388; IX: 111, 413; X: 503; XI: 366
Sparrow, song (<i>Fringilla melodia</i>)	I: 441; II: 308; III: 356, 367, 376; V: 26, 31, 32, 37, 69, 70, 79, 84, 93, 143, 460, 461, 517; VI: 157, 163, 169, 212, 252, 306, 341, 354, 457;
Sparrow, song (<i>Fringilla melodia</i>) (continued)	VII: 30, 53, 56, 58, 60, 62, 258, 260, 261, 263, 276, 285, 287, 328, 334, 336, 367, 407, 410, 412, 414, 421, 428, 485, 519; VIII: 7, 244, 252, 254, 258, 356, 384, 387; IX: 105, 111, 222, 228, 230, 233, 278, 305, 307, 333, 365, 479;
Sparrow, song (<i>Fringilla melodia</i>) (continued)	X: 66, 193, 249, 273, 302, 319, 387, 493, 494, 495, 496, 502; XI: 7, 48, 185, 367, 397; XII: 35, 42, 67, 68, 142, 189, 394; XIII: 177, 181, 182, 183, 196, 197, 280, 308; XIV: 11, 22, 33
Sparrow, song, eggs	VII: 412
Sparrow, song, nest	VII: 412

THE HENRY DAVID THOREAU ANIMAL INDEX

Song-sparrow-like bird	VII:53
Sparrow, swamp	V:109; VI:223; VII:396, 397; XIII:310
Sparrow(s), tree	IV:4; V:60, 77, 83, 91, 94, 460; VI:5, 27, 31, 178, 202, 203, 306; VII:4, 31, 66, 68, 176, 178, 246, 260, 261, 285, 287, 295, 302, 328, 335, 336, 355, 458, 485; VIII:7, 14, 16, 22, 28, 38, 39, 41, 50, 54, 60, 99, 202;
Sparrow(s), tree (continued)	IX:105, 111, 140, 153, 182, 183, 184, 200, 207, 222, 230, 233, 234, 288, 307, 315, 333; X:91, 92, 99, 132, 186, 193, 203, 225, 240, 241, 298, 309, 318, 332, 346, 366; XI:259, 320, 350, 390; XII:67, 68, 120; XIII:91, 92, 100, 105, 106, 218, 241; XIV:335
Sparrows, tree or song	VII:58
Sparrow, twittering	IX:105
Sparrows, unidentified (See also Seringo)	V:454, 455, 472, 473, 476, 480; VI:396; VII:3, 6, 429; XIII:369, 370
Sparrow, white-crowned	VIII:398
Sparrow, white-throated	V:119 and note; VII:6, 31, 322, 333, 334, 335, 355, 360, 368, 371, 374, 485; VIII:301, 398; IX:105, 350, 357; X:248 and note, 388, 404, 503; XI:10, 14, 30, 48, 168, 206; XII:182; XIII:281, 282; XIV:338
Sparrow, white-throated, egg	XI:366
Sparrow, yellow shouldered	IX:413
Sparrow, yellow-winged (<i>Fringilla passerina</i>)	VI:320, 334, 341, 344, 354; VII:31; VIII:357 note, 387, 388; IX:413; XI:64
Sparrows' nest	XII:189
Spawn, unidentified	VI:267, 380, 381, 382; X:391, 487, 488
Spider(s)	V:72, 73, 109, 456, 508; VII:403, 440; VIII:52, 105, 161, 418; IX:129, 267, 269, 334, 393; X:140, 327, 495; XI:35, 49, 148, 156, 310, 418, 428; XII:42, 43, 294, 355, 356; XIII:209, 338; XIV:173
Spider, black	V:406; XIII:201
Spider, brown	X:333
Spider, large	XI:428
Spider, water	III:161
Spider, white	IV:195; VIII:162
Spider, yellow	IV:195
Spider, yellow-backed	XI:156, 157
Spindle-worm	VII:93
Sponge	XII:277

THE HENRY DAVID THOREAU ANIMAL INDEX

Sponge, fresh water (<i>Spongea fluviatilis</i>)	VI:458; VIII:422; XIV:116
Squash-bug	II:86; XIII:335
Squid	VII:441
Squirrel(s)	I:146, 425, 484; II:24, 29, 128, 139; III:425; IV:154, 175, 179, 449, 450, 451, 452; V:9, 471, 474, 480, 487; VI:50, 54, 55, 489; VII:18, 73, 84, 106, 107, 115, 180, 185, 188, 227, 240, 270, 287, 346, 362, 447, 506, 518, 519;
Squirrel(s) (continued)	VIII:29, 39, 47, 49, 50, 52, 62, 72, 81, 82, 89, 97, 114, 127-129, 136, 137, 142, 155, 156, 200, 217, 335, 363; IX:60, 61, 107, 120, 128, 141, 147, 179, 290, 388;
Squirrel(s) (continued)	X:29, 33, 40, 41, 64, 123, 124, 136, 137, 138, 141, 142, 143, 148, 149, 175, 181, 184, 192, 205, 206, 213, 240, 305, 339, 343, 420, 421, 425; XI:7, 132, 133, 313, 318, 394, 407; XII:25, 93, 108, 158, 289, 318, 362, 363;
Squirrel(s) (continued)	XIII:32, 33, 38, 39, 167, 266; XIV:6, 107, 112, 123, 124, 137, 138, 141, 142, 143, 148, 149, 154, 157, 166, 195, 196, 197, 198, 200, 211, 212, 214, 248, 312, 319, 320
Squirrel, black	VII:73; IX:346
Squirrel, chipping or ground or striped or chipmunk	VII:234, 241, 424, 459, 488; IX:32, 127, 299; X:129, 142, 208, 214, 508; XII:43, 150, 351; XIII:207, 209, 319, 235; XIV:142
Squirrel, flying	VII:71, 263-267, 430; VIII:126; X:220; XII:207, 215
Squirrel(s), gray (or grey)	II:456; III:31, 32, 67, 131; IV:174; V:47, 208; VI:18, 40, 41; VII:73, 135, 363, 364, 365, 506, 507; VIII:15, 21, 30, 138, 163, 172, 173, 200, 216; IX:356; X:41, 70, 175, 451; XI:323, 335; XII:97, 98; XIII:32, 97, 98, 104, 257, 258, 284, 285, 318-319, 323; XIV:161
Squirrel(s), gray or red	VIII:127
Squirrel, ground	VIII:219
Squirrel, ground, nest	IX:127
Squirrel, striped	VII:211, 230, 501
Squirrel's nest	X:123, 451

THE HENRY DAVID THOREAU ANIMAL INDEX

Squirrel(s), red	III: 126; IV: 449, 450; V: 6, 285, 409; VI: 55, 129, 132; VII: 87, 238, 252, 519; VIII: 15, 51, 216; IX: 290, 297, 340, 341, 378; X: 39, 40, 41, 42, 64, 65, 70, 97, 98, 110, 113, 123, 147, 218, 339, 418, 419; XI: 34, 298, 299;
Squirrel(s), red (continued)	XII: 99, 100, 107, 108, 158; XIII: 32, 36, 89, 93, 189, 214, 317, 318-319, 324; XIV: 147, 218
Squirrel's burrow	VIII: 39
Squirrel tracks	VIII: 136
Starling, red-winged	VII: 240
Stork, nest	VIII: 393
Sturgeon	VII: 136
Sucker(s)	I: 476; III: 57, 417, 437, 438; IV: 409; V: 91, 99, 202, 203; VI: 459; VII: 30, 283, 300, 345, 353, 381; VIII: 37, 220, 296, 297, 326, 343, 372; IX: 298, 308, 310, 327, 361, 400; X: 324, 368; XI: 133, 234, 235; XIII: 204, 210, 226, 273; 332
Sucker, black	XII: 183, 187, 268
Swallow(s)	II: 339, 395; IV: 93, 219, 220; VI: 308, 344, 457; VII: 18, 41, 341, 378, 423, 439, 449, 450, 451; VIII: 16, 320, 330, 433; IX: 22, 23, 368, 426; X: 257, 432, 433, 482; XI: 20, 49; XII: 190, 232; XIII: 32
Swallow(s), bank	II: 49; VI: 295; VII: 340, 368, 382, 430, 433, 439; VIII: 325, 332, 333, 334, 414; IX: 153, 412, 469; X: 191, 254, 257, 405, 433, 507
Swallow, bank, nest	X: 191
Swallow(s), barn	VI: 392, 486; VII: 31, 41, 335, 340, 341, 382, 430, 448-450, 452; VIII: 400, 404, 414; IX: 332, 412; X: 384, 386, 432, 433; XII: 236; XIV: 22
Swallows, brown	VI: 457
Swallow(s), chimney	V: 162; VII: 335, 411, 450, 451; VIII: 433; IX: 16, 17, 413; X: 413, 432; XII: 184, 258; XIII: 282
Swallow, chimney, nest	VIII: 432
Swallow, chinese cliff	I: 69; VIII: 433; IX: 413
Swallow, cliff or republican	IV: 173; VII: 382, 445; X: 173, 174, 432, 433; XII: 194; XIII: 285
Swallow, white-bellied	IV: 93; VI: 457; VII: 421, 430, 448; VIII: 252, 258; IX: 316; X: 338; XII: 140, 142, 143; XIII: 245
Swallows, young	XIII: 399
Swan	VII: 135, 484
Swine (chuk)	VII: 171; IX: 83, 264
Tadpole	VII: 233, 369; X: 415

THE HENRY DAVID THOREAU ANIMAL INDEX

Tanager	IV:204; V:175, 187, 199; VI:363; VII:384, 394, 404, 410, 411, 417, 418; IX:399, 459; X:437, 501, 503, 505, 506; XI:350; XII:189, 237; XIII:294, 312
Tanager, indigo	IX:411
Tanager, nest	VII:417
Tanager, scarlet	X:437, 438; XIII:312
Tattler (<i>T. or Totanus solitarius</i>)	VII:392, 458, 459; X:61, 432; XI:177, 185; XII:308; XIV:54
Tautog (Blackfish)	VII:465
Teal	IX:87; XI:311; XII:149, 150;
Teal, blue-winged	IV:333; VII:485; XII:329
Teal, green-winged	VII:453; IX:300, 301
Team	IX:310
Telltale(s)	See Yellow-legs
Telltale, greater	VI:318
Tern, common (<i>Sterna hirundo</i>)	VIII:393
Tern, great	VIII:393
Terrapin	VIII:394; IX:484
Thousand-legs	X:133; XIV:133
Thrasher	VI:354; VII:31, 48, 243, 376, 425; IX:32, 357, 358, 366; X:377, 378, 393; XII:258; XIII:360
Thrasher(s), brown	IV:11, 59, 64, 65, 89; V:119, 124, 255, 286, 301; VI:261, 310, 347, 453, 489; VII:31, 243, 335, 373, 376, 377, 387, 392, 455; VIII:318, 319, 366, 415; IX:408; X:325; XII:179; XIII:285, 360, 364
Thrasher, nest	VIII:416
Thrasher(s), brown, nest	X:440
Thrush(es)	IV:263; IX:311; X:369, 504; XII:399
Thrush, bicknell	XI:51
Thrush, brown, egg	XI:366
Thrush, golden-crowned (See also Oven-bird)	IX:90, 360; X:426, 430; XIII:296, 308
Thrush, hermit	IV:68; VI:201 and note, 221, 222, 225 and note; VII:325 and note, 355, 463; VIII:304; IX:413; X:118, 119, 501, 503, 504, 505, 507; XI:366; XIII:255; XIV:337
Thrush, Lawrence's (<i>T. brunneus</i>)	X:503; XI:366
Thrush, olive (<i>Turdus Olivaceous</i>)	X:119; XI:51
Thrush, solitary (<i>Turdus solitarius</i>) ("swamp robin")	IX:413; X:369, 503, 504; XI:181, 366

THE HENRY DAVID THOREAU ANIMAL INDEX

Thrush, song	VII:240
Thrush, Wilson's	See Veery
Thrush, wood	I:171; II:10, 19, 269, 270, 313, 331, 388; III:486; IV:5, 68, 130, 190; V:169, 243, 254, 255, 292, 293; VI:39, 225, 354; VII:394, 395; VIII:10, 23, 325, 379, 380, 384, 415, 460; IX:43, 381, 413, 421, 490, 497;
Thrush, wood (continued)	X:201, 369, 379, 412, 460, 500, 501, 506, 507; XI:5, 14, 29, 51, 66, 67, 91; XII:147, 148; XIV:12, 22, 33
Tiger	IX:101
<i>Tipula</i> (Crane fly)	XIII:209
<i>Tipulidae</i> (Crane fly family)	XI:339; XII:148, 183; XIII:206
Titlark (Pipit)	V:473 note; XI:265 note
Titmouse/ Titmice (See also Chickadee)	VII:105; XII:448
Toad(s) (Also called dream frog by Thoreau)	II:206, 423; IV:15, 21, 24, 25, 27, 28, 29, 31, 34, 38, 70, 223; V:195, 196, 198, 453; VI:307; VII:21, 322, 418, 423, 435, 376, 444; VIII:285, 286, 300, 308, 309, 334, 353, 354, 385, 414; IX:107, 315, 319, 349, 353, 354, 355, 357, 358, 359, 366;
Toad(s) (Also called dream frog by Thoreau) (continued)	X:66, 347, 366, 379, 381, 388, 390, 391, 392, 415, 451, 467, 471, 472, 482, 485, 504, 551; XI:30, 40, 48; XII:191, 235, 331; XIII:234, 235, 236, 241, 242, 243, 255, 279, 292, 313, 322, 325, 330, 332, 335, 348, 353, 356, 381; XIV:338
Toad, common	XIII:326
Toad, spade-foot (<i>Scaphiopus solitarius</i>)	IX:353 note, 413
Toad-spawn	IV:63; V:112; X:407, 408, 467, 482, 487; XI:141
Toad, tree (or Tree-toad)	IV:162; V:162, 195, 196, 253; VI:302; VII:369, 375, 446; IX:376; X:395, 403; XII:185, 399; XIII:326
Tortoise(s) (See also Turtles)	I:447; II:169, 262, 263; III:362; IV:8, 13, 20, 41, 103, 162; V:14, 20, 218; VI:291, 355, 456; VII:40, 236, 238, 322, 454, 455, 485, 486, 493, 494, 495, 496; VIII:16, 40, 313, 399;
Tortoise(s) (See also Turtles) (continued)	IX:32, 33, 114, 129, 276, 308, 314, 361, 374, 405, 421, 422; X:259, 265, 268, 336, 340, 384, 490; XII:72, 123, 282
Tortoise egg(s)	V:50, 258, 268, 279; VI:349, 358, 471; VII:28; IX:30, 32; XIII:370
<i>Cistudo</i>	VI:452; X:502

THE HENRY DAVID THOREAU ANIMAL INDEX

Tortoise, Blanding's (<i>Cistuda Blandingii</i> or <i>Emys meleagris</i>)	VI: 385, 450, 451; VII: 43, 495; IX: 299, 485; X: 445-447; XII: 43
Tortoise, box (<i>Cistudo Carolina</i>)	VII: 441, 466, 495; VIII: 338, 339, 341, 342, 417, 418; X: 429; XIII: 412, 413
Tortoise, common (<i>lacustrine</i>)	X: 486
Tortoise, mud (<i>Kinosternon Pennsylvanicum</i>)	IX: 484, 485
Tortoise, painted (<i>Emys picta</i>)	II: 311; IV: 8, 9, 59, 97, 162; V: 122, 143, 181, 207, 250, 255, 510; VI: 6, 249, 330, 341, 349, 350; VII: 49, 268, 327, 425-428, 452, 454, 455, 483, 485, 486, 493, 495; VIII: 4, 13, 16, 21, 24, 283, 303, 308, 374, 375, 394, 407, 409;
Tortoise, painted (<i>Emys picta</i>) (continued)	IX: 49, 58, 140, 299, 305, 307, 308, 309, 314, 361; X: 218, 222, 329, 330, 336, 337, 380, 381, 382, 383, 406, 418, 420, 429, 481, 489, 490, 491, 499, 505; XII: 102, 200; XIII: 204, 210, 310, 345, 346, 348, 355, 357, 367, 368
Tortoise, painted, eggs	VIII: 418; IX: 31-33; X: 491
Tortoise, painted, nest	IX: 31
Tortoise, pond (<i>Emys terrapin</i>)	IX: 484
Tortoise, spotted or yellow-spotted (<i>Emys guttata</i>) (Also Turtle, yellow-spotted)	III: 379, 465, 471, 476; V: 40, 41, 101; VI: 342; VII: 273, 313, 318, 357, 409, 468; VIII: 258, 265, 271; IX: 276, 278, 309, 405, 421; X: 318, 342, 381, 406, 488, 496; XII: 80, 399; XIII: 210, 234, 313, 348, 357; VI: 451; VII: 468; IX: 309, 315, 405
Tortoise(s), wood (<i>Emys insculpta</i>)	V: 84, 122; VI: 153, 350, 459; VII: 43, 287, 357, 428, 455, 456, 488, 495; VIII: 16, 21, 30, 364, 401; IX: 304, 305, 309, 366, 367, 412; X: 115, 380, 406, 416, 420, 481, 489-491, 499, 500, 507; XII: 148, 240, 244; XIII: 313, 316, 348, 352, 357, 377, 378, 413
Tortoise(s), wood (<i>Emys insculpta</i>) eggs	X: 489, 491
Tortoise, young	VII: 28
Tortoise-eggs	VII: 454
Tortoise-scales	VII: 456, 457
Trilobite	XII: 350
Trout	I: 475, 476; III: 57; VI: 155, 159; VII: 113, 233, 236, 283, 293; VIII: 170, 303, 327; IX: 201, 293, 326, 361, 424, 503; X: 180, 205, 259, 312, 359, 399; XI: 433; XII: 127, 222, 441; XIII: 209, 274
Trout-pond	IX: 502

THE HENRY DAVID THOREAU ANIMAL INDEX

Turkey(s) (<i>Meleagris</i>)	II: 83, 430; III: 30; VII: 135, 136; VIII: 64, 165, 214, 220; IX: 130, 131; X: 307, 502; XIII: 209; XIV: 93
Turkey, wild	VII: 135
Turtledove	IV: 62, 68, 365; V: 85; VI: 18; VII: 31; VIII: 251, 329, 377; IX: 88, 355; X: 444; XII: 85, 322; XIII: 324; XIV: 296
Turtledove nest	X: 444
Turtle(s) (See also Tortoise)	IV: 221; V: 193, 272; VI: 333, 451; VII: 6, 9, 26, 28, 29, 32, 33, 45, 382, 475, 476, 482; VIII: 32, 342, 407, 431, 467; IX: 31, 32, 33, 100, 114, 129, 278, 297, 306, 328 and note, 329, 330, 351, 352, 436, 484, 485;
Turtle(s) (See also Tortoise) (continued)	X: 254, 269, 325, 342, 382, 425, 431, 446, 491, 499, 502; XI: 7, 394; XII: 80, 102, 124, 171, 172, 280; XIII: 346, 347, 352, 355, 357; XIV: 82
Turtle egg(s)	VII: 29; VIII: 29; IX: 33; XII: 247
Turtle, box	VII: 495; X: 429; XIII: 316, 346, 412
Turtle, fossil	XI: 180
Turtle, freetown	IX: 328, 484
Turtle, grass (maybe <i>Emys Picta</i>)	X: 429
Turtle, green	VIII: 403
Turtle, land	VII: 475; XIII: 316
Turtle, mud	VI: 475, 476, 478, 490; VII: 25, 32, 329, 382, 432; VIII: 25, 32, 33, 105; IX: 419, 423, 468; XIII: 265, 347
Turtle, mud, eggs	VII: 43; X: 328, 329
Turtle, musk or stinkpot (<i>Sternotherus odoratus</i>)	IV: 222; VI: 271, 349, 355, 388; VII: 28, 29, 32, 33, 45, 382, 451, 495; VIII: 194, 361, 399, 423; IX: 328, 329, 366, 484, 484, 485; X: 340, 383, 393; XI: 80, 81; XII: 119, 244; XIII: 237, 313, 357, 407
Turtle, newly hatched	VII: 22
Turtle, painted	VII: 327; IX: 421; X: 329, 481, 489, 490, 499, 505; X: 336, 346, 348; XII: 102, 200; XIII: 237, 274, 282, 310, 335, 345, 347, 348; XIV: 82, 102
<i>Insculpta</i> (wood or pig-nosed turtle)	VIII: 12
Turtle, sea	VII: 442; IX: 419; XIII: 9
Turtle, shell	VII: 25; X: 194
Turtle, snapping or snap-	VI: 474, 478; VII: 4, 9, 33, 45, 474; VIII: 399, 400, 403, 407; IX: 328, 330, 344, 353, 361; X: 397, 429, 502, 507; XI: 335; XII: 391; XIII: 265, 266, 349, 355; XIV: 296

THE HENRY DAVID THOREAU ANIMAL INDEX

Turtle, snapping, egg	VI:473
Turtle, snapping or mud (<i>Chelonura serpentina</i>)	II:14, 15, 102; IV:222; VI:270, 271-274, 276, 334, 337, 367, 368, 414, 454, 474, 475, 476, 478, 479, 490; VII:4, 5, 6, 9, 10, 16, 25, 26, 33, 43, 44, 45, 66, 382, 428, 429, 432, 474, 475;
Turtle, snapping or mud (<i>Chelonura serpentina</i>) (continued)	VIII:25, 32, 33, 105, 171, 310, 311, 327, 328, 344-346, 350, 351, 403; IX:299, 361, 362; X:328, 329, 340, 341, 398, 399, 400, 429; XI:73, 74, 109, 110, 335; XII:355, 391; XIII:265, 349, 355
Turtle, speckled	XIII:182
Turtle, wood	X:336, 341, 373, 406; XII:442; XIII:210, 413
Veery or Thursh, Wilson's (<i>Turdus Wilsonii</i>)	I:70; IV:89, 126, 135, 174; V:282; VI:251, 354, 457; VII:367, 375, 381, 419; VIII:26; IX:359, 377, 413; X:369, 411, 499, 500, 506; XI:14, 29, 34, 51; XIII:303; XIV:338
Vermin	XII:340
Vireo	IV:32; VII:37, 359, 419; VIII:161; IX:379; X:408, 412; XIII:289
Vireo, red-eye (or red-eyed)	IV:69, 117; V:243; VI:305, 306, 354, 457, 473; VII:379, 396, 404, 419, 443; IX:497; X:286, 419, 499; XI:50; XIII:307, 315, 320
Vireo, solitary	X:395, 396, 408
Vireo, warbling	V:133; VII:15, 31, 376, 396; VIII:458; IX:362; X:409, 412, 497; XI:159; XII:185, 317; XIII:316
Vireo, white-eyed	VII:398; X:396
Vireo, yellow-throated	VI:305, 306, 457, 458; VII:369, 396; VIII:346; X:409, 497; XII:183, 185; XIII:281, 307, 315
Vireo-like birds, white beneath and olive above	IX:92
Vireos' nests	VII:414, 419; VIII:108-110, 161, 162, 174, 175, 180
Vulture	XI:321
Wagtail, water	XIII:308
Walrus	XI:406
Warbler(s)	V:99, 131, 133, 144; VI:206; VII:55, 380, 424; VIII:395; IX:311, 317, 376, 385; X:30, 397, 398, 423; XII:146, 188, 190, 358; XIII:288, 294, 295, 296, 309, 327, 358; XIV:231
Warbler, black and white	See Creeper
Warbler, black and yellow (<i>Sylvia maculosa</i>)	XIII:306, 422
Warbler, blackburnian	VII:391; X:477; XI:29; XIII:319

THE HENRY DAVID THOREAU ANIMAL INDEX

Warbler, black-poll (<i>Sylvia striata</i>)	VIII:349, 350; XIII:306, 307, 314, 315, 327
Warbler, black-throated green (See also Evergreen-forest bird)	VII:360, 399
Warbler, blue yellow-backed (<i>Sylvia Americana</i>) (Also Warbler, parti-colored or Tweezer-bird)	V:131; VI:369; VII:363, 364, 424, 425; VIII:335, 336, 340, 343, 344, 363, 395; IX:497; X:395, 398, 408, 490, 492; XII:187; XIII:288, 291, 373
Warbler, Canada (<i>Sylvia pardalina</i>)	VII:406; XIII:309, 315
Warbler, chestnut-sided	VI:350; VII:384; VIII:344, 350; IX:376, 391; XII:215; XIII:294, 299, 315, 334
Warbler, Connecticut	XII:359 note
Warbler, golden-winged	VI:343, 354; XIII:382, 418, 419
Warbler, maculosa	XII:190
Warbler, Maryland yellow-throat (or whittiche)	VI:354; VII:361, 411 note, 435, 445 note; IX:9, 360, 410, 413, 459, 466; X:489; XI:170; XIII:285, 299
Warbler, Maryland yellow-throat egg	XII:201
Warbler, Maryland yellow-throat nest	X:489
Warbler, Nashville	IX:355; X:423 and note; XII:359
Warbler, new	XII:183
Warbler, night (Night-Warbler)	VI:310, 312; VII:373, 375, 377; IX:365; X:248, 426, 430, 500; XI:13; XII:187; XIII:283, 301; XIV:67
Warbler, pine	III:458, 464; V:85, 103, 104, 147; VI:203, 214, 218, 219, 354; VII:308, 379, 380; VIII:269, 270, 273, 288, 318, 379, 398; IX:8, 25, 331, 353, 472; X:336, 345, 365, 377; XII:140, 145, 146, 372, 373; XIII:247, 262, 280
Warbler, pine-creeping	VII:55
Warblers, unidentified	VII:55, 395, 400, 405, 406, 424; IX:385; XII:359; XIII:288
Warbler, yellow-crowned	X:124; XIV:124
Warbler, yellow-rumped (or Myrtle-bird) (<i>Sylvicola coronata</i>)	IV:35; V:110, 143, 426, 458, 459; VI:213; VII:364, 458, 488; X:392, 404, 479; XI:184; XIV:22
Warbler, yellow-green backed, blue	VII:424
Wasp(s) (see also Hornets)	II:86, 407; III:40, 57; V:357; VI:428; VIII:221, 460; IX:112, 230, 372, 461, 462, 473, 475; X:44, 338; XI:47, 168, 427, 430; XII:318; XIV:35

THE HENRY DAVID THOREAU ANIMAL INDEX

Water-bug (<i>gyrinus</i>) (or water bug)	II: 476; IV: 182, 189, 382, 384, 408; VI: 308; VII: 238, 379; VIII: 210, 213; IX: 299; X: 104, 105, 182, 249, 253, 254-256, 257, 315, 339; XI: 169, 307, 311, 319, 338; XII: 92, 248, 277, 302; XIII: 92, 93, 114, 204, 267, 325, 332, 341, 361; XIV: 336
Water-thrush (<i>Turdus aquaticus</i> or <i>Noveboracensis</i>)	VIII: 346, 347; XIII: 308
Water-beetle	XIV: 311
Water-birds	VI: 456
Water-boatman	XIII: 277
Water-fowl	X: 321, 376; XII: 232, 355
Weasel(s)	VII: 187, 207, 252; XII: 121; XIII: 88, 346
Weasel, black	IX: 346
Weasel, ermine	VII: 241
Weasel, white	VII: 206; X: 220
Weaver-bird	VII: 120
Whale	VII: 92, 464; IX: 451
Whale-fish, black	VII: 464
Wheel bird (<i>Caprimulgus Europeus</i>)	VII: 126, 127
Whip-poor-will	I: 144, 378; II: 235, 236, 258, 259, 383, 387, 388, 475, 485; IV: 54, 161; VII: 12, 24, 31, 127; IX: 391; XII: 185, 189; XIII: 294; XIV: 54, 67
White-in-tails	VII: 30
Whiting	VII: 437
Wild creatures of the wood	VIII: 165
Wildcat (bay lynx)	IX: 100; X: 113, 212, 213; XI: 16, 180, 190; XIV: 86, 315, 316-318
Wildcat kitten	XIV: 317
Winkle (aka periwinkle)	VII: 467
Wireworm	XIII: 201, 209
Wolf or Wolves	IV: 345, 346; VII: 110, 134, 135; VIII: 35, 149, 220; IX: 264; X: 243, 436; XI: 44, 320
Wolf, gray	XII: 124
Wolf, she	XI: 321
Wolf-trap	VIII: 35; X: 243
Wolverine	VII: 135; VIII: 220; XIV: 231
Woodchuck	I: 364; II: 13, 320; III: 43, 44, 420-423; IV: 27, 59, 95, 96, 140, 172, 176; V: 57, 75, 259, 494; VI: 374, 424, 462; VII: 171, 246, 249-251, 319, 338, 339, 342, 455, 456;

THE HENRY DAVID THOREAU ANIMAL INDEX

Woodchuck (continued)	VIII: 219, 242, 336, 410; X: 341, 342, 378, 434, 435, 437 note; XI: 122, 203; XII: 118, 177, 178, 179, 195; XIII: 189, 219, 272, 283, 284, 304, 349, 350; XIV: 92
Woodchuck hole	X: 450
Woodchuck, odor	VII: 342; XII: 403
Woodchuck, toes	XIII: 195
Woodcock(s)	III: 83; IV: 209; V: 92; VI: 457, 488; VII: 353, 355, 380, 425; VIII: 354, 407, 416; IX: 183, 189, 319, 481; X: 194, 195; XI: 286; XII: 67, 99, 188, 245; XIII: 205, 209, 234, 252, 255, 266
Woodpecker(s)	II: 120; III: 235, 329; V: 37, 38, 94, 133; VI: 354; VII: 21, 81, 104, 161, 190, 245, 262, 369, 459; VIII: 313; IX: 127, 128, 287, 295, 296, 297, 305, 352, 358; X: 8, 66, 302, 303, 309, 368, 401; XI: 308; XII: 27, 35, 113; XIV: 158, 248
Woodpecker, arctic three-toed	XIV: 106
Woodpecker, downy	V: 38, 46, 62, 447; VI: 54, 91, 122; VII: 30, 176, 283, 515; VIII: 40, 47, 54, 72, 122, 383, 385, 402, 419, 420; IX: 378; XII: 458; XIII: 77, 301
Woodpecker, downy, nest	VIII: 402, 419
Woodpecker, hairy	VII: 176, 283, 298; IX: 403, 404; XI: 289; XII: 394; XIII: 301
Woodpecker, hole	VIII: 409; XIV: 314
Woodpecker, pileated (See also Woodpecker, red-headed)	IX: 493 and note
Woodpecker, red-headed (See also Woodpecker, pileated)	V: 426; VI: 21; IX: 493
Worm(s)	VI: 456; VII: 17, 116, 249, 337, 413; VIII: 217; IX: 281, 297, 357; X: 3, 4, 123, 124, 412; XI: 408, 425, 427, 440; XII: 42, 48, 266, 304; XIII: 3, 47, 48, 205, 209, 219, 320; XIV: 124
Worm piles	XIII: 234; XIV: 336
Worm holes	XII: 142
Worm, potato	XIII: 270
Worm(s), white	IX: 477; XIII: 271
Wren	VII: 62, 457; IX: 410; XII: 266; XIII: 344
Wren, golden-crested	VII: 331, 332, 334, 335; XIII: 48, 49
Wren, house	IX: 273
Wren, marsh	VII: 445; XII: 270
Wren, ruby-crested	VIII: 362, 411
Wren, ruby-crowned (<i>Regulus</i>)	VI: 220, 243; VII: 361; IX: 348; X: 387; XIII: 259

THE HENRY DAVID THOREAU ANIMAL INDEX

Wren, short-billed marsh	XI:74
Wren, winter	VI:191, 220; XI:34 note, 35
Yellowbird(s)	IV:32, 35, 53, 134, 146; V:134, 290, 302; VI:354; VII:368, 376, 400, 403, 410, 412, 425, 428, 429, 436; VIII:74, 120; IX:358, 376; X:409, 421, 447, 450; XII:184; XIII:295, 315
Yellowbird's nest	XII:199; XIII:113
Yellow bug	XIII:335
Yellowleg(s) or Telltale	IV:328; V:452; VII:381, 393, 450; X:129, 432; XI:151, 154, 181, 190; XII:104, 149, 187, 282, 355, 410, 411
Yellow-legs, greater or greater telltale	VI:318; VII:41; X:432; XII:149, 410
Yellowlegs, lesser (<i>Totanus flavipes</i>)	VII:381; X:167
Yellow-throat, Maryland (See also Warbler, Maryland yellow-throat)	IV:40, 53; IV:35; V:109, 124, 231, 291; VII:411 and note; VIII:347; IX:14, 409, 410 and note, 411, 466; X:409, 489; XI:74; XIII:299
Yorrick	IX:365

The Walden Woods Project thanks all the volunteers, interns, and staff that spent winter weekends in February and December 2019 and February 2020 combing through Thoreau's *Journal* and collaborating in the creation of The Henry David Thoreau Animal Index.

THE WALDEN WOODS PROJECT ARCHIVE

Permission to Publish: Requests for permission to publish material from the collection should be directed to the Curator.

Copyright: The Archives at the Thoreau Institute does not hold copyright on all materials in the collection. Researchers who obtain permission to publish from the Curator are responsible for identifying and contacting the persons or organizations that hold copyright.

Description of Organization: The parent organization of the Thoreau Institute at Walden Woods is the Walden Woods Project.

The Walden Woods Project was founded in 1990 by recording artist Don Henley. At that time, sixty percent of Walden Woods — a 2,680 acre ecosystem surrounding Thoreau's Walden Pond — was already protected from development. However, two large tracts of land were endangered when developers sought to construct an expansive office building and condominium complex in the mid-1980s. These commercial developments posed such a significant threat to the area that the National Trust for Historic Preservation twice listed Walden Woods as one of America's *Eleven Most Endangered Historic Places*.

In response, the Walden Woods Project embarked on a national campaign to raise public awareness and the funds necessary to purchase and preserve the endangered areas. In Jan. 1991, the Project bought the 25-acre tract that had been slated for the development of condominiums. A few years later, the second tract of land was acquired at Brister's Hill.

The Thoreau Institute at Walden Woods opened in 1998. The Institute is a center for research and education focused on Henry David Thoreau, his literary achievements and philosophy, and his influence on environmental and social movements. Through its technology center, education programs and the most comprehensive Thoreau research collection in the world, the Thoreau Institute at Walden Woods provides opportunities for lifelong learning about Thoreau's life and work.

Since its founding, the organization has *protected nearly 140 acres in and around Walden Woods and provided quality programming for more than 200 high school teachers and students*. The Thoreau Institute at Walden Woods provides services to hundreds of researchers on an annual basis both nationally and internationally.

The Library houses its archival collection, as well as its collection of Thoreauviana, including the complete second draft of Thoreau's essay on Sir Walter Raleigh.

THE HENRY DAVID THOREAU ANIMAL INDEX



The Walden Woods Project's Thoreau Institute Library
44 Baker Farm
Lincoln, MA 01773-3004

781-259-4730

curator@walden.org