

The Thoreau Institute at Walden Woods Library

**The Walden Woods Project Archives  
And Research Collection**

The Henry David Thoreau Animal Index

---



## THE HENRY DAVID THOREAU ANIMAL INDEX

The Henry David Thoreau Animal Index is based on *The Writings of Henry David Thoreau Journal* (1906), edited by Bradford Torrey. While Torrey included a large portion of the animals, including birds, aquatic life, and insects, mentioned in Thoreau's *Journal*, the list was incomplete. Here, we present a comprehensive index of Thoreau's notations.

In most cases, the animal's common name is listed. Thoreau also noted Latin names or descriptive identifiers. In some instances, the Latin name noted by Thoreau is no longer in use due to taxonomic changes. We clarify those animals by noting the Latin or common name in use during Thoreau's life. The *Journal* volumes and pages correspond to Thoreau's observations in his 14 journals, including page notes.

Key:

Animal (*Latin name* or note) **Journal Volume**:page

Example:

---

Bittern, least (*Ardea exilis*)      **XIII**:421  
(See also Cowbird)

---

THE HENRY DAVID THOREAU ANIMAL INDEX

Key: <b>Animal</b>	<i>Journal</i> :page
Adder	<b>XII</b> :277
Adder, checkered	<b>IV</b> :168; <b>VI</b> :308, 309
Adder, water (See also Snake, water)	<b>V</b> :354; <b>VIII</b> :402, 412, 413, 424, 446; <b>X</b> :416, 429
Alewife (herring)	<b>VII</b> :174, 479; <b>IX</b> :321, 322, 327; <b>XIII</b> :207
Alewives	<b>II</b> :234, 347; <b>VII</b> :136, 227, 479; <b>VIII</b> :397
Alewives, William Wood on catching	<b>VII</b> :136, 137
Alligator	<b>IX</b> :99; <b>XI</b> :441
<i>Amphibia</i>	<b>IX</b> :359
<i>Amphibian</i>	<b>XI</b> :348
Anemone	<b>X</b> :379
Anemone, sea	<b>X</b> :443
Animal(s)	<b>VIII</b> :122, 220, 221; <b>IX</b> :210, 225, 453; <b>X</b> :448; <b>XII</b> :54, 57; <b>XIV</b> :124, 125, 142
Animal, small	<b>XI</b> :376
Animal tracks	<b>XIII</b> :266, 267
<i>Anodon</i> (freshwater bivalve)	<b>VII</b> :447
<i>Anomia ehippium</i> (Saddle Oyster)	<b>VII</b> :470
Ant(s)	<b>III</b> :92, 128, 209-212, 214, 302, 463; <b>VII</b> :304; <b>VIII</b> :4, 234, 251, 443, 444; <b>IX</b> :41, 347, 381, 395; <b>X</b> :148, 182, 189, 199, 310, 373, 493; <b>XI</b> :156, 219, 220, 283; <b>XII</b> :41, 42, 69, 83, 181; <b>XIII</b> :209, 263; <b>XIV</b> :35
Ants, winged	<b>VII</b> :8, 398
Ant, black	<b>VII</b> :454; <b>X</b> :219; <b>VIII</b> :11, 12
Ant, grub	<b>X</b> :189
Ant, hill(s)	<b>V</b> :59; <b>VIII</b> :251; <b>IX</b> :41, 381, 395; <b>X</b> :199; <b>XI</b> :10, 157; <b>XII</b> :454
Ants, little	<b>XII</b> :69
Ant, middle-sized	<b>XII</b> :181
Ant(s), red and black	<b>VIII</b> :251
Ant(s), spicy-scented	<b>IX</b> :347, 371, 372
Ant, wood	<b>IX</b> :347, 371, 372; <b>XII</b> :183
Ant-lion	<b>VII</b> :116
Ape, Topsell's description of	<b>XIII</b> :151, 152
Aphid	<b>VIII</b> :443; <b>IX</b> :9
Aphides	<b>V</b> :249, 309; <b>IX</b> :8, 9
Aphis, monster	<b>IX</b> :25
Auk, little (Ice bird)	<b>XIII</b> :419, 420; <b>XIV</b> :253

THE HENRY DAVID THOREAU ANIMAL INDEX

Banded Sunfish ( <i>Pomotis</i> or <i>Bryttus obesus</i> )	<b>XI:</b> 348, 349 note, 350; <b>XIII:</b> 273, 349, 351
Bashaw (insect)	<b>X:</b> 310
Bass	<b>VII:</b> 136, 437, 441; <b>IX:</b> 326, 442; <b>XII:</b> 267; <b>XIII:</b> 331, 351
Bass, striped	<b>II:</b> 363
Bat(s)	<b>II:</b> 388; <b>VII:</b> 19, 31, 57, 58; <b>VIII:</b> 5; <b>IX:</b> 383; <b>X:</b> 447; <b>XII:</b> 327, 441; <b>XIII:</b> 325, 332
Bat, hoary	<b>XIV:</b> 53
Bat, New York	<b>XIII:</b> 342, 343
Bat, red	<b>XIII:</b> 342
Bay-wing (or grass bird or grass finch)	<b>VI:</b> 354; <b>V:</b> 109; <b>VI:</b> 42, 214, 395; <b>VII:</b> 306, 317, 337, 371, 411, 445, 490; <b>VIII:</b> 279, 287, 385; <b>IX:</b> 327, 363, 404, 413, 426; <b>X:</b> 343, 344, 420; <b>X:</b> 319, 343, 344, 420; <b>XI:</b> 202; <b>XII:</b> 127, 142, 143, 144; <b>XIII:</b> 247; <b>XIV:</b> 338
Bay-wing, eggs	<b>VII:</b> 381; <b>X:</b> 310
Bay-wing, nest	<b>VII:</b> 445; <b>IX:</b> 404
Beach-flea	<b>IX:</b> 442, 443
Bear(s)	<b>VII:</b> 134; <b>VIII:</b> 141, 220; <b>IX:</b> 214; <b>X:</b> 261; <b>XI:</b> 11, 13, 14, 20, 28, 44, 48, 58; <b>XIV:</b> 315; <b>XIII:</b> 304
Bear, black	<b>VII:</b> 134; <b>XI:</b> 14, 28, 42, 44
Bear, black, foot of	<b>XIII:</b> 304, 305
Bear claws	<b>IX:</b> 214
Bear, grizzly	<b>II:</b> 271; <b>IV:</b> 491
Bear, polar	<b>VII:</b> 74
Bear, white	<b>IV:</b> 482
Beast	<b>VIII:</b> 445; <b>XII:</b> 275; <b>IX:</b> 360
Beaver	<b>VI:</b> 136; <b>VII:</b> 135; <b>VIII:</b> 220; <b>IX:</b> 163, 164, 274; <b>XII:</b> 121; <b>XIII:</b> 152, 153
Bedbug	<b>IX:</b> 453
Bee(s)	<b>II:</b> 272; <b>III:</b> 71, 293, 294, 354, 355, 360, 463, 465, 466; <b>IV:</b> 257, 368-373, 374, 404; <b>V:</b> 72, 81, 96, 105, 209, 361; <b>VI:</b> 400, 404, 405, 463; <b>VII:</b> 318, 332; <b>VIII:</b> 27, 220, 332; <b>VIII:</b> 220, 416, 436, 460;
Bee(s) (continued)	<b>IX:</b> 15, 16, 82, 111, 118, 311, 469, 470; <b>X:</b> 192, 346, 393, 396; <b>XI:</b> 17, 47, 48, 49, 430; <b>XII:</b> 147, 148, 267, 304, 309; <b>XIII:</b> 201, 202, 238, 263, 278, 287, 288, 333, 414; <b>XIV:</b> 35
Beeswax	<b>V:</b> 34
Bumblebee	<b>IV:</b> 34, 286, 328; <b>VII:</b> 332, 362, 371; <b>IX:</b> 4, 87, 123, 469, 470; <b>XIII:</b> 278

THE HENRY DAVID THOREAU ANIMAL INDEX

Bee, drones	<b>IX:311</b>
Bees, hives of	<b>XI:49</b>
Bee, honey	<b>III:70; IV:171; VI:186, 309, 463; IX:88, 112; X:338, 393; XII:321; XIII:200, 201, 209, 238, 263, 288</b>
Bee, mining	<b>XIII:287, 288</b>
Bee, tailor	<b>IX:61</b>
Bees, worker	<b>IX:311</b>
Beetle(s)	<b>V:33; VI:151 VII:292, 367, 440; VIII:302; IX:294, 343, 348; X:495; XII:113, 311, 312, 356; XIII:277, 282</b>
Beetle, black	<b>VII:103; XII:54; XIV:337</b>
Beetle, diving ( <i>Dytiscus</i> )	<b>XIII:277</b>
Beetle ( <i>Gyrinus</i> )	<b>VII:231, 238; X:249; XIII:209</b>
Beetle ( <i>Gyrinus natator</i> )	<b>X:182</b>
Beetle, large black dor-bug like	<b>XIV:336</b>
Beetle, predaceous diving ( <i>Dyticidae</i> )	<b>XIV:311</b>
Beetle, tiger ( <i>Cicindela</i> )	<b>XII:76; XIII:201, 209; XIV:336</b>
Beggar-tick	<b>IX:93, 143</b>
Bird(s)	<b>I:125, 132, 480; II:63; III:29, 30, 46, 377, 444, 459; IV:31, 50, 51, 141, 182, 190, 197, 198, 245, 282; V:110, 144, 169, 247, 276, 290, 389, 480; VI:10, 145, 146, 204, 211, 217, 223, 263, 303, 307, 318, 354, 364, 389, 390, 430, 413, 435, 440, 457, 458, 485;</b>
Bird(s) (continued)	<b>VII:6, 12, 31, 35, 41, 74, 122, 127, 166, 167, 176, 182, 184, 188, 189, 190, 197, 238, 311, 318, 319, 332, 336, 353, 366, 367, 371, 372, 376, 377, 378, 380, 381, 398, 401, 404, 411, 413, 440, 445, 449, 455, 459, 489, 497, 510;</b>
Bird(s) (continued)	<b>VIII:6, 39, 40, 41, 42, 43, 67, 68, 71, 73, 74, 116, 122, 156, 161, 163, 166, 167, 196, 234, 262, 263, 264, 333, 335, 411; IX:87, 119, 125, 153, 158, 266, 274, 275, 282, 286, 289, 302, 305, 310, 323, 333, 358, 360, 364, 37, 383, 388, 389, 410, 411, 450, 456, 492, 497;</b>
Bird(s) (continued)	<b>X:28, 64, 73, 136, 138, 184, 186, 194, 195, 201, 203, 244, 254, 257, 262, 264, 265, 266, 294, 296, 301, 302, 304, 305, 310, 319, 321, 325, 326, 330, 338, 355, 377, 386, 387, 395, 411, 420, 423, 430, 432, 434, 436, 437, 461, 510; XI:34, 51, 104, 181, 182, 183, 184, 350, 392;</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Bird(s) (continued)	<b>XII:</b> 21, 39, 71, 104, 124, 125, 127, 144, 241, 275, 277, 286, 287, 288, 294, 306, 309, 310, 337, 338, 442, 443; <b>XIII:</b> 9, 32, 182, 188, 191, 198, 228, 266, 295, 296, 311, 329, 358; <b>XIV:</b> 8, 32-34, 67, 136, 141, 146, 298, 310, 332
Birds, chickadee-like	<b>VII:</b> 179
Bird, bill	<b>X:</b> 194
bird, blue	<b>X:</b> 73
Bird, dropping	<b>XIII:</b> 20
Bird, migratory	<b>XIII:</b> 209
Bird(s) nest(s)	<b>III:</b> 102; <b>VII:</b> 252, 390, 413, 442; <b>VIII:</b> 10, 23, 73, 74, 89, 90, 108, 109, 113, 114, 359, 368, 416; <b>X:</b> 243; <b>XI:</b> 140; <b>XII:</b> 17, 18, 237; <b>XIII:</b> 40
Bird of prey	<b>X:</b> 330; <b>XI:</b> 34
Bird, old	<b>IV:</b> 174
Bird, skeleton	<b>X:</b> 194
Bird, snipe-like	<b>VII:</b> 70
Bird, southern	<b>XI:</b> 398
Bird, tatter or snipe	<b>XIV:</b> 336
Bird, tongue-case	<b>X:</b> 195
Bird-tracks	<b>VI:</b> 456
Bird, tweezer	<b>VIII:</b> 395, 396
Birds, unidentified	<b>III:</b> 434; <b>IV:</b> 328, 388; <b>V:</b> 51, 99, 146, 175, 246, 426, 458, 459, 468, 470; <b>VI:</b> 28, 197, 198, 312, 313, 321, 343, 363, 369, 372, 459, 488; <b>VII:</b> 62, 77, 94, 189, 190, 243, 329, 359, 360, 371, 379, 380, 382, 392, 397, 399, 457, 458; <b>VIII:</b> 342, 355; <b>IX:</b> 8, 92, 183; <b>X:</b> 330, 331, 395-396, 408, 421, 423; <b>XI:</b> 34, 35, 44, 45, 64, 117, 118, 177; <b>XII:</b> 108, 190
Bird, vireo-like, somewhat yellowish	<b>IX:</b> 92
Bird, warbling	<b>IX:</b> 8
Bird, well marked	<b>XIII:</b> 419, 420; <b>XIV:</b> 253
Bird, white	<b>VIII:</b> 213
Bird wing(s)	<b>XIII:</b> 198; <b>XI:</b> 393
Birds' eggs	<b>IV:</b> 268, 269; <b>VIII:</b> 10, 11; <b>XIV:</b> 167, 168
Birds, migrating	<b>X:</b> 123
Bird-cedar	<b>VI:</b> 458
Bittern(s)	<b>VI:</b> 466; <b>VIII:</b> 4, 16, 440; <b>IX:</b> 421; <b>X:</b> 60, 61, 147, 445; <b>XII:</b> 248, 268, 270; <b>XIII:</b> 332, 346

THE HENRY DAVID THOREAU ANIMAL INDEX

Bittern, American (or Stake-driver, <i>ardea minor</i> )	<b>I:</b> 138, 141; <b>II:</b> 255, 304; <b>III:</b> 5, 46, 54, 69, 76; <b>IV:</b> 28, 107, 123, 124, 233, 234, 334; <b>V:</b> 152, 193, 367; <b>VI:</b> 364; <b>VII:</b> 453, 456; <b>VIII:</b> 350, 380; <b>IX:</b> 421; <b>X:</b> 60, 147, 384, 394, 444, 498, 503; <b>X:</b> 429; <b>XI:</b> 68, 134, 139, 148, 251, 331, 446; <b>XII:</b> 248, 249, 266; <b>XIII:</b> 250, 251, 331, 332, 346; <b>XIV:</b> 110, 133, 337
Bittern (Stake-driver) crop	<b>XIV:</b> 337
Bittern, egg ( <i>Ardea minor</i> )	<b>X:</b> 444
Bittern, great	<b>VI:</b> 482; <b>VII:</b> 31, 41, 453, 456, 460
Bittern, green or green heron	<b>VI:</b> 377, 453; <b>VII:</b> 380; <b>VIII:</b> 435, 440; <b>XIV:</b> 61
Bittern, least ( <i>Ardea exilis</i> ) (See also Cowbird)	<b>XIII:</b> 421
Black birds	<b>XII:</b> 93, 105, 117
Black bug	<b>XII:</b> 92
Black-back(s)	<b>X:</b> 61; <b>XI:</b> 183
Blackbird(s)	<b>IV:</b> 30, 36, 37; <b>V:</b> 26, 27, 37, 61, 91, 94, 241, 242, 418; <b>VI:</b> 212; <b>VII:</b> 16, 30, 40, 62, 257, 261, 343, 355, 367, 370, 371, 410, 456, 459; <b>VIII:</b> 16, 114, 160, 244, 245, 250, 283; <b>IX:</b> 123, 297, 312, 333, 352, 457;
Blackbird(s) (continued)	<b>X:</b> 5, 28, 117, 132, 147, 301, 303, 304, 457, 482, 495; <b>XI:</b> 455; <b>XII:</b> 5, 38, 42, 44, 93, 94, 131, 204, 232, 336, 344; <b>XIII:</b> 183, 258, 261
Blackbird, cow	<b>VI:</b> 342; <b>VIII:</b> 410; <b>XIII:</b> 245
Blackbird, crow	<b>IV:</b> 34; <b>VI:</b> 202, 258, 262, 265, 332, 353; <b>VII:</b> 297, 307, 352, 369, 420, 456; <b>VIII:</b> 160, 161, 285; <b>IX:</b> 312, 315, 352, 419, 461; <b>X:</b> 344, 346, 373; <b>XII:</b> 42, 204; <b>XIII:</b> 258, 422; <b>XIV:</b> 58
Blackbird, nest	<b>IX:</b> 471; <b>XII:</b> 207
Blackbird, red-wing	<b>III:</b> 409, 457; <b>IV:</b> 169; <b>V:</b> 33, 61, 62, 153, 301; <b>VI:</b> 164, 202, 268, 457; <b>VII:</b> 30, 261, 342, 343, 354, 376, 381, 418, 421; <b>VIII:</b> 16, 24, 68, 69, 240, 250, 266, 290, 313, 407, 409; <b>IX:</b> 297, 397; <b>X:</b> 301, 303, 308, 398, 486, 487; <b>XII:</b> 35, 140, 270, 314; <b>XIII:</b> 196, 198, 258, 264, 425; <b>XIV:</b> 58
Blackbird, red-wing, egg	<b>VII:</b> 386, 387, 414, 415, 417
Blackbird, rusty (See also Grackle, rusty)	<b>VI:</b> 249; <b>VII:</b> 54, 282, 297, 298, 317; <b>VIII:</b> 273, 284; <b>X:</b> 95, 101, 102, 131, 132, 308, 329; <b>XI:</b> 186, 215; <b>XII:</b> 48, 451; <b>XIII:</b> 183
Blackburnian	<b>XII:</b> 190
Blackfish	<b>VII:</b> 433, 436, 441, 442, 463, 464; <b>IX:</b> 170, 423, 451
Blue yellow-back	<b>X:</b> 502

THE HENRY DAVID THOREAU ANIMAL INDEX

Bluebird	<b>I:</b> 449; <b>II:</b> 310; <b>III:</b> 344, 386; <b>IV:</b> 254; <b>V:</b> 15, 23, 26, 32, 93, 94, 357, 488; <b>VI:</b> 206, 306, 354, 457; <b>VII:</b> 30, 35, 220, 226, 243, 249, 257, 258, 261, 274, 367, 418, 420, 421, 502; <b>VIII:</b> 10, 201, 224, 270, 332, 385, 408;
Bluebird (continued)	<b>IX:</b> 91, 279, 295, 307; <b>X:</b> 261, 299, 302, 303, 405, 493; <b>XI:</b> 453, 455; <b>XII:</b> 5, 21, 22, 30, 34, 35, 42, 310; <b>XIII:</b> 183, 196, 203, 225, 234; <b>XIV:</b> 320, 321
Bluebird day	<b>VII:</b> 242
Bluebird, egg	<b>VIII:</b> 409
Blueblue	<b>IX:</b> 267, 270, 279
Bluefish	<b>IX:</b> 431
Bluet	<b>XIII:</b> 255
Bobolink(s)	<b>II:</b> 275; <b>IV:</b> 159, 229, 246, 303; <b>V:</b> 133, 136, 137, 163, 164, 282, 335, 336; <b>VI:</b> 350, 354, 430, 441, 452, 457; <b>VII:</b> 16, 31, 376, 431, 443; <b>VIII:</b> 333, 407, 411; <b>IX:</b> 357, 378, 397-399, 413, 446, 460, 461, 479;
Bobolink(s) (continued)	<b>X:</b> 409, 495, 499, 503, 507; <b>XI:</b> 51, 108, 111, 159; <b>XII:</b> 187, 189, 225, 232, 294, 300; <b>XIII:</b> 285, 291, 402; <b>XIV:</b> 55, 69
Bottle-head	<b>VII:</b> 464
Brant	<b>VII:</b> 25; <b>VIII:</b> 31; <b>X:</b> 245, 336, 377; <b>XIV:</b> 167
Bream(s)	<b>I:</b> 475; <b>IV:</b> 149, 165, 171, 212, 261, 262; <b>V:</b> 252, 261, 314, 325; <b>VI:</b> 308, 347, 355, 364, 481; <b>VII:</b> 429; <b>VIII:</b> 36, 376, 415; <b>IX:</b> 460; <b>X:</b> 486; <b>XI:</b> 11, 347, 348, 358, 362, 368; <b>XII:</b> 83, 261, 280, 288; <b>XIII:</b> 243, 258, 273, 323, 324, 423
Breams, barred	<b>XIII:</b> 273
Breams, common	<b>XII:</b> 83
Bream, striped	<b>XI:</b> 346-350, 358-360, 363, 364; <b>XIII:</b> 273
Brewer's blue yellow-back (bird)	<b>VII:</b> 364
Buffalo	<b>I:</b> 130; <b>IV:</b> 178
Bug(s)	<b>IX:</b> 484; <b>X:</b> 256, 258, 268, 461; <b>XII:</b> 251, 311, 312
Bugs, black	<b>X:</b> 70
Bug, brown	<b>XIII:</b> 424
Bug, smelling	<b>IX:</b> 319
Bull (See also Cattle)	<b>IX:</b> 357
Bullfrog	<b>I:</b> 379, 380; <b>IV:</b> 89, 107, 124, 125, 162; <b>V:</b> 145, 231, 250, 251, 253, 285, 298, 387, 409-411, 485; <b>VI:</b> 6, 307, 476; <b>VII:</b> 12, 369, 445, 446; <b>VIII:</b> 413, 416, 424;



THE HENRY DAVID THOREAU ANIMAL INDEX

Bullfrog (continued)	<b>IX:</b> 313, 353, 359, 374, 389, 456; <b>X:</b> 45, 229, 328, 333, 353, 357, 365, 374, 381, 382, 383, 385, 388, 390, 391, 394, 397, 400, 401, 402, 409, 410, 411, 416, 461, 467, 485, 488, 508, 509; <b>XI:</b> 30, 94; <b>XII:</b> 235; <b>XIII:</b> 275, 300, 325, 356, 357, 407; <b>XIV:</b> 36
Bullfrog spawn	<b>X:</b> 483
<i>Faint stertorous</i> (bullfrog-like sound)	<b>IX:</b> 313
Bullock	<b>XII:</b> 301
Bulls, winged	<b>IX:</b> 214
Bunting	<b>VII:</b> 83, 86
Bunting, black-throated	<b>VII:</b> 435
Bunting, black-throated/ yellow-throat	<b>IX:</b> 421, 426
Bunting(s), snow	<b>VII:</b> 289; <b>VIII:</b> 80, 81, 87; <b>X:</b> 245, 319, 456; <b>XI:</b> 290, 370, 391; <b>XII:</b> 457
Bunting, towhee ( <i>F. Pennsylvanicus</i> )	<b>IX:</b> 110
Bunting, yellow throat	<b>IX:</b> 411
Bunting(s), snow or arctic snowbird	<b>III:</b> 357; <b>VI:</b> 32, 43, 45; <b>VII:</b> 81; <b>VIII:</b> 80, 81, 91, 112; <b>IX:</b> 228, 229, 235; <b>X:</b> 287; <b>XI:</b> 290, 291, 391, 392; <b>XII:</b> 6, 7; <b>XIII:</b> 36, 41-43, 71, 72, 100, 209
Butcher-bird	<b>VII:</b> 223; <b>XI:</b> 439
Butterfly/ Butterflies	<b>II:</b> 308, 318, 322; <b>V:</b> 341; <b>VII:</b> 353, 440; <b>VIII:</b> 265, 418, 436; <b>IX:</b> 82, 112, 420; <b>X:</b> 326, 341; <b>XI:</b> 47; <b>XII:</b> 304, 309; <b>XIII:</b> 280, 302, 303, 413, 414, 415; <b>XIV:</b> 35, 95, 203
Butterfly, blue	<b>X:</b> 397; <b>XII:</b> 167; <b>XIII:</b> 252
Butterfly, blue-slate	<b>XIII:</b> 315
Butterfly, buff-edged	<b>IX:</b> 308
Butterfly, copper	<b>XIV:</b> 194
Butterfly, large yellow and black	<b>XIII:</b> 351, 352
Butterfly, mourning cloak ( <i>Vanessa antiopa</i> )	<b>V:</b> 31, 34, 104, 109; <b>VIII:</b> 242; <b>IX:</b> 308, 311, 469; <b>X:</b> 325, 328, 341, 397, 497; <b>XIII:</b> 209
Butterfly, orange brown	<b>XIII:</b> 407
Butterfly, orange with blackish spots	<b>XIII:</b> 294
Butterfly, <i>papilio Turnus</i>	<b>XII:</b> 198, 199
Butterfly, two-tailed pashas	<b>X:</b> 407
Butterfly, red/ reddish	<b>X:</b> 335; <b>XIII:</b> 209, 235, 336, 380
Butterfly, sulfur-yellow ( <i>Colias Philodice</i> )	<b>IX:</b> 319
Butterfly/ Butterflies, yellow	<b>II:</b> 308, 319; <b>IV:</b> 226, 227; <b>VI:</b> 411, 412; <b>VII:</b> 8, 379; <b>IX:</b> 121; <b>X:</b> 71, 426; <b>XI:</b> 159; <b>XII:</b> 198, 335, 397; <b>XIV:</b> 241

THE HENRY DAVID THOREAU ANIMAL INDEX

Butterfly, yellow and dark	<b>XIII:337</b>
Buzzard, American	<b>XI:303</b>
<i>C. bullata</i>	<b>XIII:341</b>
<i>C. monile</i>	<b>XIII:341</b>
Caddis-worms, cases of	<b>I:482; IV:393, 408, 451; VIII:415; IX:477</b>
Calf or calves	<b>III:28, 29; VI:15, 206; VII:186; VIII:34; X:366; XI:44, 358; XII:328; XIII:283</b>
Calf, double headed	<b>VIII:34</b>
Cankerworm	<b>VI:348</b>
<i>Capelin</i> (fish)	<b>IX:291</b>
Caracal	<b>IX:100</b>
Caribou	<b>IX:488</b>
Cat(s)	<b>II:89, 98, 184, 255; VII:173, 185, 202, 211, 241, 353; VIII:31, 40, 51, 52, 93, 154; IX:141, 204, 205, 213, 264, 346, 453, 470; X:202; XI:191, 259; XII:323, 357, 444; XIV:341, 342, 344, 345</b>
Cat, California	<b>VI:316</b>
Cat (domestic)	<b>IX:100; XIV:315</b>
Cat (Kitten)	<b>V:181-183; VIII:5, 31, 60, 158; XII:131; XIV:314, 315, 340-342, 344, 345</b>
Cat (Kitten, tortoise-shell)	<b>VIII:391</b>
Min (Thoreau's cat)	<b>VIII:158, 192, 193; IX:141, 154, 155</b>
Cat, white	<b>VII:19, 20</b>
Cat, wild (as in feral)	<b>XI:16</b>
Catbird (or cat-bird)	<b>IV:5, 39, 67, 68; V:124, 143; VI:354, 453; VII:31, 60, 240, 368, 376, 409, 411, 419, 423, 424, 455, 461; VIII:42, 405; IX:359, 413; X:61, 409, 412, 493; XI:181; XII:147, 184; XIII:282</b>
Catbird nest	<b>VI:405; VII:411, 412-413, 419, 429; VIII:96; X:213; XII:202; XIII:328</b>
Catchflies, slender	<b>VII:374</b>
Caterpillar	<b>IV:196; V:398; VI:304, 320, 330, 348, 354, 406, 407, 458; VII:14, 106, 112, 115, 249, 331, 455; VIII:74; IX:18, 26, 211, 220, 299, 305, 306, 371; IX:212, 253, 468, 469; X:189, 213, 214, 254, 495; XI:260, 416-419, 420-422, 427; XII:22, 42, 322; XIII:209</b>
Caterpillar cocoons	<b>IX:220, 221</b>
Caterpillar, black	<b>VII:116</b>
Caterpillar, black fuzzy	<b>XI:421, 427</b>
Caterpillar, black and reddish-brown	<b>VII:236</b>
Caterpillar, blackish spiny	<b>IX:468</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Caterpillar, brown	<b>XI:421</b>
Caterpillar, dark shell head	<b>XI:418</b>
Caterpillar, fish-worm color	<b>XI:421</b>
Caterpillar, fuzzy	<b>X:213, 237</b>
Caterpillar, glow-worm-like	<b>XI:421, 422, 426, 429</b>
Caterpillar, hedgehog	<b>XII:403</b>
Caterpillar, striped	<b>XI:427</b>
Caterpillar, sphinx moth	<b>XI:159</b>
Caterpillar, tent	<b>XIII:278</b>
Cattle	<b>IV:72, 73, 102, 134, 137, 189; V:527; VI:463, 484; VII:492; VIII:29, 38, 164, 165; IX:48, 83, 94, 342, 356, 418, 441, 477; X:133, 137, 151, 156, 193, 256, 287, 296, 298, 311, 316, 338; XII:301, 350; XIII:268; XIV:9, 10, 19, 133, 151</b>
Cheetah	<b>IX:100</b>
Cherry-bird(s) (Cedar Waxwing)	<b>II:318; IV:126; V:217, 218; VI:336, 348, 354, 355, 360, 378, 457, 486; VII:31, 422-424, 429; VIII:197; IX:370; X:65, 298, 311; XII:191, 237, 293, 309, 342; XIII:313</b>
Chewink ( <i>or</i> towhee finch)	<b>II:9, 10, 13, 17, 388; IV:5; V:119, 124, 186; VI:347, 457; VII:31, 43, 48, 377, 404, 412, 413; VIII:361, 362, 374; IX:87, 362; X:61, 384, 428, 430, 432, 450, 451, 460, 461; XI:10, 169, 181, 198; XII:334; XIII:285; XIV:11, 22, 33</b>
Chewink, nest	<b>VI:317; IX:472; X:450</b>
Chickadee(s)	<b>II:85, 90; III:91, 138, 345, 350, 468; IV:17, 22, 41, 171, 172, 179, 204, 386, 396, 482; V:38, 76, 97; VI:3, 86, 110, 122, 354, 457, 458; VII:30, 66, 81, 82, 106, 123, 129, 220, 262, 275, 355; VIII:22, 28, 39, 53, 72, 99, 153, 154, 160, 196, 214, 264, 364;</b>
Chickadee(s) (continued)	<b>IX:25, 105, 108, 114, 119, 128, 151, 152, 280, 355, 497; X:57, 171, 242, 308, 316; XI:198, 290, 318, 320, 350, 380, 381, 391, 455; XII:95, 97, 202, 386, 453, 458; XIII:20, 87, 95, 97, 209, 307; XIV:336</b>
Chickadee <i>or</i> titmouse	<b>I:70, 399; III:62, 65; VI:121, 122; VII:105, 180; VIII:50, 53; XII:448; XIV:116, 248</b>
Chicken(s)	<b>VI:485; VII:27, 331, 497; VIII:94; IX:434; X:51, 304; XI:396, 397, 398</b>
Chick-le-see (chickillesse)	<b>VII:445; IX:413</b>
Chironomus	<b>XII:200</b>
Chirp-bird	<b>XIV:338</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Chrysalid	<b>IX:109</b>
Chub	<b>II:16; VI:312</b>
Cicada (harvest-fly)	<b>VI:349, 355; VII:383</b>
<i>Septendecim</i> (Cicada or locust)	<b>VI:349, 355</b>
Clam(s)	<b>II:255-259; IV:178, 216; V:495; VI:318, 327, 345, 459, 461; VII:7, 55, 68, 70, 214, 429, 408, 436, 439, 447, 454, 463, 466, 467, 488; VIII:20, 258; IX:317; X:7, 247, 397, 399, 408, 429; XI:252, 375; XII:33, 274; XIII:265, 270, 271, 277</b>
Clam, common unio	<b>VII:466</b>
Clams, fresh-water ( <i>Unio Complanatus</i> )	<b>IV:178, 215; V:46, 376; VI:383, 406; VII:68, 214, 215, 295, 488; VIII:21, 258; X:408; XII:274</b>
Clam, green-rayed	<b>VII:447</b>
Clam, horseshoe	<b>IX:430</b>
Clam, sea	<b>IX:445; XII:283</b>
Clam, soft shell (also called Ipswich or Essex) ( <i>Mya arenaria</i> )	<b>VII:436</b>
Clam, thick shelled	<b>VII:436</b>
Clamshell(s)	<b>IV:58; VI:7, 8; VII:7, 352, 421, 447, 471; VIII:12, 21, 168, 297, 393; IX:362; X:11, 486; XII:268, 283, 450</b>
Cobweb(s)	<b>II:75; IV:199, 289, vI:234, 260; VII:38, 294; XI:224, 225, 363; XII:265, 266</b>
Cock(s) (rooster)	<b>IV:110, 166; VII:112, 498; VIII:52, 426; IX:9, 25, 154, 155, 342; X:140, 166, 298; XI:422; XIII:3; XIV:22, 249, 318</b>
Cock, black	<b>III:427</b>
Cock, heath	<b>VII:135</b>
Cock-crowing	<b>I:202, 227; II:301, 334, 384; VII:106, 179, 497; VIII:52, 426; IX:245; X:227</b>
Cockerel (young rooster)	<b>VII:90; VIII:56; IX:200; XI:190, 191</b>
Cocoon	<b>II:125; V:86, 185; VI:19, 23, 73, 131, 132; VII:103, 401; VIII:124, 418; IX:220, 221; XIII:356; IX:366, 471</b>
Cod	<b>VII:433, 437, 440, 444</b>
Cod, atlantic ( <i>Morrhua vulgaris</i> )	<b>VII:444</b>
Colt	<b>IX:419, 420</b>
Coot ( <i>Fulica Americana</i> )	<b>III:127; VIII:307, 308; X:140, 209, 225, 245, 247</b>
Cormorant	<b>VII:135</b>
Cougar	<b>VII:134; VIII:220; IX:71-74, 78, 100, 101, 133, 134; XI:15; XIV:250</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Cowbird(s) (Cow Troopial)	<b>II:</b> 309; <b>V:</b> 367; <b>VI:</b> 342, 354; <b>VII:</b> 329, 414, 419, 420, 443, 453; <b>VIII:</b> 410; <b>IX:</b> 342, 348; <b>XI:</b> 146, 205; <b>XII:</b> 191, 264; <b>XIII:</b> 353
Cow(s)	<b>II:</b> 18, 19, 21, 37, 61, 99, 106, 311, 359; <b>III:</b> 7, 8; <b>IV:</b> 160, 166, 168, 175, 176, 199, 254; <b>V:</b> 11, 23, 159, 312; <b>VI:</b> 348, 434; <b>VII:</b> 21, 375, 453, 455; <b>VIII:</b> 93, 94, 109, 127, 341, 396, 410, 413, 415, 443, 444; <b>IX:</b> 104, 267, 357, 364, 373, 381, 441, 478;
Cow(s) (continued)	<b>X:</b> 136, 145, 151, 160, 168, 182, 186, 193, 202, 210, 213, 237, 366, 409, 448, 499, 510; <b>XI:</b> 134, 208, 280, 291, 300, 351; <b>XII:</b> 264, 301, 316, 346, 357, 447; <b>XIII:</b> 240, 339, 353, 394, 415; <b>XIV:</b> 4, 22, 145, 151, 305
Coo's (Cow's) tongue	<b>IX:</b> 206
Cow-killer	<b>IX:</b> 89
Crabs	<b>II:</b> 358; <b>XIII:</b> 420
Crab, fiddler	<b>VII:</b> 480
Crab, horseshoe	<b>IX:</b> 418
Crab shell, horseshoe	<b>VII:</b> 443; <b>IX:</b> 418
Crane	<b>VII:</b> 136; <b>XIII:</b> 27
Crayfish	<b>XI:</b> 397
Creature(s)	<b>VI:</b> 456; <b>IX:</b> 210
<i>Crepidula fornicata</i> (Common slipper shell)	<b>VII:</b> 471
Creeper	<b>VII:</b> 129; <b>VIII:</b> 162; <b>IX:</b> 204; <b>X:</b> 398; <b>XIII:</b> 295, 347
Creeper, black and white	<b>VI:</b> 350, 354; <b>VII:</b> 372, 375, 379, 405; <b>IX:</b> 360, 392; <b>X:</b> 395, 398; <b>XII:</b> 192; <b>XIII:</b> 281
Creeper, brown	<b>VI:</b> 122; <b>VIII:</b> 54; <b>IX:</b> 230; <b>XII:</b> 453
Cricket(s)	<b>I:</b> 57, 109; <b>II:</b> 93, 254, 276, 291, 306, 370, 378, 385, 406, 408, 409, 421, 422, 447, 475, 479, 480, 482, 483; <b>III:</b> 39, 128; <b>IV:</b> 20, 109, 110, 114, 264, 278; <b>V:</b> 158, 194, 340, 356, 357, 379, 498; <b>VI:</b> 108, 290, 291, 310, 327, 347, 419, 439, 461, 473;
Cricket(s) (continued)	<b>VII:</b> 21, 35, 367, 369, 374, 451, 462, 463, 498; <b>VIII:</b> 21, 361, 372; <b>IX:</b> 8, 128, 378, 403; <b>X:</b> 12, 44, 45, 46, 57, 72, 93, 99, 107, 108, 140, 189, 254, 482; <b>XI:</b> 166, 197, 272, 273, 281, 288, 292, 310, 319; <b>XII:</b> 192, 266, 292, 294, 306, 321, 362; <b>XIII:</b> 288, 292, 300; <b>XIV:</b> 35, 341
Cricket, alder	<b>VIII:</b> 444; <b>IX:</b> 8
Cricket, black ( <i>Acheta Abbreviata</i> )	<b>X:</b> 107; <b>XI:</b> 421
Cricket, fall	<b>IX:</b> 22

THE HENRY DAVID THOREAU ANIMAL INDEX

Cricket, mole ( <i>Gryllotalpa brevipennis</i> )	<b>VI:</b> 460; <b>VII:</b> 12, 21, 452, 454, 456, 462, 463; <b>IX:</b> 14, 91; <b>X:</b> 9, 45; <b>XI:</b> 95; <b>XII:</b> 293; <b>XIV:</b> 52
Cricket, z-ing	<b>XII:</b> 441, 444
Croaker	<b>VII:</b> 245; <b>IX:</b> 313; <b>X:</b> 333, 342
Crossbill (finch)	<b>VIII:</b> 38; <b>XII:</b> 149, 289; <b>XIII:</b> 209, 245
Crow(s)	<b>III:</b> 88, 219; <b>IV:</b> 179; <b>V:</b> 65, 243, 291, 470; <b>VI:</b> 154, 341, 353, 457; <b>VII:</b> 60, 81, 82, 87, 94, 106, 111, 112, 113, 121, 142, 179, 220, 232, 263, 282, 289, 297, 312, 327, 353, 354, 358, 359, 362, 365, 369, 375, 410, 492, 493, 526;
Crow(s) (continued)	<b>VIII:</b> 35, 36, 50, 52, 94, 110, 114, 129, 132, 133, 135, 137, 156, 157, 159, 160, 166, 168, 202, 206, 214, 218, 230, 254, 255, 257; <b>IX:</b> 148, 333, 457, 496; <b>X:</b> 52, 53, 140, 187, 217, 298, 330, 392, 393, 398, 430, 438, 454, 482, 490; <b>XI:</b> 202, 407, 408, 411, 412, 420, 422, 425;
Crow(s) (continued)	<b>XII:</b> 11, 12, 100, 115, 105, 204; <b>XIII:</b> 66, 70, 76, 88, 100, 115, 126, 159, 160, 175, 179, 205, 209, 291, 318, 326; <b>XIV:</b> 22, 92, 101, 102, 107, 214, 266, 267, 295, 296, 309, 310, 313
Crow-quill	<b>VI:</b> 464
Crow, blackbird(s)	<b>VII:</b> 370, 371, 433; <b>XII:</b> 69
Crow droppings	<b>VIII:</b> 132
Crow's nest	<b>VI:</b> 316; <b>X:</b> 498; <b>XI:</b> 358, 359, 362
Crow, track of	<b>VIII:</b> 129
Cuckoo	<b>IV:</b> 205; <b>VI:</b> 343, 399; <b>VII:</b> 31, 383; <b>IX:</b> 111, 288, 289, 390; <b>X:</b> 8, 9, 411; <b>XI:</b> 8; <b>XIII:</b> 306
Cuckoo's nest and eggs	<b>V:</b> 275, 276, 306; <b>VIII:</b> 366, 373; <b>XII:</b> 201
Cuckoo, St. Domingo	<b>VI:</b> 263; <b>XII:</b> 339
Cuckoo, yellow-billed	<b>XII:</b> 202, 237
Curculio	<b>IX:</b> 471
Deer	<b>II:</b> 61; <b>III:</b> 306; <b>VII:</b> 26, 73, 115, 134, 135, 178; <b>VIII:</b> 165, 393; <b>IX:</b> 423; <b>X:</b> 15; <b>XIII:</b> 27, 221; <b>XIV:</b> 86, 315, 317
Deer (totem)	<b>X:</b> 292
Deer horns	<b>XI:</b> 18, 27
Deer, white-tailed	<b>XIV:</b> 231
Devil-fishing	<b>XIV:</b> 315
Dildees	<b>XII:</b> 149
Dipper(s)	<b>VI:</b> 462; <b>VII:</b> 30, 37, 41, 491; <b>IX:</b> 490; <b>X:</b> 140, 208, 209, 225, 322, 323, 503; <b>XI:</b> 153, 187, 338; <b>XII:</b> 318, 447; <b>XIV:</b> 74, 96, 97, 103

THE HENRY DAVID THOREAU ANIMAL INDEX

Dog(s)	<b>I:</b> 227; <b>II:</b> 113, 275, 371, 397, 398; <b>III:</b> 74, 75, 225, 294, 383, 419; <b>IV:</b> 401, 491; <b>V:</b> 20, 21, 262, 353, 522-525; <b>VII:</b> 23, 88, 125, 134, 152, 154, 163, 179, 353, 354; <b>VIII:</b> 29, 36, 76, 78, 93, 138, 194, 256, 257;
Dog(s) (continued)	<b>IX:</b> 26, 27, 133, 180, 198, 356, 423, 456, 457; <b>X:</b> 206, 207, 226, 227, 252, 253, 341, 342, 430, 436, 461, 499; <b>XI:</b> 190, 196, 321, 322, 340, 350, 353, 354, 387; <b>XII:</b> 212; <b>XIII:</b> 205, 266, 350; <b>XIV:</b> 316, 325, 326, 339, 340
Dog, brown pointer	<b>IX:</b> 98
Dog, Esquimau	<b>IX:</b> 299
Dog, mastiff	<b>XI:</b> 339
Dog, hound	<b>XI:</b> 353
Dog, Newfoundland (Ricketson's "Ranger")	<b>IX:</b> 320
Dog, spaniel	<b>IX:</b> 27; <b>XIV:</b> 339
Dog, terrier	<b>IX:</b> 198; <b>X:</b> 195; <b>XIV:</b> 108
Dog tracks	<b>VIII:</b> 139
Dogfish	<b>IX:</b> 451
Dor-bug(s)	<b>IV:</b> 12, 100; <b>V:</b> 195; <b>VI:</b> 302; <b>VII:</b> 213, 440; <b>IX:</b> 345; <b>XII:</b> 185; <b>XIII:</b> 270, 271, 335; <b>XIII:</b> 340
Dor-bug, red-brown	<b>XII:</b> 187
Dorbug, yellow ( <i>Areoda lanigera</i> )	<b>VII:</b> 341; <b>IX:</b> 319; <b>XIII:</b> 340
Dove(s)	<b>IV:</b> 283; <b>VII:</b> 317; <b>XIV:</b> 314
Dove, egg	<b>VII:</b> 445
Dove, ring	<b>X:</b> 226, 227
Dragon-fly	<b>VI:</b> 312, 355; <b>VIII:</b> 441; <b>XII:</b> 190
Dragonfly ( <i>Aeslona</i> ; or Devil's-needles)	<b>IV:</b> 189, 208, 411; <b>V:</b> 253, 267, 295, 296, 317; <b>VI:</b> 308, 332, 348, 355, 381, 400; <b>VII:</b> 411; <b>VIII:</b> 420, 430, 441; <b>IX:</b> 400, 407, 408, 412; <b>XI:</b> 332, 335; <b>XII:</b> 185, 273, 302; <b>XIII:</b> 344, 360, 361; <b>XIV:</b> 311
Dragon-flies, larvae	<b>VI:</b> 286; <b>VII:</b> 116, 313
Drums	<b>IX:</b> 321; <b>X:</b> 393
Duck(s)	<b>VI:</b> 461; <b>VII:</b> 6, 23, 26, 27, 31, 39, 40, 41, 60, 104, 136, 243, 252, 255, 337, 355, 432, 323, 485; <b>VIII:</b> 5, 16, 17, 19, 20, 24, 195, 211, 252, 254, 260, 268, 394, 395, 407, 443, 444; <b>IX:</b> 130, 280, 312, 333, 365, 366;

THE HENRY DAVID THOREAU ANIMAL INDEX

Duck(s) (continued)	<b>X:</b> 100, 107, 129, 131, 133, 134, 147, 311, 315, 317, 318, 321, 322, 326, 332, 333, 334, 336, 361, 366, 367, 376, 377, 411; <b>XI:</b> 129, 157, 163, 165, 197, 201, 203, 321, 364;
Duck(s) (continued)	<b>XII:</b> 39, 41, 62, 85, 88, 99, 104, 141, 150, 224, 315, 318, 329, 451; <b>XIII:</b> 181, 210, 214, 217, 218, 250, 279, 327; <b>XIV:</b> 88, 96, 102
Duck(s), black	<b>V:</b> 59, 79, 80; <b>VI:</b> 168, 173, 174, 175, 178, 182, 188, 195; <b>VII:</b> 30, 253, 316, 327, 333, 353, 458, 483; <b>VIII:</b> 192, 194, 257, 261, 264, 290, 292;
Duck(s), black (continued)	<b>IX:</b> 301, 366, 456, 466, 467; <b>X:</b> 96, 245, 317, 321, 335, 336, 344, 377; <b>XI:</b> 311; <b>XII:</b> 46, 94, 133, 135, 150, 199; <b>XIII:</b> 33, 182, 207, 211, 213; <b>XIV:</b> 337
Duck, buffle-headed	<b>VII:</b> 83; <b>XIV:</b> 338
Duck, dark	<b>VII:</b> 411
Duck, domestic	<b>IV:</b> 197; <b>V:</b> 101, 102; <b>XII:</b> 135
Duck, dusky	<b>V:</b> 442
Duck, egg	<b>X:</b> 383
Duck, eider	<b>XII:</b> 149
Ducks, golden eye (or whistler)	<b>VII:</b> 252, 287; <b>X:</b> 322; <b>XII:</b> 71, 147
Ducks, goosander	<b>VII:</b> 252
Duck, gray	<b>VII:</b> 4; <b>XIII:</b> 211
Duck, grayish	<b>XII:</b> 84
Duck, grebe or sheldrake	<b>X:</b> 133
Duck, heads	<b>XIII:</b> 181
Duck, mallards	<b>X:</b> 336
Ducks, red-breasted merganser	<b>VII:</b> 252
Duck, small	<b>XI:</b> 311
Duck, spindle-tail	<b>XII:</b> 149
Duck, spirit	<b>VII:</b> 83
Duck, summer	<b>I:</b> 6; <b>VI:</b> 202, 354; <b>VII:</b> 411, 451; <b>VIII:</b> 16, 443, 444, 451; <b>IX:</b> 85; <b>X:</b> 100, 117, 129, 147, 317, 424, 425; <b>XII:</b> 150, 199; <b>XIV:</b> 56, 88, 108
Duck, tails	<b>XIII:</b> 181
Duck, tufted ( <i>Fuligula albeola</i> )	<b>X:</b> 323; <b>XIII:</b> 33
Duck, unidentified	<b>III:</b> 395; <b>V:</b> 40, 65, 95, 96; <b>VI:</b> 169, 170, 194, 286, 292; <b>VII:</b> 5, 23, 55, 243, 244, 255, 280, 323, 324, 485; <b>XIII:</b> 33, 211, 424, 425
Duck, velvet	<b>X:</b> 245, 247



THE HENRY DAVID THOREAU ANIMAL INDEX

Duck, wild	<b>I:</b> 128, 422; <b>III:</b> 394, 425, 426, 429, 430, 435; <b>IV:</b> 19, 196, 383, 384, 487; <b>V:</b> 23, 95, 96, 99; <b>VI:</b> 286; <b>VII:</b> 4, 270, 271, 272, 283, 284, 323, 324; <b>VIII:</b> 299; <b>IX:</b> 109; <b>X:</b> 117, 118, 133, 134, 317, 318, 320, 321, 326, 366; <b>XII:</b> 101, 134; <b>XIII:</b> 425
Duck, wood	<b>I:</b> 6; <b>VI:</b> 202; <b>VII:</b> 5, 26, 30, 36, 55, 353; <b>VIII:</b> 443, 444, 451, 459; <b>X:</b> 100, 317, 424, 425; <b>XI:</b> 197; <b>XII:</b> 224, 232, 315; <b>XIV:</b> 56, 88, 102, 108
Ducks, young	<b>XIII:</b> 424, 425
Eagle(s)	<b>I:</b> 351; <b>V:</b> 95; <b>VII:</b> 135, 349, 350; <b>VIII:</b> 255; <b>IX:</b> 125, 431; <b>X:</b> 331, 482; <b>XI:</b> 34; <b>XII:</b> 74, 265; <b>XIII:</b> 195
Eagle, bald	<b>X:</b> 247
Eagle, black	<b>IX:</b> 22
Eagle, golden	<b>X:</b> 248
Eagle, white-headed	<b>VI:</b> 189, 190, 214, 215; <b>VII:</b> 354; <b>IX:</b> 22; <b>XI:</b> 117, 118, 131
Earthworm	<b>VII:</b> 272, 273; <b>XII:</b> 114; <b>XIII:</b> 267
Eel(s)	<b>VII:</b> 170; <b>VIII:</b> 94, 96, 303, 304, 327, 328; <b>IX:</b> 317, 326, 430; <b>X:</b> 114, 399, 429; <b>XI:</b> 233, 234; <b>XII:</b> 281; <b>XIII:</b> 332
Eel, lamprey	<b>X:</b> 378, 399, 406, 407, 417
Eel, sand	<b>II:</b> 358
Egg(s)	<b>VII:</b> 96; <b>VIII:</b> 23; <b>XII:</b> 243, 244, 258, 279, 284
Egret	<b>VII:</b> 365
Elephants	<b>II:</b> 132, 244
Elk	<b>VII:</b> 74
Ephemerae	<b>VI:</b> 157, 331; <b>VIII:</b> 370-372; <b>IX:</b> 406; <b>XIII:</b> 276
<i>Esox ornatus</i> (Pickerel)	<b>XI:</b> 349 note
<i>Esox reticulatus</i> (Pickerel)	<b>X:</b> 412; <b>XI:</b> 349 note
Evergreen-forest note or bird (Golden-winged Warbler; See also Warbler, black-throated green)	<b>VI:</b> 262, 321, 343, 354, 363; <b>IX:</b> 360
<i>Falco fuscatu</i> s (Forest falcon)	<b>XI:</b> 151
Falcon, winter	<b>XI:</b> 397
Father-long-legs	<b>XII:</b> 397
Fawn	<b>XII:</b> 83
Feather	<b>VIII:</b> 124; <b>XII:</b> 185
Field plover	<b>VII:</b> 439
Field-rat	<b>VII:</b> 239
Finch, grass	<b>VI:</b> 187

THE HENRY DAVID THOREAU ANIMAL INDEX

Finch, purple	<b>I:</b> 449; <b>IV:</b> 6, 17, 31, 69, 108; <b>V:</b> 303; <b>VI:</b> 181, 193, 194, 198, 201, 210, 306, 312; <b>VII:</b> 302, 355, 385; <b>VIII:</b> 278, 284, 402; <b>IX:</b> 111, 347, 419; <b>X:</b> 345, 346, 497, 503; <b>XII:</b> 140, 237, 259, 292; <b>XIII:</b> 241, 243; <b>XIV:</b> 336, 342
Finch's, purple, nest and eggs	<b>X:</b> 497, 498; <b>XII:</b> 191
Finch, seaside	<b>VII:</b> 94
Fireflies (Firefly)	<b>II:</b> 249, 260; <b>IV:</b> 108, 109, 111, 129; <b>VII:</b> 21; <b>X:</b> 485; <b>XIV:</b> 55
Fish(es)	<b>I:</b> 120, 137, 474, 475; <b>II:</b> 36, 321; <b>IV:</b> 216, 217, 221; <b>VI:</b> 308, 311, 338, 339, 343, 364, 373, 374, 459, 460, 465; <b>VII:</b> 55, 136, 369, 375, 381; <b>VIII:</b> 104, 116, 168, 210, 212, 326, 327, 342, 343, 371, 372;
Fish(es) (continued)	<b>IX:</b> 22, 85, 129, 130, 162, 210, 299, 308, 321, 322, 326, 327, 335, 351, 353, 386, 402, 423, 424, 454; <b>X:</b> 205, 257, 259, 313, 314, 334, 349, 350, 359, 360, 361-363, 367, 368, 370, 371, 372, 383, 384, 385, 387, 390, 499;
Fish(es) (continued)	<b>XI:</b> 159, 187, 287, 303, 310, 311, 346, 349, 350, 360, 383, 397, 407, 413; <b>XII:</b> 131, 135, 145, 210, 266, 280, 286, 288, 338; <b>XIII:</b> 41, 197, 261, 273, 275, 276, 344, 349, 394; <b>XIV:</b> 146, 331
Fish bones	<b>XI:</b> 410
Fish scales	<b>XI:</b> 410
Fish, alewife	<b>VII:</b> 484
Fish, embryo	<b>X:</b> 368
Fish, fresh-water	<b>VIII:</b> 397; <b>X:</b> 294
Fish, little or small	<b>IV:</b> 163; <b>XI:</b> 303, 383
Fish, parent	<b>XI:</b> 383
Fish spawn embryo	<b>X:</b> 362
Fisher	<b>VII:</b> 248, 459
Fishworm (earthworm)	<b>VII:</b> 257, 272, 273; <b>IX:</b> 357; <b>XI:</b> 136; <b>XII:</b> 114, 156, 157; <b>XIII:</b> 201, 205, 209, 234, 267
Five-finger (fish)	<b>IX:</b> 321
Flatfish	<b>IX:</b> 321
Fleas, pink	<b>XI:</b> 204
Fleas, purple	<b>II:</b> 455
Flea, snow	<b>II:</b> 125, 138; <b>III:</b> 192; <b>IV:</b> 426; <b>V:</b> 30, 464, 511; <b>VI:</b> 49, 60, 113, 114; <b>VII:</b> 81, 155, 162, 521; <b>VIII:</b> 105, 202, 208, 266, 337; <b>X:</b> 131; <b>XI:</b> 310, 418, 425; <b>XII:</b> 101, 450; <b>XIII:</b> 79, 101, 102, 116

THE HENRY DAVID THOREAU ANIMAL INDEX

Flicker (Woodpecker, pigeon)	<b>I:</b> 252; <b>II:</b> 304; <b>III:</b> 66, 460; <b>IV:</b> 11; <b>V:</b> 60, 61, 98, 122, 151, 289, 290; <b>VI:</b> 128, 181, 207, 419, 430, 463; <b>VII:</b> 30, 46, 53, 294, 329, 330, 333, 334, 420, 444; <b>VIII:</b> 220, 281, 295, 375;
Flicker (Woodpecker, pigeon) (continued)	<b>IX:</b> 265, 289; <b>X:</b> 65, 300, 301, 368, 487, 492; <b>XI:</b> 367; <b>XII:</b> 42, 77, 81, 140, 231; <b>XIII:</b> 245, 251, 276, 285, 318; <b>XIV:</b> 69
Flicker (Woodpecker, pigeon), nest	<b>XII:</b> 199
Flies (Fly)	<b>II:</b> 86, 87, 317, 438; <b>III:</b> 161; <b>IV:</b> 174; <b>V:</b> 105; <b>VI:</b> 457; <b>VII:</b> 438, 446; <b>VIII:</b> 265, 439; <b>IX:</b> 112, 267, 280; <b>X:</b> 300, 328, 343; <b>XI:</b> 35, 49; <b>XII:</b> 146, 147, 182, 184, 185, 196, 204, 208, 256, 257; <b>XIII:</b> 182, 201, 209, 346; <b>XIV:</b> 35
Flies, black	<b>VIII:</b> 150; <b>XI:</b> 29, 32, 35, 51; <b>XII:</b> 182; <b>XIII:</b> 299
Flies, kelp	<b>IX:</b> 417
Flies, wood	<b>IX:</b> 481, 482
Flycatcher, great crested or olive-sided ( <i>Muscicapa Cooperi</i> )	<b>VII:</b> 415
Fly, green	<b>XIII:</b> 197, 209
Fly, wings	<b>XIII:</b> 201
Fly-catcher	<b>VII:</b> 240, 379, 415, 416; <b>VIII:</b> 353, 365, 370; <b>IX:</b> 408; <b>XIII:</b> 313
Flying Childers (racehorse)	<b>XII:</b> 345
Fowl	<b>VII:</b> 497; <b>VIII:</b> 93; <b>IX:</b> 130, 274, 351; <b>X:</b> 131
Fowl, skeleton	<b>X:</b> 195
Fox(es)	<b>I:</b> 89, 185-187, 421, 470; <b>II:</b> 461; <b>V:</b> 242; <b>VI:</b> 84, 97, 98, 139; <b>VII:</b> 57, 81, 95, 98, 115, 151-153, 154, 169, 174, 215, 231, 241, 251, 343, 442; <b>VIII:</b> 40, 47, 48, 50, 53, 76, 78, 79, 80, 104, 107, 158, 171, 175, 176, 308; <b>IX:</b> 197, 198, 211, 219, 228, 446, 456; <b>X:</b> 129, 206, 207, 220, 228, 240, 251, 252, 253, 254, 416, 429, 433-437;
Fox(es) (continued)	<b>X:</b> 429, 434, 435, 436, 437, 438; <b>XI:</b> 168, 321, 345, 351, 376, 387, 408, 447; <b>XII:</b> 127, 129, 149; <b>XIII:</b> 21, 22, 73-76, 80, 81, 100, 101, 104, 123, 124, 153, 154, 205, 209, 251, 341, 360, 361, 373, 377, 397, 398; <b>XIV:</b> 90, 92, 93, 103, 167, 232, 310, 339, 340
Fox, arctic	<b>IV:</b> 82
Fox, black	<b>VII:</b> 154; <b>IX:</b> 163; <b>XIV:</b> 77
Fox, cross	<b>XII:</b> 150
Fox, red	<b>VII:</b> 154
Fox, Sampson	<b>VII:</b> 154

THE HENRY DAVID THOREAU ANIMAL INDEX

Fox, silver-gray	<b>VII:192</b>
Foxhound	<b>VII:128; VIII:460</b>
Fox-skins	<b>VIII:191</b>
<i>Fringilla hyemalis</i> (dark-eyed junco)	<b>III:357, 358, 373, 410; V:32, 40, 50, 58, 83, 94; VI:169, 175, 181, 212; VII:30, 56, 60, 260, 302; VIII:7, 250; IX:297, 488, 496; X:66, 128, 201, 203, 297, 308, 309, 362, 455, 456, 457, 461; XI:20, 30, 51, 374; XII:68, 71; XIII:182; XIV:12, 22, 33, 52</b>
Frog-spawn	<b>III:478; V:124; VI:355; IX:318; X:380, 383, 396, 440, 467, 468; XI:141</b>
Frog(s)	<b>II:207, 250; III:392; IV:8, 14, 34, 45, 69, 125, 162, 166, 221; V:42, 45, 106; VI:283, 307, 461; VII:22, 30, 36, 174, 233, 245, 311, 318, 456, 482; VIII:21, 31, 103, 105, 204, 214, 260, 271, 286, 354, 414; IX:271, 278, 301, 303, 304, 306, 313, 347, 353, 367, 476, 477;</b>
Frog(s) (continued)	<b>X:26, 44, 195, 251, 254, 259, 268, 269, 328, 332, 333, 346, 347, 350, 351, 352, 353, 354, 355, 360, 364, 365, 367, 369, 373, 374, 375, 376, 381, 382, 383, 384, 385, 388, 389, 390, 391, 395, 397, 400, 401, 402, 403, 408, 409, 410, 488, 508;</b>
Frog(s) (continued)	<b>XI:107, 108, 160, 192, 345, 346, 397; XII:35, 74, 76, 78, 79, 80, 127, 141, 217, 218, 280, 285; XIII:183, 184, 196, 251, 286, 407, 411; XIV:35, 36, 310, 336</b>
Frog, bullfrog-like	<b>X:365</b>
Frog eggs (oat-seed spawn)	<b>VII:369</b>
Frog, croaking	<b>IX:312, 318, 319</b>
Frog, northern leopard ( <i>Rana pipiens</i> )	<b>X:401; XI:345</b>
Frog, pickerel ( <i>Rana Palustris</i> )	<b>VI:461, 466, 473; VII:12, 21, 245, 424; IX:318, 353, 359, 401; X:267, 381, 382, 385, 388, 390, 391, 394, 397, 400, 401, 402, 403, 407, 409, 440, 485, 508; XI:345; XII:346, 355; XIII:325, 356, 357</b>
Frog, pollywog	<b>X:191</b>
Frog(s), shad	<b>VI:466; XIII:183</b>
Frog, spring ( <i>Rana Fontinalis</i> )	<b>X:353, 374, 375, 402, 467, 488, 508; XI:192; XII:35, 80; XIII:201-202, 210, 233, 238; XIV:35</b>
Frog, southern leopard ( <i>Rana Halecina</i> )	<b>VI:466; X:24, 341, 342, 347, 350, 351, 352, 355, 360, 362, 367, 373, 374, 375, 378, 380, 381, 383, 384, 388, 389, 391, 394, 397, 401, 402, 403, 407, 485; XII:133, 140, 147, 355; XIII:204, 243, 274</b>
Frog, tadpole	<b>XIV:310</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Frog tympanum (ear)	<b>X:382, 389</b>
Frog(s), wood ( <i>Rana Sylvatica</i> )	<b>IV:154; VI:316; X:31, 101, 348, 352, 353, 355, 356, 357, 364, 373, 374, 401, 402, 410; XI:261; XII:103, 141, 346; XIII:195, 202, 210, 285</b>
Frog(s), wood ( <i>Rana Sylvatica</i> ) spawn	<b>X:364, 372</b>
Frog spittle	<b>VI:465</b>
Frogs (in alcohol; <i>Seaphiopus Solitarius</i> )	<b>IX:413</b>
Gadwall (duck)	<b>XIII:211</b>
Game, small	<b>VIII:394</b>
Gander	<b>XII:192</b>
Geese	<b>I:401, 402; III:360, 418, 434, 436, 439, 444, 449, 454, 477; IV:19, 169, 177, 416, 418, 430; V:52, 53, 54, 86, 207, 485, 511, 515, 518; VI:72, 162; VII:71, 72, 80, 136, 206, 239, 258, 267, 297, 299, 317, 322, 471; VIII:22, 23, 24, 31, 33, 46, 220, 256, 260;</b>
Geese (continued)	<b>IX:268, 306, 381, 447, 467; X:130, 169, 177, 216, 218, 242, 245, 265, 324, 335, 336, 338, 377, 378; XI:180, 240, 242, 287, 319; XII:39, 80, 94, 95, 99, 153, 192, 324, 397, 454; XIII:213, 218, 234; XIV:69, 212, 322</b>
Geese, wild	<b>VII:96; VIII:24</b>
<i>Globicephalus deductor</i> or <i>melas</i> (whales)	<b>VII:464</b>
Glow-worms	<b>IV:145, 259, 260; X:3-5, 33, 34, 248; XI:170, 338</b>
Gnat(s)	<b>V:18; VII:336, 340; VIII:322; IX:123, 124, 338, 339, 385; X:307, 327; XI:169, 184, 229, 299; XII:33, 74, 82, 83, 106, 148, 183, 206, 318; XIII:183, 196, 206, 209, 228, 262; XIV:72</b>
Gnats, fuzzy	<b>VIII:220; XII:106; XIII:256</b>
Gnat, plumed	<b>XII:200</b>
Gnat, small-fuzzy	<b>XIV:336</b>
Gnat, winter	<b>X:307</b>
Goat	<b>VIII:25; X:314; XI:16</b>
Goat, mountain (Chamois)	<b>XII:353</b>
Goat-sucker (Dor-hawk) (See also Wheel bird)	<b>VII:126</b>
Goldfinch(es)	<b>II:350; III:29, 57, 66; IV:229, 232, 251, 267, 278, 285, 319, 326; V:150, 357, 358, 365, 389; VI:236, 354, 430, 440, 457; VII:27, 31, 224, 292, 355, 436, 446, 457; VIII:324, 338, 342, 410, 424, 458; IX:24, 31, 115, 226, 377; X:99, 377;</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Goldfinch(es) (continued)	<b>XI:</b> 7, 85, 86, 88, 93, 103, 104, 107, 109, 205, 317, 374, 395; <b>XII:</b> 80, 145, 147 note, 187, 266, 294, 300, 301, 316, 335, 442, 446, 450; <b>XIII:</b> 67, 77, 79 and note, 105, 111, 246, 280; <b>XIV:</b> 73
Goosander (See also Sheldrake)	<b>VII:</b> 77, 252, 287, 288-290, 291, 329; <b>X:</b> 321; <b>XII:</b> 77
Goose	<b>I:</b> 130, 422; <b>III:</b> 395, 426, 427, 434 note, 438, 444; <b>IV:</b> 19; <b>V:</b> 524; <b>VII:</b> 23, 71, 72, 136, 258, 299, 308, 322; <b>XII:</b> 98, 285; <b>XIII:</b> 211
Goose, white or snow	<b>VI:</b> 136
Gosling	<b>XII:</b> 135
Goshawk	<b>V:</b> 114; <b>VI:</b> 184; <b>VII:</b> 70, 353
Gossamer (spider's web)	<b>III:</b> 87; <b>VII:</b> 66; <b>IX:</b> 128, 268, 269, 271; <b>X:</b> 327; <b>XI:</b> 311, 322; <b>XIII:</b> 197, 198
Grackle(s)	<b>VI:</b> 217, 306, 424; <b>VII:</b> 54, 317, 344, 354, 361, 368, 456, 527; <b>VIII:</b> 16, 240 note, 250, 273, 284, 309, 313; <b>IX:</b> 312; <b>X:</b> 61, 95, 101, 132, 304, 308, 348; <b>XI:</b> 186, 198, 215, 237; <b>XII:</b> 28, 46, 48, 140, 147, 156, 185, 336, 344, 372, 451; <b>XIII:</b> 183, 196; <b>XIV:</b> 132, 195
Grackle, rusty (See Blackbird, rusty)	<b>VI:</b> 258, 263, 306; <b>VII:</b> 47, 297; <b>VIII:</b> 273 <b>X:</b> 329
Grass-bird (See Bay-wing)	<b>VI:</b> 457; <b>VII:</b> 442, 490; <b>VIII:</b> 252
Grasshopper(s)	<b>IV:</b> 3 note, 72, 140, 197, 265, 344, 346, 348; <b>V:</b> 33, 40; <b>VI:</b> 205, 369; <b>VIII:</b> 305; <b>IX:</b> 18, 22, 23, 60, 112; <b>X:</b> 495; <b>XI:</b> 95, 96, 149, 422; <b>XII:</b> 332, 444; <b>XIII:</b> 105, 172; <b>XIV:</b> 35, 83, 133, 341
Grasshopper, brown	<b>X:</b> 310; <b>XI:</b> 418, 427; <b>XII:</b> 100; <b>XIII:</b> 201, 209
Grasshopper, green	<b>XI:</b> 427; <b>XIII:</b> 201, 209
Grasshopper, red-winged	<b>VII:</b> 376-377; <b>XIII:</b> 273
Grasshopper, winged	<b>VI:</b> 462;
Grasshopper, yellow-winged	<b>XIII:</b> 277; <b>XIV:</b> 203
Grebe	<b>XII:</b> 447
Grebe, little	<b>X:</b> 247
Grebe, unidentified	<b>VI:</b> 28
Grebe, white-breasted	<b>X:</b> 503
Grosbeak	<b>V:</b> 247; <b>VII:</b> 120; <b>IX:</b> 380; <b>XIII:</b> 294
Grosbeak, cardinal	<b>V:</b> 78
Grosbeak, pine	<b>III:</b> 127, 130, 153, 352, 357; <b>VI:</b> 124, 146; <b>VIII:</b> 43; <b>IX:</b> 325; <b>XI:</b> 50; <b>XIII:</b> 100
Grosbeak, rose-breasted	<b>V:</b> 247 note; <b>VI:</b> 302, 459 note; <b>VII:</b> 384-385, 411; <b>VIII:</b> 342, 351, 356; <b>IX:</b> 380, 381; <b>XI:</b> 50; <b>XII:</b> 194, 198, 202, 258, 260, 277; <b>XIII:</b> 395
Grosbeak, social	<b>VII:</b> 120

THE HENRY DAVID THOREAU ANIMAL INDEX

Ground bird	<b>XII:68</b>
Ground-robin (See Chewink)	<b>VI:317</b>
Grouse	<b>V:343; VI:457; VII:452; X:35</b>
Grub(s)	<b>IV:72, 73; V:9, 18, 37, 51, 52, 168, 528; VI:73, 151, 305, 321, 459; VII:14, 84, 88, 106, 112, 204; VIII:116, 284, 357, 411; IX:15, 128, 279, 282, 310; X:148; XI:136, 163, 440; XII:23, 113, 157, 170, 308, 309; XIII:209, 359, 372, 408</b>
Grub, donacia (Leaf beetle)	<b>VII:71</b>
Grub, fly	<b>XII:151</b>
Grub, snow	<b>VI:181</b>
Grub, white	<b>VII:273; VIII:116, 357; IX:371, 462; X:148, 189</b>
Guinea cocks	<b>VII:93</b>
Guinea hens	<b>VII:93</b>
Guinea-fowl	<b>II:228</b>
Gull(s)	<b>III:385, 392, 394, 412, 416, 417, 425, 441; V:11, 17, 25, 28, 99, 100, 458, 485; VI:158, 164, 176, 177, 186, 238, 484; VII:254, 262, 283, 284, 310, 311, 355, 372, 433; VIII:297; IX:317, 333; X:14, 127, 317, 326; XI:317, 326; XII:51, 60, 71, 78, 84, 95, 99, 133, 141, 166; XIII:182, 197, 213</b>
Gull, black headed	<b>X:8; XI:171</b>
Gull, breast	<b>XIII:197</b>
Gull, common	<b>X:8</b>
Gull, herring	<b>VII:254; IX:317; X:321; XII:141</b>
Gull, kittiwake	<b>III:127</b>
Gull(s), mackerel	<b>VII:434, 437, 438; VIII:393; IX:451; XII:104, 149-150</b>
Gull, saddle-back	<b>XII:141</b>
Gull, white	<b>III:383; VII:311; VIII:393; XIII:213</b>
Haddock	<b>IV:476; VIII:430</b>
Hair-bird	<b>VII:423, 429; X:497</b>
Hairworm	<b>VI:482; VII:447</b>
Halibut	<b>VII:433, 440; IX:445</b>
Hang-bird	<b>VII:218; VIII:119</b>
Hare (See Rabbit)	<b>VII:143, 151, 163, 171; IX:145; X:197; XII:149</b>
Hare, gray (See Rabbit, gray)	<b>V:6</b>
Hare, long-eared	<b>XIII:27</b>
Harrier	<b>VIII:234 note; XIII:297</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Hawk(s) (See also Hen-hawk)	<b>I:</b> 351; <b>III:</b> 23, 60, 108, 143, 145, 463; <b>IV:</b> 103, 172, 331, 332, 352, 353; <b>V:</b> 60, 74, 83, 97, 231-233, 235, 236, 245, 246, 340, 341, 364, 380, 384, 418; <b>VI:</b> 354, 386, 470, 482; <b>VII:</b> 19, 21, 39, 89, 94, 159, 162, 174, 227, 256, 273, 330, 335, 346, 350, 351, 355, 364, 365, 366, 378, 412;
Hawk(s) (See also Hen-hawk) (continued)	<b>VIII:</b> 7, 9, 67, 162, 234 note, 260, 262, 297, 350, 436, 437; <b>IX:</b> 79, 109, 145, 288, 348, 367, 375, 456; <b>X:</b> 27, 48, 135, 138, 214, 296, 305, 331, 336, 368, 376, 392, 393, 395, 423, 439, 449, 482, 487, 490, 498, 509; <b>XI:</b> 69, 83, 161, 190, 202, 305, 335, 396, 398, 431, 451, 453;
Hawk(s) (See also Hen-hawk) (continued)	<b>XII:</b> 70, 74, 80, 108, 114, 116, 117, 118, 140, 207, 327, 338, 358; <b>XIII:</b> 88, 209, 212, 261, 284, 316, 318, 328, 329, 373, 384; <b>XIV:</b> 107, 231, 295
Hawk, black-tipped	<b>VII:</b> 21
Hawk, broadwinged	<b>VII:</b> 331
Hawk, brown	<b>VII:</b> 330, 331
Hawk, Cooper's	<b>XI:</b> 366; <b>XIII:</b> 297, 298, 315, 316, 317
Hawk, egg	<b>X:</b> 439
Hawk, fish	<b>I:</b> 351; <b>VI:</b> 459; <b>VII:</b> 30, 70, 72, 308, 309, 372, 373, 375, 378, 379, 381, 416; <b>VIII:</b> 210, 212, 217, 255, 281-284, 287; <b>IX:</b> 22, 301, 431; <b>X:</b> 126, 141, 482, 384, 385, 386, 392, 393, 482; <b>XII:</b> 116, 117, 118, 141, 355, 451; <b>XIII:</b> 217, 246, 263; <b>XIV:</b> 69, 87, 100, 110
Hawk, frog	<b>VII:</b> 174, 237, 330, 331, 350, 351, 352; <b>XIII:</b> 212
Hawk, marsh (See also Hen-harrier)	<b>VII:</b> 331, 460, 492; <b>VIII:</b> 204, 234 note, 260, 262, 271; <b>IX:</b> 304, 367; <b>X:</b> 44, 134, 135, 376, 486, 487, 501, 502, 503; <b>XI:</b> 202, 335; <b>XII:</b> 70, 71, 80, 105, 197, 418; <b>XIII:</b> 199, 284, 315, 317, 328, 357; <b>XIV:</b> 74
Hawk, marsh, eggs	<b>X:</b> 439, 487
Hawk, marsh, nest	<b>X:</b> 486
Hawk, marsh, wing	<b>XIII:</b> 199
Hawk, meadow	<b>VII:</b> 237
Hawk, nest	<b>VIII:</b> 411
Hawk, partridge	<b>VI:</b> 485; <b>VII:</b> 331; <b>VIII:</b> 195; <b>IX:</b> 110
Hawk, partridge, nest	<b>XI:</b> 181
Hawk, pigeon	<b>VI:</b> 245; <b>VII:</b> 60, 509, 510; <b>X:</b> 117; <b>XI:</b> 134; <b>XII:</b> 327; <b>XIII:</b> 261; <b>XIV:</b> 338
Hawk, pigeon, nest	<b>XI:</b> 181
Hawk, pigeon or Sparrow	<b>VII:</b> 509; <b>X:</b> 117



THE HENRY DAVID THOREAU ANIMAL INDEX

Hawk, red or rusty breasted	<b>XI:397</b>
Hawk, red-shouldered ( <i>Falco lineatus</i> )	<b>X:503; XI:396-398</b>
Hawk, red-tailed (or red-tail)	<b>V:54, 55, 90, 91, 93; VI:488; VII:341, 342, 345-350, 355</b>
Hawk, sharp-shinned ( <i>Falco fuscus</i> )	<b>VII:312, 351, 355, 356, 363, 428; VIII:398; IX:110; XI:62-64, 133, 135, 366; XIII:258, 259, 298</b>
Hawk, slate-colored	<b>VI:457; VII:19, 24</b>
Hawk, sparrow	<b>III:17; VI:245, 246; VII:60; VIII:354, 398; XI:217; XIII:261</b>
Hawk, unidentified	<b>VI:195, 386; VII:330, 331; VIII:317; IX:76; XII:15, 108, 327, 380</b>
Hawk, white-breasted ( <i>Falco leverianus</i> )	<b>XI:303</b>
Heifer	<b>VIII:391</b>
<i>Helix alabolarbris</i> or <i>thyroidus</i>	<b>VII:470</b>
Hen(s)	<b>I:350; II:302, 309, 319; III:192; IV:197; VII:94, 95, 113, 212, 267, 282, 319; VIII:37, 48, 94, 165, 196, 214; IX:239, 342, 434, 419; X:51, 298, 368; XI:302, 303, 305, 397; XIII:243, 252, 280; XIV:84</b>
Hen-Harrier (See also Hawk, marsh)	<b>VII:331, 378; VIII:9; X:331, 448</b>
Hen, mud	<b>XII:264</b>
Hen, wild	<b>VII:498</b>
Hen-hawk(s)	<b>II:480; III:426, 427; V:34; VI:488; VII:27, 285, 331, 350, 353, 365, 372, 455, 460; VIII:199, 234, 436; IX:122; X:135, 224, 296, 321, 330, 398, 487, 503; XI:302, 303, 304-306, 313, 398, 450; XII:74; XIII:194, 195, 212, 255, 291, 426; XIV:61</b>
Hen-hawk or Redtail	<b>VII:375; IX:434</b>
Hen-hawk, body	<b>XIII:195</b>
Hen-hawk, maw	<b>XIII:195</b>
Hen-hawk, wings	<b>XIII:194, 195</b>
Hen-hawk, egg	<b>XII:200</b>
Heron(s)	<b>VI:364, 459, 465, 466; VII:40; XI:165; XII:287, 346</b>
Heron-tracks	<b>VII:25</b>
Heron ( <i>Ardea</i> )	<b>VI:466</b>
Heron, blue	<b>VI:482</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Heron, great blue	<b>II:</b> 263; <b>III:</b> 427, 443, 444; <b>V:</b> 153, 156, 157, 380, 381, 391; <b>VI:</b> 228, 354, 364, 465, 466, 470; <b>VII:</b> 15, 31, 40, 41, 310, 450, 482, 527; <b>VIII:</b> 4, 393; <b>IX:</b> 23; <b>X:</b> 126; <b>XI:</b> 109, 113, 114, 138, 165, 184; <b>XII:</b> 185, 267, 268, 284, 285, 286, 287, 288; <b>XIV:</b> 54, 110, 337
Heron-like bird, blue	<b>VII:</b> 380
Herring	<b>IX:</b> 326, 430
Hog (See also Pigs)	<b>VII:</b> 171; <b>VIII:</b> 164; <b>IX:</b> 214; <b>XII:</b> 343; <b>XIV:</b> 104
Hog bristles	<b>IX:</b> 420; <b>X:</b> 498
Hog, wood	<b>VII:</b> 171
Honey-bird	<b>II:</b> 131
Hopper	<b>XIII:</b> 209
Horned chub	<b>XII:</b> 187
Hornet(s)	<b>VII:</b> 488; <b>VIII:</b> 109; <b>XI:</b> 168, 197, 245; <b>XIV:</b> 344
Hornet nest(s) (See also Wasps)	<b>II:</b> 432; <b>III:</b> 22, 23, 33, 138; <b>IV:</b> 112; <b>VII:</b> 66, 488, 489; <b>IX:</b> 201 <b>X:</b> 230; <b>XI:</b> 2450
Horse(s)	<b>II:</b> 37, 38, 243, 375, 447-449; <b>III:</b> 187, 335, 419; <b>IV:</b> 137; <b>V:</b> 11, 115, 276, 277, 368; <b>VI:</b> 49, 491; <b>VII:</b> 153, 173, 176, 352, 353, 446, 492, 500, 515; <b>VIII:</b> 35, 57, 200, 209, 449;
Horse(s) (continued)	<b>IX:</b> 204, 214, 304, 307, 335, 352, 418, 421, 422, 423; <b>X:</b> 6, 7, 74, 405, 499; <b>XI:</b> 7, 8, 14, 120, 121, 208, 445; <b>XII:</b> 47, 211, 235, 296, 336, 337, 349; <b>XIII:</b> 187, 218, 221, 349; <b>XIV:</b> 9, 10, 132
Horsehair	<b>VIII:</b> 124
Horseshoe	<b>VII:</b> 439
Horse, an old family	<b>IX:</b> 98
Horsefly, great ( <i>Tabanus</i> )	<b>IX:</b> 319
Hound	<b>I:</b> 398, 399, 422; <b>VII:</b> 95, 128; <b>VIII:</b> 460; <b>IX:</b> 148; <b>X:</b> 302; <b>XI:</b> 353; <b>XII:</b> 90, 149; <b>XIII:</b> 27; <b>XIV:</b> 316
Housefly (See also Flies)	<b>III:</b> 72
Huckleberry-bird (See Sparrow, field)	<b>IX:</b> 332, 459; <b>X:</b> 365, 428
Huckleberry-bug	<b>VIII:</b> 445
Humblebees (See Bumblebee)	<b>XII:</b> 316, 353
Hummingbird	<b>V:</b> 298; <b>VI:</b> 293; <b>VII:</b> 14, 31, 379; <b>VIII:</b> 17, 172, 340; <b>IX:</b> 387; <b>X:</b> 422, 423, 429, 430; <b>XI:</b> 162; <b>XIII:</b> 300, 395, 396
Hydras	<b>VI:</b> 364

THE HENRY DAVID THOREAU ANIMAL INDEX

<i>Hyla(s)</i>	<b>III:</b> 457, 469, 470, 486; <b>IV:</b> 6, 7, 9, 12-15, 38, 40, 44, 162; <b>V:</b> 35, 87, 106, 170, 500; <b>VII:</b> 375; <b>VIII:</b> 268, 289; <b>IX:</b> 302, 303, 312, 313, 355; <b>X:</b> 94, 358, 368, 370, 372, 373; <b>XI:</b> 91; <b>XII:</b> 312; <b>XIII:</b> 325, 330, 335; <b>XIV:</b> 336
<i>Hylode(s)</i>	<b>IX:</b> 304, 312, 313, 354, 355; <b>X:</b> 66, 347, 357, 362, 365, 372, 373, 390, 402, 410, 458, 467; <b>XI:</b> 195; <b>XII:</b> 74, 141, 399, 458; <b>XIII:</b> 238, 325, 330, 331, 332, 335, 348, 353, 356, 357
<i>Hylodes pickeringii</i>	<b>IX:</b> 302
Ichneumon-fly	<b>IX:</b> 321
Infusoria, dumb-bell (algae)	<b>X:</b> 368
Insect(s) (See also Grubs)	<b>II:</b> 36, 39; <b>III:</b> 16; <b>IV:</b> 373; <b>V:</b> 54, 204; <b>VI:</b> 307, 308, 312; <b>VII:</b> 14, 40, 103, 238, 243, 332, 379, 495, 496; <b>VIII:</b> 122, 204, 220, 269, 386, 410, 414, 415, 420, 430; <b>IX:</b> 18, 22, 28, 112, 122, 271, 275, 279, 309, 311, 350, 376, 383; <b>X:</b> 268, 301, 311, 364, 375, 407, 433, 435, 501;
Insect(s) (See also Grubs) (continued)	<b>XI:</b> 37, 47, 187, 290, 318, 404, 408, 414, 419, 420, 427; <b>XII:</b> 34, 35, 42, 48, 54, 55, 102, 127, 131, 148, 170, 171, 174, 184, 251, 273, 289, 294, 296, 327; <b>XIII:</b> 196, 209, 263, 276, 292; <b>XIV:</b> 35, 133
Insect life	<b>X:</b> 243
Insect, long, narrow wings	<b>IX:</b> 292
Insect, narrow four-winged	<b>IX:</b> 300
Insect, perla	<b>XIII:</b> 209
Insect, skater	<b>IV:</b> 150, 182, 382, 384; <b>V:</b> 70; <b>VI:</b> 349; <b>VII:</b> 20; <b>VIII:</b> 268; <b>X:</b> 372; <b>XI:</b> 311, 319; <b>XII:</b> 100; <b>XIII:</b> 209; <b>XIV:</b> 65
Insect, slender winged	<b>VII:</b> 224
Insect, small white	<b>VII:</b> 39
Insect, unidentified	<b>IX:</b> 292, 300; <b>XI:</b> 170; <b>XII:</b> 289; <b>XIII:</b> 92, 102, 133, 135, 136, 378, 424
Insect, water	<b>X:</b> 312
Insect, wing	<b>VIII:</b> 409
Insect, winged	<b>XIII:</b> 360
Insects, hum	<b>I:</b> 227; <b>XIV:</b> 300
Jackal	<b>XII:</b> 340
Jackass	<b>XI:</b> 333
Jaguar	<b>IX:</b> 100, 133

THE HENRY DAVID THOREAU ANIMAL INDEX

Jay(s)	<b>IV:</b> 179; <b>VI:</b> 457; <b>VII:</b> 39, 48, 82, 190, 223, 261, 410, 461; <b>VIII:</b> 14, 28, 54, 114; <b>IX:</b> 105, 108, 110, 128, 270; <b>X:</b> 64, 149, 271; <b>XI:</b> 154, 279, 290, 298, 308, 319; <b>XII:</b> 131, 338; <b>XIII:</b> 285; <b>XIV:</b> 149, 200, 214, 218, 313, 332
Jay, blue	<b>I:</b> 70, 425; <b>II:</b> 133; <b>III:</b> 23; <b>IV:</b> 204, 386, 481; <b>V:</b> 281, 389, 495; <b>VI:</b> 91, 146, 164; <b>VII:</b> 30, 190, 223, 354, 410, 411; <b>VIII:</b> 160, 202, 366, 415; <b>IX:</b> 105, 110, 325, 497; <b>X:</b> 64; <b>XI:</b> 279, 280, 308, 318, 319; <b>XII:</b> 200, 201; <b>XIV:</b> 180, 200, 313, 332
Jay, blue, egg	<b>VII:</b> 445; <b>VIII:</b> 366
Jay, nest	<b>VII:</b> 410, 411; <b>VIII:</b> 366, 415, 416
Katydid	<b>IX:</b> 136
Kelp Flies	<b>IX:</b> 417
Killdee (See Killdeer)	<b>VII:</b> 484; <b>XI:</b> 190
Killdeer	<b>VII:</b> 435, 484
Kingbird(s)	<b>IV:</b> 53; <b>V:</b> 199; <b>VI:</b> 346, 457, 486; <b>VII:</b> 31, 376, 414, 415, 421; <b>VIII:</b> 10, 123, 124, 400; <b>IX:</b> 360, 408; <b>X:</b> 419, 482, 487, 488; <b>XI:</b> 72, 77, 81, 110; <b>XII:</b> 189, 227, 231, 232, 237, 259, 273; <b>XIII:</b> 332, 341, 344; <b>XIV:</b> 69
Kingbird nest	<b>VII:</b> 376, 414, 421; <b>VIII:</b> 123, 400; <b>X:</b> 488
Kingfisher	<b>III:</b> 465; <b>V:</b> 124; <b>VI:</b> 210, 218, 254, 343, 344, 354, 459, 460; <b>VII:</b> 31, 72, 311, 329; <b>VIII:</b> 273; <b>IX:</b> 348; <b>X:</b> 8, 373; <b>XI:</b> 177; <b>XII:</b> 133, 204, 240; <b>XIII:</b> 237
Kingfisher's nest	<b>XII:</b> 200, 204
Kite	<b>VII:</b> 330
Ladybug	<b>VII:</b> 362
Lamb, dead	<b>VIII:</b> 76
<i>Lampyrus noctiluca</i> (See also Glow-worm)	<b>X:</b> 5, 248
Lark(s)	<b>I:</b> 330; <b>II:</b> 309; <b>III:</b> 50, 410; <b>IV:</b> 159, 278; <b>V:</b> 26, 37, 50, 97, 468; <b>VI:</b> 164, 169, 223, 336, 457, 487; <b>VII:</b> 30, 68, 91, 94, 214, 260, 270, 445, 456, 487, 492; <b>VIII:</b> 30, 264, 429; <b>IX:</b> 242, 306; <b>X:</b> 329; <b>XI:</b> 51, 190, 286; <b>XII:</b> 39, 42; <b>XIII:</b> 198; <b>XIV:</b> 294
Lark, shore ( <i>Alauda alpestris</i> )	<b>V:</b> 589; <b>VII:</b> 94, 492 note; <b>X:</b> 302, 319; <b>XI:</b> 265; <b>XII:</b> 84, 373
Larvae	<b>XIII:</b> 194, 209
Larvae, tails	<b>XIII:</b> 194
Leeches	<b>X:</b> 407
Leech, brown	<b>X:</b> 218, 350
Leech, red bellied	<b>X:</b> 350

THE HENRY DAVID THOREAU ANIMAL INDEX

Lice	<b>VI:477; VII:14, 52; X:322; XIII:204</b>
Lightning-bug (See also Firefly)	<b>XI:414, 422; XII:200; XIII:356, 357</b>
Linaria(s) (See Redpoll, lesser)	<b>VII:120; XIII:182</b>
Linnets	<b>XI:49</b>
Lion	<b>II:271; VII:109, 134; VIII:403, 404, 421; IX:134; X:294; XII:340, 357</b>
Lion, American	<b>IX:100</b>
Lizard	<b>X:259; XIII:233</b>
Lobster(s)	<b>II:359; VII:137, 432, 440, 441; IX:321, 417, 418, 423</b>
Locust(s)	<b>II:316; IV:188; V:248, 373, 386, 387; VI:318, 349, 462; VII:15, 45, 99, 104; VIII:415, 416, 435; IX:16, 368; X:26, 67; XII:274, 321; XIII:415, 428</b>
Locust, alder	<b>IX:22; XIV:54, 62, 64</b>
Locust, colored-flowered	<b>XII:208</b>
Locust, dog-day	<b>XIV:35</b>
<i>Locustae</i>	<b>XI:310</b>
Loon	<b>I:421, 422; IV:377, 379-381; VII:53, 323, 471, 475; VIII:141, 396; IX:379; X:209; XI:11, 309; XII:402</b>
Loon, belly	<b>X:209</b>
Loon, common	<b>XI:8</b>
Loon, egg	<b>VIII:396</b>
Loon, red-throated	<b>XI:309, 310</b>
Lynx	<b>VIII:220; X:142; XIV:142</b>
Lynx, bay (See also Wildcat)	<b>XI:180</b>
Lynx, Canada	<b>VII:135, 283; IX:93, 94; X:142, 283; XIV:78-81, 83-87, 142, 231</b>
Lynx, Concord	<b>X:142; XIV:142</b>
Lynx, Siberian	<b>X:142; XIV:142</b>
Mackerel	<b>VII:433, 439, 440, 442; IX:416; XI:410, 457</b>
Marmot	<b>XII:149</b>
Marsh-bird	<b>XI:190</b>
Marten, pine	<b>VII:239, 485; IX:307, 346</b>
Martin	<b>VIII:411; X:380, 386; XII:140, 142, 260; XIII:251</b>
Martin, purple	<b>III:427; IV:37; VIII:284; XI:135</b>
Meadow-hen (Also see Rail, virginia)	<b>VII:22, 31; XI:152, 154, 239, 284; XII:232, 244</b>
Menhaden	<b>VII:437; VIII:398; XI:303</b>
Merganser	<b>X:503</b>
Merganser, red-breasted	<b>VI:215; VII:77; XII:134</b>
Mertle-bird	<b>X:248</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

<i>Mesodesma arctata</i> (Mollusk)	<b>VII:436</b>
Mice	<b>VII:141, 174, 179, 189, 367, 378; VIII:50, 56, 69, 73; IX:304; XI:7; XII:187; XIV:154</b>
Mice, deer	<b>VIII:217</b>
Mice, wild	<b>XIII:248</b>
Miller(s)	<b>VII:409, 458; XII:196</b>
Millipede	<b>X:125</b>
Mink(s)	<b>I:481; III:160; IV:421; V:10, 11, 492; VI:17; VII:163, 168, 207, 239, 248, 250, 252, 270; VIII:22, 27, 34, 31, 32, 34, 36, 38, 40, 194, 230, 259; IX:161, 163, 283, 306, 316, 346, 360, 365;</b>
Mink(s) (continued)	<b>X:369; XI:345, 397, 407, 457; XII:43, 53, 67, 82, 121, 123, 135, 323; XIII:29, 205, 259, 266, 267, 346</b>
Minnow(s) (See also Shiner)	<b>I:475, 476; IV:163; V:14, 307; VI:347; VII:100, 207, 430, 454, 482; VIII:3, 84, 91, 159, 406, 413, 414, 415; IX:308, 309, 477; X:324, 359, 371, 392; XI:75, 345, 346, 347, 349, 376, 407, 413, 454; XII:102, 103, 133, 205, 449; XIII:409; XIV:311</b>
Minnow, banded	<b>XI:376</b>
Minnow(s), brook	<b>XII:134; XIII:209, 273</b>
Minnow ( <i>Leuciscus atronarus</i> )	<b>XIII:273</b>
Minnow ( <i>Leuciscus pulchellus</i> )	<b>XIII:273</b>
Minnow, red finned	<b>XI:383</b>
Minnow, young shiner	<b>XI:368</b>
Mockingbird	<b>VI:453</b>
Mole(s)	<b>I:425; III:317, 318; VI:483; VII:189, 201, 202, 211, 231, 237, 241, 460; X:364; XI:320; XII:352; XIII:162, 185, 209</b>
Mole (See also Shrew)	<b>VII:219 note</b>
Mole, star-nosed	<b>VIII:173, 267, 368; XII:323</b>
Moles, ground	<b>VII:93, 95</b>
Monkey	<b>IX:281; X:425</b>
Moose	<b>II:112, 113; V:16, 425, 458, 521; VII:74, 100, 134, 447; VIII:149, 220; IX:485, 491; X:293, 294</b>
Moose, cow	<b>X:293</b>
Moose, horn	<b>IX:485, 488</b>
Mosquito(es)	<b>I:141; V:359; VI:348; VII:75, 110, 404; VIII:98, 439; IX:99, 329, 355, 388, 485; X:35, 333, 372, 486; XI:14, 32, 35, 414, 422; XIII:325, 356, 357; XIV:35</b>
Moth(s)	<b>VI:73, 355; VII:401, 402; IX:470, 471; X:397; XII:33; XIII:309</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Moth, black	<b>VI:312; XIII:330</b>
Moth, cecropia ( <i>Attacus cecropia</i> )	<b>VII:401, 402, 409; IX:442, 455, 456; X:402</b>
<i>Attacus cecropia</i> , cocoon	<b>XIV:296</b>
Moth, Emperor, cocoon	<b>VII:286; IX:321; XII:226</b>
Moth, luna ( <i>Attacus luna</i> )	<b>IV:202, 203; V:226, 309; X:509; XII:214, 215</b>
Moth, promethea ( <i>Attacus Promethea</i> )	<b>II:125; VI:73, 131; IX:369, 470, 471, 473</b>
Moth, sphinx (See also Petrels)	<b>IX:109, 357; XIII:348</b>
Mother Carey's chicken	<b>IX:438, 439</b>
Mouse	<b>I:368, 425; IV:179, 429, 484; V:355, 436, 480; VI:37, 126, 139, 155-157; VII:76, 84, 98, 129, 141, 179, 180, 181, 187, 188, 201, 202, 207, 231, 237, 240, 246, 262, 293, 376; VIII:15, 97, 99, 102, 103, 105, 108, 116, 122, 154, 155, 157, 160, 161, 223, 261, 291, 467, 468;</b>
Mouse (continued)	<b>IX:141, 154, 155, 180, 219, 223, 224, 270, 271, 329, 339, 419, 457, 469, 482; X:43, 136, 189, 213, 220, 226, 254, 450; XI:318, 320, 392, 408; XII:81; XIII:9, 115, 350; XIV:6, 34, 92, 310</b>
Mouse fur	<b>VIII:161</b>
Mouse galleries	<b>VII:261; XIII:239</b>
Mouse droppings	<b>VII:232, 233; IX:339</b>
Mouse, deer ( <i>Mus leucopus</i> or <i>Arvicola Emmonsii</i> )	<b>VII:187-189, 197-199, 202, 247; VIII:356; X:214</b>
Mouse, deer ( <i>Mus leucopus</i> )	<b>IV:180; VII:239-241, 244, 246, 314, 344; VIII:48, 75, 173; IX:146, 162, 224, 482; X:178-180, 183, 184; XIII:21, 76, 216, 217</b>
Mouse, field	<b>VII:249</b>
Mouse, meadow ( <i>Arvicola Pennsylvanica</i> )	<b>VI:29, 30, 456; VII:100, 241, 249, 262, 293; VIII:89, 467, 468; X:450</b>
Mouse, pine ( <i>Arvicola pinetorum</i> )	<b>VII:241</b>
Mouse, striped Field ( <i>Mus Agrarius</i> )	<b>VII:239</b>
Mouse, short-tailed meadow	<b>X:195; XI:123</b>
Mouse, white-bellied ( <i>Mus leucopus</i> )	<b>VII:239, 240, 244, 246, 247, 372; IX:271; X:183, 208</b>
Mouse, white-footed ( <i>Mus Leucopus Rafinesque</i> or <i>Arvicola emmonsii</i> or <i>nuttallii</i> )	<b>VII:239, 246; XIV:336</b>
Mouse, wild	<b>IX:108, 138; X:450</b>
Mouse, wood ( <i>Mus Sylvaticus</i> )	<b>VII:239, 244</b>
Mouse-nest	<b>IX:339</b>
Mule	<b>XI:49 note</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Muskrat(s) (also Musquash)	<b>I:</b> 121, 481, 482; <b>II:</b> 14, 111, 149; <b>III:</b> 71, 72, 78, 377, 443; <b>IV:</b> 168, 178, 201, 208, 221, 240, 421, 423, 464; <b>V:</b> 46, 66-68, 82, 155, 325-327, 498, 499, 507, 511, 528, 532; <b>VI:</b> 5, 7, 8, 13, 14, 98, 99, 120, 158, 163, 188, 288, 465, 468;
Muskrat(s) (also Musquash) (continued)	<b>VII:</b> 12, 19, 26, 54, 68, 85, 104, 130, 131, 132, 143, 151, 154, 158, 159, 163, 174, 189, 190, 191, 214, 232, 253, 257, 271, 286, 296, 297, 333, 336, 337, 454, 456, 457, 488, 506, 517;
Muskrat(s) (also Musquash) (continued)	<b>VIII:</b> 4, 5, 6, 12, 14, 16, 22, 25, 27, 38, 136, 157, 168, 242, 248, 256, 257, 258, 260, 261, 262, 264, 268, 297, 298, 300, 301; <b>IX:</b> 33, 161, 183, 265, 274, 282, 283, 295, 296, 316, 346, 351, 352, 386;
Muskrat(s) (also Musquash) (continued)	<b>X:</b> 139, 140, 159, 168, 187, 198, 267, 276, 295, 313, 327, 367, 376, 444, 483, 490; <b>XI:</b> 68, 69, 132, 169, 284, 287, 288, 293, 329, 330, 335, 375, 409, 416, 419, 420, 423, 424, 425, 428, 431, 448, 455, 457;
Muskrat(s) (also Musquash) (continued)	<b>XII:</b> 33, 53, 67, 82, 83, 85, 88, 121, 126, 127, 134, 205, 207, 241, 283, 395, 448, 450; <b>XIII:</b> 24, 60, 61, 64, 65, 72, 181, 182, 205, 209, 274, 275, 310
Muskrat tracks	<b>VIII:</b> 136
Musquash, fur	<b>XIII:</b> 181
Muskrat-house(s) or Muskrat-cabin	<b>III:</b> 52, 53, 73, 74; <b>IV:</b> 378, 389, 413, 423; <b>V:</b> 440, 479, 488, 491, 492, 495, 496, 510, 511; <b>VI:</b> 119; <b>VII:</b> 26, 72, 151, 156, 202, 256, 456, 507; <b>VIII:</b> 14, 20, 224; <b>XI:</b> 293, 294; <b>XII:</b> 388, 389, 391; <b>XIII:</b> 53-55
Musquash, odor	<b>XII:</b> 403
Mussels	<b>II:</b> 358; <b>VII:</b> 436
Mussel, rayed ( <i>Modiola plicatula</i> )	<b>VII:</b> 471, 480
Myrtle bird ( <i>Sylvicola coronata</i> ) (See also Warbler, yellow-rumped)	<b>VII:</b> 322, 329, 334, 336, 340, 344, 355, 360, 371, 375, 487, 488; <b>IX:</b> 124, 129, 317, 327, 357; <b>X:</b> 66, 113, 383, 384, 386, 392, 404, 503; <b>XI:</b> 184; <b>XIII:</b> 283, 307; <b>XIV:</b> 338
Navicula (algae)	<b>X:</b> 368
Nighthawk(s)	<b>II:</b> 235, 259, 270, 387; <b>IV:</b> 160; <b>V:</b> 214, 215, 230, 231, 268; <b>VI:</b> 328, 329, 354, 457; <b>VII:</b> 20, 31, 340, 383, 436, 452; <b>VIII:</b> 360, 384; <b>IX:</b> 377, 380; <b>X:</b> 447, 460, 461, 476, 482; <b>XII:</b> 189, 199, 225; <b>XIII:</b> 298, 320, 367, 406, 407; <b>XIV:</b> 11, 22, 33, 34
Nightingale	<b>IV:</b> 263
Night-jar	See Wheel bird
<i>Notonecta</i> (backswimmer)	<b>XIII:</b> 277



THE HENRY DAVID THOREAU ANIMAL INDEX

Nuthatch	<b>VI:</b> 138, 457; <b>VII:</b> 30, 48, 129; <b>VIII:</b> 14, 40, 162, 255, 448; <b>IX:</b> 128, 158, 204, 266, 297; <b>X:</b> 218; <b>XI:</b> 15, 290, 291, 298, 391, 455; <b>XII:</b> 81, 191, 458; <b>XIII:</b> 182, 209, 398; <b>XIV:</b> 5, 23, 273
Nuthatch, red-bellied	<b>IX:</b> 44, 45
Nuthatch, white-bellied	<b>V:</b> 51; <b>VI:</b> 121, 122; <b>IX:</b> 159, 266, 297; <b>XII:</b> 13-15, 81, 163
Nymph	<b>IX:</b> 109
Nymph, leather-colored	<b>IX:</b> 342
Ocelot (Also Tiger-cat)	<b>IX:</b> 100
Oriole	<b>IV:</b> 35; <b>V:</b> 133, 136; <b>VII:</b> 218, 240, 388, 430; <b>VIII:</b> 119, 120, 336; <b>IX:</b> 461; <b>X:</b> 412, 426; <b>XII:</b> 310; <b>XIII:</b> 38, 245, 296
Oriole, Baltimore (Also Fiery Hangbird)	<b>IV:</b> 35; <b>VII:</b> 240, 376
Otter	<b>III:</b> 338; <b>IV:</b> 474; <b>V:</b> 353; <b>VI:</b> 40, 86; <b>VII:</b> 25, 57, 98, 169, 170, 174, 248, 479; <b>VIII:</b> 183-185, 191, 200; <b>IX:</b> 162, 163, 164, 247, 274, 313, 351, 361; <b>XI:</b> 345, 375; <b>XII:</b> 139; <b>XIII:</b> 126
Ounce	<b>VII:</b> 134; <b>IX:</b> 100
Ova	<b>X:</b> 362; <b>XII:</b> 250, 251
Oven-bird (See also Night-warbler)	<b>I:</b> 145; <b>II:</b> 9, 35, 36; <b>V:</b> 310; <b>VI:</b> 251, 354, 368, 369; <b>VII:</b> 355, 372, 375, 414; <b>IX:</b> 90, 271; <b>X:</b> 409, 411, 412, 426, 501; <b>XI:</b> 37, 51; <b>XII:</b> 185; <b>XIII:</b> 285
Owl(s)	<b>III:</b> 122, 123, 131; <b>IV:</b> 5, 130, 191; <b>V:</b> 85; <b>VI:</b> 13, 14, 52, 53, 60; <b>VII:</b> 12, 21, 94, 135, 164, 241, 365, 366, 371, 375, 380; <b>VIII:</b> 96, 141; <b>IX:</b> 172, 182, 191, 413; <b>X:</b> 183, 248, 438, 482; <b>XI:</b> 372, 378, 390, 392, 431; <b>XII:</b> 31, 447; <b>XIII:</b> 209; <b>XIV:</b> 93, 295
Owl, acadian ( <i>Strix Acadia</i> )	<b>XI:</b> 392
Owl, barred ( <i>Strix nebulosa</i> )	<b>XI:</b> 373
Owl, cat	<b>III:</b> 122; <b>VII:</b> 380; <b>VIII:</b> 96; <b>X:</b> 227, 438, 499; <b>XIV:</b> 93
Owl, claws	<b>XIV:</b> 295
Owl, downy	<b>X:</b> 248
Owl, eastern Screech ( <i>Strix Asio</i> )	<b>VII:</b> 367, 372; <b>XI:</b> 8; <b>XIV:</b> 294
Owl, fern (See also Wheel bird)	<b>VII:</b> 126
Owl, great Gray	<b>VII:</b> 367
Owl, hawk	<b>VI:</b> 14
Owl, hooting	<b>VII:</b> 22
Owl, little Screech ( <i>Strix noevia</i> )	<b>XIV:</b> 294
Owl, long-eared	<b>IX:</b> 457, 458; <b>XIII:</b> 398, 421, 422
Owl, nest	<b>VII:</b> 413; <b>X:</b> 183

THE HENRY DAVID THOREAU ANIMAL INDEX

Owl, red	<b>VII:372; XIV:294</b>
Owl, screech	<b>I:378, 379; VI:439; VII:12, 22, 30, 364-367, 371, 32, 375, 387, 390, 457, 521-525; VIII:405, 406; IX:457, 458; XI:33, 341; XII:318; XIII:325, 374; XIV:294, 295, 314</b>
<i>M. Cooperi</i> (Pacific Screech Owl)	<b>VII:379</b>
Owl, short-eared	<b>VI:14</b>
Ox(en)	<b>II:53, 258, 270, 310, 453; III:94, 158, 276, 305, 306, 307; VII:286, 437; VIII:94; IX:143, 154, 310, 491; X:389; XI:179; XII:38, 343, 350; XIII:187, 241</b>
Ox-cart	<b>XII:129</b>
Ox-eye (bird)	<b>XI:177</b>
Oyster(s)	<b>II:42; VII:137, 467, 480; IX:142, 143; X:261; XI:328</b>
Oyster, shell	<b>VIII:393</b>
Panther	<b>VIII:220; IX:102, 134, 488</b>
Parasite	<b>IX:322</b>
Parrot	<b>IX:375</b>
Partlet	<b>XI:190</b>
Partridge(s)	<b>II:85, 140, 250, 313; III:13, 148, 425; IV:5, 158, 172, 387; V:37, 144, 145, 242, 244, 280, 490; VI:10, 49, 87, 88, 139, 144, 151, 156, 376;</b>
Partridge(s) (continued)	<b>VII:30, 81, 82, 84, 89, 94, 98, 114, 141, 142, 149, 157, 179, 180-184, 188, 208, 211, 212, 280, 324, 335, 346, 350, 354, 355, 356, 357, 363, 365, 368, 371, 375, 390, 415; VIII:40, 41, 47, 75, 79, 99, 102, 103, 132, 137, 166, 170, 171, 172, 177, 190, 214, 377, 399, 421;</b>
Partridge(s) (continued)	<b>IX:28, 108, 146, 147, 272, 288, 294, 306, 347, 370, 376, 420, 460, 468, 491-502; X:192, 211, 212, 214, 223, 226, 365, 366, 395, 435, 437, 494; XI:351, 376, 442; XII:34, 90, 102, 126, 149, 156, 185, 207, 208, 337, 453; XIII:21, 27, 47, 90, 102, 198, 252, 353, 364, 375, 383</b>
Partridge-nest	<b>XII:185</b>
Partridge, south American	<b>II:241</b>
Partridge tracks	<b>VIII:137</b>
Passerina (Cardinal family)	<b>X:503</b>
<i>Pecten concentricus</i> (Mollusk)	<b>VII:471</b>
Peawai (See also Peewee)	<b>IV:73, 190, 192; V:389</b>
Peep(s)	<b>VII:438; XI:190; XII:282</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Peeper (See also <i>Hyla</i> )	<b>IX:313; X:370; XIII:279, 325, 348</b>
Peetweet (See also Sandpiper)	<b>IV:165; V:124, 389; VI:310, 456; VII:421, 422, 429, 437; VIII:323, 401, 410, 431; IX:357, 410, 411, 489; X:395; XI:11, 166, 167, 168; XII:174, 244, 249, 280; XIII:264, 266, 284, 308</b>
Peewee(s) or Pewee	<b>VI:458; VII:344, 352, 412, 428; VIII:252, 269, 319; IX:358; X:396, 401; XIII:236, 278, 283</b>
Pewee, black billed	<b>XIV:338</b>
Peewee egg	<b>VII:445</b>
Peewee or Pewee, wood	<b>VI:354, 457, 458; VII:379, 414, 415, 430; VIII:74, 458; IX:379; X:445, 509; XI:51; XII:190; XIII:312, 347; XIV:8, 54</b>
Penguin	<b>X:323</b>
<i>Pentatoma</i> (Shield bug)	<b>IX:319</b>
Pepe (or Pe-pe) (See also Flycatcher, great crester)	<b>IX:370, 389, 408; X:437, 497, 502; XII:187; XIII:313</b>
Perch	<b>III:124; IV:407, 408, 425, 485; VII:344, 498; VIII:38, 91, 103, 170, 365; IX:199, 361, 418; X:313, 341, 350, 379, 496, 504; XI:192, 345, 346, 362, 373, 373, 374; XII:127, 260, 262, 280; XIII:210, 258; XIV:337</b>
Perch, sea	<b>IX:326</b>
Perch, white	<b>VIII:397, 479</b>
Perch, yellow	<b>I:476; VIII:397; XII:280</b>
Petrel (or Petral)	<b>VII:432; IX:349, 454; XIII:420</b>
Pheasant	<b>VII:91</b>
Phoebe(s)	<b>I:484; III:378, 380, 398, 458 and note, 459; V:117; VI:306, 472; VII:21, 329, 359, 430; VIII:252, 257; IX:99, 315, 333, 463, 469; X:325, 329, 330; XII:105, 148, 237, 278; XIII:278, 279</b>
Pickrel(s)	<b>I:476; II:15, 16, 97, 452; III:54; IV:163, 180, 193, 194, 450, 476, 484, 485; V:307, 447; VI:316, 342, 346, 364, 392; VII:29, 239, 246, 466, 467, 476, 479;</b>
Pickrel(s) (continued)	<b>VIII:31, 36, 37, 55, 84, 85, 91, 96, 103, 112, 113, 115, 127, 129, 133, 170, 194, 275, 393, 397, 400; IX:167, 168, 307, 308, 326, 353, 456, 468, 469; X:313, 341, 359, 360, 363, 371, 373, 379, 390, 391, 399, 412, 413, 429, 443, 444, 453, 454, 485, 501, 504;</b>
Pickrel(s) (continued)	<b>XI:75, 159, 348, 373, 383, 413, 414, 453, 454; XII:104, 110, 111, 127, 134, 135, 212, 262, 280, 288; XIII:210, 214, 243, 274, 275; XIV:110</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Pickereel, brook	<b>X:359, 360, 413; XI:453</b>
Pickereel, spawn	<b>VII:29; X:363, 429</b>
Pickereel, yellow	<b>VIII:84, 85</b>
Pig(s) (See also Hog)	<b>VI:462; VII:439; VIII:429, 451, 452, 453, 456; IX:23, 26, 27, 28, 418; XI:340</b>
Pig, suckling	<b>VIII:76</b>
Pig, wild	<b>XI:339</b>
Pigeon(s)	<b>II:24, 331; IV:44; V:415; VI:18, 348, 402, 445, 476; VII:15, 31, 35, 36, 43, 94, 135, 161, 190, 334, 335; VIII:398; IX:84, 327, 368; X:54, 149, 454;</b>
Pigeon(s) (continued)	<b>XI:154, 177, 441; XII:67, 140, 184, 309, 318, 324, 325, 328, 337, 355, 356; XIII:103, 104, 324, 353; XIV:73, 106, 149, 209</b>
Pigeon, passenger	<b>I:130, 378; IV:68, 340; VII:391; X:49; XI:158; XIV:73, 209</b>
Pigeons, wild	<b>I:130, 378; IV:68, 340; VII:391; X:49; XI:156, 158; XIV:73, 209</b>
Pike ( <i>Esox</i> )	<b>X:360; XI:348</b>
Pintail	<b>XII:149</b>
Plover	<b>II:62; VII:77, 433, 484; VIII:355; XII:232, 282, 347; XIII:406</b>
Plover, golden	<b>VII:12; XII:329</b>
Plover(s), piping	<b>IV:68; VII:434, 438; VIII:355; IX:426, 427, 443</b>
Plover, upland	<b>VII:36, 46, 371, 439, 440; IX:426, 427; XIII:354; XIV:73</b>
Polecat or weasel	<b>VI:316</b>
Pollywog(s)	<b>VI:471; VII:245, 423; IX:371, 394; X:224, 364, 367, 372, 383, 407; XI:48, 345, 346, 362, 368; XII:101; XIII:210, 411, 412</b>
Pollywogs, large legs	<b>XI:361</b>
Pollywogs, small	<b>XI:362</b>
Porcupine	<b>VII:134, 135; XIV:16, 34-35</b>
Potato worm(s)	<b>IX:357; XI:159</b>
Potato-worm, white	<b>XIII:270</b>
Poultry	<b>XIV:317</b>
Pout(s)	<b>I:475, 476; II:14, 15; IV:185, 213, 214, 409; VI:318, 342, 364, 373, 481; VII:170, 309, 378, 381, 482; VIII:32, 37, 406, 412, 425; IX:299, 361, 503; X:483, 484; XI:87, 202, 344, 345; XII:127, 163, 164, 288; XIII:259, 326, 367, 368; XIV:110</b>
Pout, horn of	<b>VIII:170</b>
Pout's nest	<b>XII:202</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Pout-spawn	<b>X:429</b>
Pullet	<b>IX:467</b>
Puppy	<b>IX:458; X:251</b>
<i>Pyrulas</i>	<b>VII:480</b>
Quadrupeds	<b>VII:134, 200, 201; X:294, 326, 369, 422; XI:7; XIV:34, 35, 136</b>
Quahog(s)	<b>VII:437, 467; VIII:395; IX:317</b>
Quail(s)	<b>IV:194; V:31, 37; VI:61, 344, 354; VII:30, 212, 368, 471; VIII:40, 78, 112, 172, 228, 389; IX:242-244, 306; X:433; XII:199, 266; XIII:5, 72, 77, 319, 323</b>
Rabbit(s)	<b>I:217, 425, 433; II:139; III:13, 317; IV:23, 154, 172; VI:143; VII:98, 99, 115, 141, 163, 177, 182, 188, 215, 231, 236, 250, 410; VIII:42, 67, 78, 79, 80, 99, 103, 159, 163, 166, 410;</b>
Rabbit(s) (continued)	<b>IX:94, 138, 139, 141, 147, 163, 411; X:77, 129, 214, 467; XI:292, 375, 408; XII:126, 198, 260, 319, 326; XIII:73-76; XIV:34, 121</b>
Rabbit dung	<b>X:457</b>
Rabbit fur	<b>VIII:161</b>
Rabbit, gray (See also Hare, gray)	<b>V:507; VI:143; VII:169, 346; VIII:34, 75, 78, 80, 82, 104, 159, 256; X:77, 78; XIII:319</b>
Rabbit, very small, track	<b>VIII:128</b>
Rabbit, tame	<b>IX:139</b>
Rabbit(s), white (See also Hare)	<b>V:507; VI:83, 86, 126; VII:169, 184; VIII:78-80, 97; XIII:104</b>
Rabbit, wild	<b>IX:139</b>
Raccoon	<b>I:421; VII:94, 95, 135, 154; IX:467; XIV:83, 316</b>
Racer	<b>VII:370</b>
Rail	<b>XI:287; XII:197, 201, 261, 264, 270; XIII:405, 406, 422</b>
Rail, carolina ( <i>Rallus Carolinus</i> )	<b>XI:167, 192, 288</b>
Rail, clapper	<b>XI:366</b>
Rail, sora	<b>XI:366; XII:258</b>
Rail's egg	<b>XI:366</b>
Virginia Rail ( <i>Rallus Virginianus</i> )	<b>V:259; XI:171</b>
Rat(s)	<b>VIII:257, 258, 259; X:225, 364; XI:423; XII:121, 123</b>
Rat, country	<b>X:364</b>
Rat, fat sand ( <i>P. obesus</i> )	<b>XI:349</b>
Rat, water	<b>X:18</b>
Rat, wharf	<b>I:482; VII:241; X:364</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Rat's nest	<b>X:364, 365; XII:38</b>
Rattlesnake	<b>IX:99; X:424</b>
Redpoll(s)	<b>VII:117, 127, 327, 192; VIII:42, 43, 96, 202, 227; XI:317, 371; XII:104, 105, 108, 109, 112</b>
Redpoll, common ( <i>Fringilla linaria</i> )	<b>VI:124, 146; VII:83, 86</b>
Redpoll, common ( <i>Le Sizerin</i> )	<b>VII:122</b>
Redpoll, lesser ( <i>Linaria minor</i> )	<b>IV:412, 414, 426, 427, 446, 455, 494; V:3; VI:146, 463; VII:47, 86, 117, 120, 122, 178, 181, 243, 253, 329, 340, 369; VIII:39, 42, 43, 44; XIII:82, 104, 105, 108, 109, 112, 156, 209</b>
Redpoll, yellow	<b>VI:190, 191, 197, 201, 213, 214; VII:320, 327, 329, 341, 355; VIII:284, 302</b>
Redstart(s)	<b>V:110, 118, 139; VII:397, 405, 408, 424, 430; VIII:74, 339, 410; IX:376, 472; X:32, 398, 419, 426, 502, 507; XIII:288, 289, 291, 347</b>
Red-wing(s) (See also Blackbird, red-wing)	<b>VII:327, 361, 376, 381, 414, 415 note, 418, 421, 430, 435, 444, 456; VIII:68, 266; IX:307, 312, 358, 397; X:348, 373, 395, 398, 486, 487; XI:186; XII:35, 140, 262, 336; XIII:196, 198, 289; XIV:55, 58</b>
Red-wing, shoulder	<b>XIII:196</b>
Reptile(s)	<b>VIII:380, 381; X:369, 404; XIV:146</b>
Robin(s)	<b>I:252, 400, 440; II:350; III:376, 446; IV:54, 98, 158, 161, 172; V:24, 26, 33, 58, 89, 93, 149, 215; VI:260, 306, 463, 486; VII:12, 30, 46, 91, 94, 235, 238, 261, 321, 334, 335, 354, 355, 359, 361, 369, 371, 380, 386, 403, 409, 413, 414, 417, 423, 429, 450, 455;</b>
Robin(s) (continued)	<b>VIII:104, 119, 227, 234, 240, 241, 254, 266, 279, 286, 399; IX:130, 137, 280, 281, 286, 296, 315, 333, 358, 426, 469, 497; X:42, 65, 102, 104, 109, 115, 132, 301, 303, 309, 319, 345, 416, 419, 461, 470, 495, 501;</b>
Robin(s) (continued)	<b>XI:51, 317, 392, 455; XII:20, 53, 147, 189, 309, 314, 319, 335, 342, 349; XIII:236, 241, 261, 282, 328, 336; XIV:11, 22, 33, 132, 202, 310, 313, 342</b>
Robin's nest	<b>VIII:122; X:395, 444</b>
Robin, common	<b>VI:457</b>
Robin, gold(en) (See also Oriole, Baltimore)	<b>VI:457; VII:31, 375, 376, 421; IX:358, 419, 461; X:409; XII:185, 216, 310; XIII:286, 296</b>
Robin, white (albino)	<b>VII:403</b>
Rose-bug	<b>VI:347, 355; XII:202; XIII:356</b>
Rush, bayonet	<b>VII:57, 471; XI:251, 252; XII:73</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Rush, bayonet <i>or</i> rainbow	VII:471
Rush, rainbow	III:54, 55; XI:251, 252
Sable, American	IV:491; VII:485
Salamander	VII:262, 263, 270; VIII:381; X:166, 167; XI:362, 363, 365; XII:151, 153, 154
Salamander ( <i>Salamandra symmetrica</i> )	XI:362, 363; XIII:210; XIV:339
Salamander, red-backed ( <i>Salamandra erythronota</i> )	IV:166
<i>Salamandra Dorsalis</i> (Salamander, northern zigzag)	VII:263
Salmon	VII:136; IX:327
Sandpiper (See also Peetweet)	I:457; VII:458; XI:177, 178
Sandpiper, pectoral ( <i>Tringa pectoralis</i> )	XI:178, 181, 185
Sandpiper, solitary ( <i>Totanus solitarius</i> ) (See also Tattler, solitary)	VII:458; XIII:308
Sandpiper, three-toed	XI:7
Sardine	IX:291
Saurian	XII:350
Scallop	VII:467
Scallop shells	IX:322
Scorpion	XII:391
Sculpin	IX:321
sculpins, bait	IX:418
scup (a fish)	IX:431
<i>Scutella parma</i>	VII:441
<i>Scutelleridae</i>	IX:319
Sea-bird	XII:282
Sea-fowl	VII:135
Sea-serpent	IX:415, 416; X:243, 244
Sea clam	X:247
Seal	II:357; VII:100; XI:406
Seringo	IV:3 note, 8, 17, 18, 60, 68, 99; VI:208, 340, 341; VII:324, 433, 509; VIII:263, 295, 356, 357, 388; IX:332, 426; XI:64; XII:165; XIII:247; XIV:338
Seringo nest and egg	VII:445; VIII:356, 357, 388
Serpents	VI:364
Serrator	X:503
Shad	VII:136; IX:326, 327
Shad frog	VII:323
Shad, rattlesnake and	IX:78

THE HENRY DAVID THOREAU ANIMAL INDEX

Shad-fly (flies)	<b>VI:</b> 232, 312, 324, 325, 355; <b>VIII:</b> 322, 372 note; <b>IX:</b> 338, 401, 404; <b>XII:</b> 192, 201; <b>XIII:</b> 255, 261
Shark(s)	<b>VII:</b> 437; <b>IX:</b> 442
Shark, bone	<b>IX:</b> 454
Shark, large fossil tooth	<b>IV:</b> 174
Sheep	<b>II:</b> 131; <b>IV:</b> 345; <b>VII:</b> 476, 478; <b>VIII:</b> 35, 120, 164; <b>IX:</b> 83, 335; <b>X:</b> 15, 126; <b>XI:</b> 7, 14, 44, 410; <b>XII:</b> 350; <b>XIV:</b> 22
Sheldrake(s) ( <i>Shecorways</i> ) (See also Goosander)	<b>V:</b> 114; <b>VI:</b> 159; <b>VII:</b> 77, 243, 244, 252, 271, 280, 299, 310, 314; <b>VIII:</b> 38, 192, 197, 198, 211, 251, 298, 299, 304; <b>IX:</b> 287, 365, 490;
Sheldrake(s) ( <i>Shecorways</i> ) (See also Goosander) (continued)	<b>X:</b> 317, 318, 321-324, 333, 334, 336, 378, 503; <b>XII:</b> 84, 101, 106, 107, 133, 134, 135, 147, 149; <b>XIII:</b> 19, 164, 165, 167, 182, 197, 198, 211, 213, 214, 245
Sheldrake, head	<b>XIII:</b> 197
Sheldrake, white	<b>VIII:</b> 251, 257
Shells	<b>III:</b> 478; <b>V:</b> 509, 510; <b>VII:</b> 243, 467
Shellfish	<b>VI:</b> 456; <b>VIII:</b> 204, 210, 218; <b>IX:</b> 430
Shiner(s)	<b>I:</b> 476; <b>VI:</b> 173, 346; <b>VII:</b> 113, 283; <b>VIII:</b> 103, 413, 414; <b>IX:</b> 298; <b>XI:</b> 194, 195, 373, 374, 376, 377, 383, 454; <b>XIII:</b> 204
Shrew (See also Mole, shrew)	<b>IX:</b> 350; <b>XIV:</b> 90, 93
<i>Sorex dekayi</i> (Shrew, DeKay's)	<b>IX:</b> 134
<i>Sorex fosteri</i> (Shrew, Foster's)	<b>IX:</b> 134
Shrew, short-tailed ( <i>Sorex brevicaudus</i> )	<b>VIII:</b> 408, 409, 436; <b>IX:</b> 134
Shrike (Butcher-bird)	<b>II:</b> 129; <b>VI:</b> 184; <b>VII:</b> 69, 223, 243; <b>VIII:</b> 67, 68, 162; <b>XI:</b> 351, 352, 375; <b>XII:</b> 19, 20; <b>XIII:</b> 34, 105, 209
Skate (fish)	<b>IX:</b> 321
<i>S. fasciata</i> (Skink, five-lined)	<b>IV:</b> 167
Skunk(s)	<b>II:</b> 5, 355; <b>V:</b> 50, 137, 258, 280, 284, 285; <b>VI:</b> 139, 160-162; <b>VII:</b> 153, 178, 196, 252, 273, 356, 454; <b>VIII:</b> 38, 255, 256, 284; <b>IX:</b> 279, 350; <b>X:</b> 57, 298, 304, 438, 489, 499; <b>XI:</b> 168; <b>XII:</b> 43, 113, 122, 123, 124; <b>XIII:</b> 162, 205, 209, 346
Skylark	<b>X:</b> 344
Slug(s)	<b>IX:</b> 103; <b>X:</b> 124, 125; <b>XII:</b> 338
Slug, snail	<b>VIII:</b> 6
Smelt	<b>IX:</b> 321, 325, 326
Snail(s)	<b>VII:</b> 470, 507; <b>VIII:</b> 261; <b>IX:</b> 309; <b>X:</b> 140; <b>XII:</b> 48, 261, 262, 396; <b>XIII:</b> 124, 270



THE HENRY DAVID THOREAU ANIMAL INDEX

Snail ( <i>Helix albolabris</i> )	<b>VIII:242</b>
Snail ( <i>Paludina decisa</i> )	<b>VIII:210</b> note, 213, 214; <b>XII:261, 262</b>
Snail, shell	<b>XIII:122, 202, 210</b>
Snail-spawn	<b>XII:189</b>
Snake(s) (See also Adder(s) and <i>Coluber punctatus</i> )	<b>II:31, 32, 393, 423; III:59; IV:166; V:143, 354; VI:252, 309, 311, 375, 376, 461; VII:17, 356, 370, 399, 482; VIII:40, 96, 267, 346; IX:110, 201, 202, 334, 342, 343, 352, 356, 412;</b>
Snake(s) (See also Adder(s) and <i>Coluber punctatus</i> ) (continued)	<b>X:45, 154, 342, 343, 387, 423-426, 429, 430, 431; XI:142, 143, 184; XII:31, 87, 173, 193, 194, 221, 303; XIII:254, 303, 375, 376, 418; XIV:83</b>
Snake, black	<b>III:63; IV:154; VI:316, 461; VII:356, 370, 443; IX:316, 356, 371; X:416, 423, 429; XII:193</b>
Snake, black, eggs	<b>X:429</b>
Snake, chicken (See also Adder, checkered)	<b>XII:277</b>
Snake, common striped	<b>XIV:337</b>
<i>P. guttatus</i> (Corn snake)	<b>XI:349</b>
Snake, green	<b>IV:43; VI:476; XII:277, 303, 344; XIII:303</b>
Snake, little	<b>X:429</b>
Snake, little brown	<b>IX:334; X:139, 140, 387; XI:223</b>
<i>Coluber eximius</i> (Milk snake)	<b>VI:308</b>
<i>Coluber punctatus</i> (Northern Ringneck snake)	<b>XII:186</b>
Snake, red or worm ( <i>Coluber amænus</i> )	<b>IX:110; X:29, 30, 387</b>
Snake, red-bellied	<b>X:29</b>
Snake, striped	<b>VIII:170, 267; X:45, 46, 342, 343; XI:158, 412; XII:109, 114, 198, 303; XIII:206; XIV:203</b>
Snake, water (See also Adder, water)	<b>IV:70</b> and note; <b>V:209; X:416</b>
Snake, yellow or little brown ( <i>Coluber ordinatus</i> or <i>amanus</i> )	<b>XIII:236; X:139</b>
Snipe(s)	<b>V:81, 106; VI:192, 201, 208, 306, 452; VII:31, 298, 311, 339, 340, 355, 459; VIII:286, 309, 310, 407; IX:183, 319, 481; X:127, 330, 363, 368; XI:181, 286, 311; XII:82, 101, 108, 109, 163, 245, 258, 278, 288; XIII:235, 247, 251, 255, 266</b>
Snowbird(s)	<b>VII:78, 94, 176, 499; IX:145, 371; X:24, 203</b>
Snowbird, blue or slate-colored (See also <i>Fringilla hyemalis</i> )	<b>IX:124, 496</b>
Sow-bug	<b>XIII:201, 209</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Sparrow(s)	<b>II:</b> 69, 89, 257; <b>III:</b> 367, 368; <b>V:</b> 76, 77, 489; <b>VI:</b> 197, 198, 320; <b>VII:</b> 3, 4, 6, 11, 58, 247, 256, 322, 368, 424, 429, 457, 459, 501, 509, 510; <b>VIII:</b> 41, 50, 437; <b>IX:</b> 111, 123, 125, 129, 141, 152, 296, 297, 364, 365, 399;
Sparrow(s) (continued)	<b>X:</b> 61, 128, 262, 263, 302, 303, 305, 308, 309, 318, 319, 320, 343, 345, 346; <b>XI:</b> 164, 182, 191, 265, 395; <b>XII:</b> 80, 90, 91, 105, 106, 116, 120, 164, 294, 300, 353, 399; <b>XIII:</b> 31; <b>XIV:</b> 99, 342
Sparrow, bay-wing	<b>VII:</b> 4, 381; <b>VIII:</b> 258; <b>IX:</b> 110
Sparrow, bay-wing eggs	<b>VII:</b> 381
Sparrow, bay-wing nest	<b>VII:</b> 381
Sparrow, bay-wing, young	<b>VII:</b> 381
Sparrow, chipping or chip-sparrow ( <i>Fringilla socialis</i> ) (chip-bird)	<b>IV:</b> 3, 4, 10, 109, 253, 278; <b>V:</b> 103, 215; <b>VI:</b> 194, 354; <b>VII:</b> 3, 4, 14, 31, 43, 337, 386, 412; <b>IX:</b> 111, 345, 365; <b>X:</b> 362, 365; <b>XI:</b> 183, 197; <b>XII:</b> 335, 353; <b>XIII:</b> 249; <b>XIV:</b> 102, 161
Sparrow, cinnamon	<b>XIII:</b> 218; <b>XIV:</b> 335
Sparrow, dark-colored	<b>VII:</b> 492
Sparrow, field or Rush ( <i>Fringilla pusilla</i> or <i>juncorum</i> )	<b>I:</b> 252, 265, 266; <b>II:</b> 312; <b>III:</b> 470; <b>IV:</b> 5, 117; <b>V:</b> 109, 119, 332; <b>VI:</b> 194, 252, 354; <b>VII:</b> 333 and note, 335, 336, 410, 419, 420; <b>VIII:</b> 265, 287; <b>IX:</b> 105, 111; <b>XII:</b> 154, 155; <b>XIII:</b> 252, 288
Sparrow, fox-colored	<b>III:</b> 367; <b>V:</b> 76, 77, 94; <b>VI:</b> 168, 306; <b>VII:</b> 70, 282; <b>VIII:</b> 253, 266; <b>X:</b> 132, 318, 320, 332; <b>XII:</b> 71, 111, 112, 120; <b>XIII:</b> 214
Sparrow, grasshopper	<b>VII:</b> 325 note
Sparrow, savannah ( <i>Fringilla Savanna</i> ) (See also Seringo)	<b>V:</b> 109; <b>VI:</b> 341, 344, 354; <b>VII:</b> 3, 4, 94; <b>VIII:</b> 357 note, 387, 388; <b>IX:</b> 111, 413; <b>X:</b> 503; <b>XI:</b> 366
Sparrow, song ( <i>Fringilla melodia</i> )	<b>I:</b> 441; <b>II:</b> 308; <b>III:</b> 356, 367, 376; <b>V:</b> 26, 31, 32, 37, 69, 70, 79, 84, 93, 143, 460, 461, 517; <b>VI:</b> 157, 163, 169, 212, 252, 306, 341, 354, 457;
Sparrow, song ( <i>Fringilla melodia</i> ) (continued)	<b>VII:</b> 30, 53, 56, 58, 60, 62, 258, 260, 261, 263, 276, 285, 287, 328, 334, 336, 367, 407, 410, 412, 414, 421, 428, 485, 519; <b>VIII:</b> 7, 244, 252, 254, 258, 356, 384, 387; <b>IX:</b> 105, 111, 222, 228, 230, 233, 278, 305, 307, 333, 365, 479;
Sparrow, song ( <i>Fringilla melodia</i> ) (continued)	<b>X:</b> 66, 193, 249, 273, 302, 319, 387, 493, 494, 495, 496, 502; <b>XI:</b> 7, 48, 185, 367, 397; <b>XII:</b> 35, 42, 67, 68, 142, 189, 394; <b>XIII:</b> 177, 181, 182, 183, 196, 197, 280, 308; <b>XIV:</b> 11, 22, 33
Sparrow, song, eggs	<b>VII:</b> 412
Sparrow, song, nest	<b>VII:</b> 412

THE HENRY DAVID THOREAU ANIMAL INDEX

Song-sparrow-like bird	<b>VII:53</b>
Sparrow, swamp	<b>V:109; VI:223; VII:396, 397; XIII:310</b>
Sparrow(s), tree	<b>IV:4; V:60, 77, 83, 91, 94, 460; VI:5, 27, 31, 178, 202, 203, 306; VII:4, 31, 66, 68, 176, 178, 246, 260, 261, 285, 287, 295, 302, 328, 335, 336, 355, 458, 485; VIII:7, 14, 16, 22, 28, 38, 39, 41, 50, 54, 60, 99, 202;</b>
Sparrow(s), tree (continued)	<b>IX:105, 111, 140, 153, 182, 183, 184, 200, 207, 222, 230, 233, 234, 288, 307, 315, 333; X:91, 92, 99, 132, 186, 193, 203, 225, 240, 241, 298, 309, 318, 332, 346, 366; XI:259, 320, 350, 390; XII:67, 68, 120; XIII:91, 92, 100, 105, 106, 218, 241; XIV:335</b>
Sparrows, tree or song	<b>VII:58</b>
Sparrow, twittering	<b>IX:105</b>
Sparrows, unidentified (See also Seringo)	<b>V:454, 455, 472, 473, 476, 480; VI:396; VII:3, 6, 429; XIII:369, 370</b>
Sparrow, white-crowned	<b>VIII:398</b>
Sparrow, white-throated	<b>V:119 and note; VII:6, 31, 322, 333, 334, 335, 355, 360, 368, 371, 374, 485; VIII:301, 398; IX:105, 350, 357; X:248 and note, 388, 404, 503; XI:10, 14, 30, 48, 168, 206; XII:182; XIII:281, 282; XIV:338</b>
Sparrow, white-throated, egg	<b>XI:366</b>
Sparrow, yellow shouldered	<b>IX:413</b>
Sparrow, yellow-winged ( <i>Fringilla passerina</i> )	<b>VI:320, 334, 341, 344, 354; VII:31; VIII:357 note, 387, 388; IX:413; XI:64</b>
Sparrows' nest	<b>XII:189</b>
Spawn, unidentified	<b>VI:267, 380, 381, 382; X:391, 487, 488</b>
Spider(s)	<b>V:72, 73, 109, 456, 508; VII:403, 440; VIII:52, 105, 161, 418; IX:129, 267, 269, 334, 393; X:140, 327, 495; XI:35, 49, 148, 156, 310, 418, 428; XII:42, 43, 294, 355, 356; XIII:209, 338; XIV:173</b>
Spider, black	<b>V:406; XIII:201</b>
Spider, brown	<b>X:333</b>
Spider, large	<b>XI:428</b>
Spider, water	<b>III:161</b>
Spider, white	<b>IV:195; VIII:162</b>
Spider, yellow	<b>IV:195</b>
Spider, yellow-backed	<b>XI:156, 157</b>
Spindle-worm	<b>VII:93</b>
Sponge	<b>XII:277</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Sponge, fresh water ( <i>Spongea fluviatilis</i> )	<b>VI:458; VIII:422; XIV:116</b>
Squash-bug	<b>II:86; XIII:335</b>
Squid	<b>VII:441</b>
Squirrel(s)	<b>I:146, 425, 484; II:24, 29, 128, 139; III:425; IV:154, 175, 179, 449, 450, 451, 452; V:9, 471, 474, 480, 487; VI:50, 54, 55, 489; VII:18, 73, 84, 106, 107, 115, 180, 185, 188, 227, 240, 270, 287, 346, 362, 447, 506, 518, 519;</b>
Squirrel(s) (continued)	<b>VIII:29, 39, 47, 49, 50, 52, 62, 72, 81, 82, 89, 97, 114, 127-129, 136, 137, 142, 155, 156, 200, 217, 335, 363; IX:60, 61, 107, 120, 128, 141, 147, 179, 290, 388;</b>
Squirrel(s) (continued)	<b>X:29, 33, 40, 41, 64, 123, 124, 136, 137, 138, 141, 142, 143, 148, 149, 175, 181, 184, 192, 205, 206, 213, 240, 305, 339, 343, 420, 421, 425; XI:7, 132, 133, 313, 318, 394, 407; XII:25, 93, 108, 158, 289, 318, 362, 363;</b>
Squirrel(s) (continued)	<b>XIII:32, 33, 38, 39, 167, 266; XIV:6, 107, 112, 123, 124, 137, 138, 141, 142, 143, 148, 149, 154, 157, 166, 195, 196, 197, 198, 200, 211, 212, 214, 248, 312, 319, 320</b>
Squirrel, black	<b>VII:73; IX:346</b>
Squirrel, chipping or ground or striped or chipmunk	<b>VII:234, 241, 424, 459, 488; IX:32, 127, 299; X:129, 142, 208, 214, 508; XII:43, 150, 351; XIII:207, 209, 319, 235; XIV:142</b>
Squirrel, flying	<b>VII:71, 263-267, 430; VIII:126; X:220; XII:207, 215</b>
Squirrel(s), gray (or grey)	<b>II:456; III:31, 32, 67, 131; IV:174; V:47, 208; VI:18, 40, 41; VII:73, 135, 363, 364, 365, 506, 507; VIII:15, 21, 30, 138, 163, 172, 173, 200, 216; IX:356; X:41, 70, 175, 451; XI:323, 335; XII:97, 98; XIII:32, 97, 98, 104, 257, 258, 284, 285, 318-319, 323; XIV:161</b>
Squirrel(s), gray or red	<b>VIII:127</b>
Squirrel, ground	<b>VIII:219</b>
Squirrel, ground, nest	<b>IX:127</b>
Squirrel, striped	<b>VII:211, 230, 501</b>
Squirrel's nest	<b>X:123, 451</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Squirrel(s), red	<b>III:</b> 126; <b>IV:</b> 449, 450; <b>V:</b> 6, 285, 409; <b>VI:</b> 55, 129, 132; <b>VII:</b> 87, 238, 252, 519; <b>VIII:</b> 15, 51, 216; <b>IX:</b> 290, 297, 340, 341, 378; <b>X:</b> 39, 40, 41, 42, 64, 65, 70, 97, 98, 110, 113, 123, 147, 218, 339, 418, 419; <b>XI:</b> 34, 298, 299;
Squirrel(s), red (continued)	<b>XII:</b> 99, 100, 107, 108, 158; <b>XIII:</b> 32, 36, 89, 93, 189, 214, 317, 318-319, 324; <b>XIV:</b> 147, 218
Squirrel's burrow	<b>VIII:</b> 39
Squirrel tracks	<b>VIII:</b> 136
Starling, red-winged	<b>VII:</b> 240
Stork, nest	<b>VIII:</b> 393
Sturgeon	<b>VII:</b> 136
Sucker(s)	<b>I:</b> 476; <b>III:</b> 57, 417, 437, 438; <b>IV:</b> 409; <b>V:</b> 91, 99, 202, 203; <b>VI:</b> 459; <b>VII:</b> 30, 283, 300, 345, 353, 381; <b>VIII:</b> 37, 220, 296, 297, 326, 343, 372; <b>IX:</b> 298, 308, 310, 327, 361, 400; <b>X:</b> 324, 368; <b>XI:</b> 133, 234, 235; <b>XIII:</b> 204, 210, 226, 273; 332
Sucker, black	<b>XII:</b> 183, 187, 268
Swallow(s)	<b>II:</b> 339, 395; <b>IV:</b> 93, 219, 220; <b>VI:</b> 308, 344, 457; <b>VII:</b> 18, 41, 341, 378, 423, 439, 449, 450, 451; <b>VIII:</b> 16, 320, 330, 433; <b>IX:</b> 22, 23, 368, 426; <b>X:</b> 257, 432, 433, 482; <b>XI:</b> 20, 49; <b>XII:</b> 190, 232; <b>XIII:</b> 32
Swallow(s), bank	<b>II:</b> 49; <b>VI:</b> 295; <b>VII:</b> 340, 368, 382, 430, 433, 439; <b>VIII:</b> 325, 332, 333, 334, 414; <b>IX:</b> 153, 412, 469; <b>X:</b> 191, 254, 257, 405, 433, 507
Swallow, bank, nest	<b>X:</b> 191
Swallow(s), barn	<b>VI:</b> 392, 486; <b>VII:</b> 31, 41, 335, 340, 341, 382, 430, 448-450, 452; <b>VIII:</b> 400, 404, 414; <b>IX:</b> 332, 412; <b>X:</b> 384, 386, 432, 433; <b>XII:</b> 236; <b>XIV:</b> 22
Swallows, brown	<b>VI:</b> 457
Swallow(s), chimney	<b>V:</b> 162; <b>VII:</b> 335, 411, 450, 451; <b>VIII:</b> 433; <b>IX:</b> 16, 17, 413; <b>X:</b> 413, 432; <b>XII:</b> 184, 258; <b>XIII:</b> 282
Swallow, chimney, nest	<b>VIII:</b> 432
Swallow, chinese cliff	<b>I:</b> 69; <b>VIII:</b> 433; <b>IX:</b> 413
Swallow, cliff or republican	<b>IV:</b> 173; <b>VII:</b> 382, 445; <b>X:</b> 173, 174, 432, 433; <b>XII:</b> 194; <b>XIII:</b> 285
Swallow, white-bellied	<b>IV:</b> 93; <b>VI:</b> 457; <b>VII:</b> 421, 430, 448; <b>VIII:</b> 252, 258; <b>IX:</b> 316; <b>X:</b> 338; <b>XII:</b> 140, 142, 143; <b>XIII:</b> 245
Swallows, young	<b>XIII:</b> 399
Swan	<b>VII:</b> 135, 484
Swine (chuk)	<b>VII:</b> 171; <b>IX:</b> 83, 264
Tadpole	<b>VII:</b> 233, 369; <b>X:</b> 415

THE HENRY DAVID THOREAU ANIMAL INDEX

Tanager	<b>IV:204; V:175, 187, 199; VI:363; VII:384, 394, 404, 410, 411, 417, 418; IX:399, 459; X:437, 501, 503, 505, 506; XI:350; XII:189, 237; XIII:294, 312</b>
Tanager, indigo	<b>IX:411</b>
Tanager, nest	<b>VII:417</b>
Tanager, scarlet	<b>X:437, 438; XIII:312</b>
Tattler ( <i>T. or Totanus solitarius</i> )	<b>VII:392, 458, 459; X:61, 432; XI:177, 185; XII:308; XIV:54</b>
Tautog (Blackfish)	<b>VII:465</b>
Teal	<b>IX:87; XI:311; XII:149, 150;</b>
Teal, blue-winged	<b>IV:333; VII:485; XII:329</b>
Teal, green-winged	<b>VII:453; IX:300, 301</b>
Team	<b>IX:310</b>
Telltale(s)	See Yellow-legs
Telltale, greater	<b>VI:318</b>
Tern, common ( <i>Sterna hirundo</i> )	<b>VIII:393</b>
Tern, great	<b>VIII:393</b>
Terrapin	<b>VIII:394; IX:484</b>
Thousand-legs	<b>X:133; XIV:133</b>
Thrasher	<b>VI:354; VII:31, 48, 243, 376, 425; IX:32, 357, 358, 366; X:377, 378, 393; XII:258; XIII:360</b>
Thrasher(s), brown	<b>IV:11, 59, 64, 65, 89; V:119, 124, 255, 286, 301; VI:261, 310, 347, 453, 489; VII:31, 243, 335, 373, 376, 377, 387, 392, 455; VIII:318, 319, 366, 415; IX:408; X:325; XII:179; XIII:285, 360, 364</b>
Thrasher, nest	<b>VIII:416</b>
Thrasher(s), brown, nest	<b>X:440</b>
Thrush(es)	<b>IV:263; IX:311; X:369, 504; XII:399</b>
Thrush, bicknell	<b>XI:51</b>
Thrush, brown, egg	<b>XI:366</b>
Thrush, golden-crowned (See also Oven-bird)	<b>IX:90, 360; X:426, 430; XIII:296, 308</b>
Thrush, hermit	<b>IV:68; VI:201 and note, 221, 222, 225 and note; VII:325 and note, 355, 463; VIII:304; IX:413; X:118, 119, 501, 503, 504, 505, 507; XI:366; XIII:255; XIV:337</b>
Thrush, Lawrence's ( <i>T. brunneus</i> )	<b>X:503; XI:366</b>
Thrush, olive ( <i>Turdus Olivaceous</i> )	<b>X:119; XI:51</b>
Thrush, solitary ( <i>Turdus solitarius</i> ) ("swamp robin")	<b>IX:413; X:369, 503, 504; XI:181, 366</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Thrush, song	<b>VII:240</b>
Thrush, Wilson's	See Veery
Thrush, wood	<b>I:171; II:10, 19, 269, 270, 313, 331, 388; III:486; IV:5, 68, 130, 190; V:169, 243, 254, 255, 292, 293; VI:39, 225, 354; VII:394, 395; VIII:10, 23, 325, 379, 380, 384, 415, 460; IX:43, 381, 413, 421, 490, 497;</b>
Thrush, wood (continued)	<b>X:201, 369, 379, 412, 460, 500, 501, 506, 507; XI:5, 14, 29, 51, 66, 67, 91; XII:147, 148; XIV:12, 22, 33</b>
Tiger	<b>IX:101</b>
<i>Tipula</i> (Crane fly)	<b>XIII:209</b>
<i>Tipulidae</i> (Crane fly family)	<b>XI:339; XII:148, 183; XIII:206</b>
Titlark (Pipit)	<b>V:473 note; XI:265 note</b>
Titmouse/ Titmice (See also Chickadee)	<b>VII:105; XII:448</b>
Toad(s) (Also called dream frog by Thoreau)	<b>II:206, 423; IV:15, 21, 24, 25, 27, 28, 29, 31, 34, 38, 70, 223; V:195, 196, 198, 453; VI:307; VII:21, 322, 418, 423, 435, 376, 444; VIII:285, 286, 300, 308, 309, 334, 353, 354, 385, 414; IX:107, 315, 319, 349, 353, 354, 355, 357, 358, 359, 366;</b>
Toad(s) (Also called dream frog by Thoreau) (continued)	<b>X:66, 347, 366, 379, 381, 388, 390, 391, 392, 415, 451, 467, 471, 472, 482, 485, 504, 551; XI:30, 40, 48; XII:191, 235, 331; XIII:234, 235, 236, 241, 242, 243, 255, 279, 292, 313, 322, 325, 330, 332, 335, 348, 353, 356, 381; XIV:338</b>
Toad, common	<b>XIII:326</b>
Toad, spade-foot ( <i>Scaphiopus solitarius</i> )	<b>IX:353 note, 413</b>
Toad-spawn	<b>IV:63; V:112; X:407, 408, 467, 482, 487; XI:141</b>
Toad, tree (or Tree-toad)	<b>IV:162; V:162, 195, 196, 253; VI:302; VII:369, 375, 446; IX:376; X:395, 403; XII:185, 399; XIII:326</b>
Tortoise(s) (See also Turtles)	<b>I:447; II:169, 262, 263; III:362; IV:8, 13, 20, 41, 103, 162; V:14, 20, 218; VI:291, 355, 456; VII:40, 236, 238, 322, 454, 455, 485, 486, 493, 494, 495, 496; VIII:16, 40, 313, 399;</b>
Tortoise(s) (See also Turtles) (continued)	<b>IX:32, 33, 114, 129, 276, 308, 314, 361, 374, 405, 421, 422; X:259, 265, 268, 336, 340, 384, 490; XII:72, 123, 282</b>
Tortoise egg(s)	<b>V:50, 258, 268, 279; VI:349, 358, 471; VII:28; IX:30, 32; XIII:370</b>
<i>Cistudo</i>	<b>VI:452; X:502</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Tortoise, Blanding's ( <i>Cistuda Blandingii</i> or <i>Emys meleagris</i> )	<b>VI:</b> 385, 450, 451; <b>VII:</b> 43, 495; <b>IX:</b> 299, 485; <b>X:</b> 445-447; <b>XII:</b> 43
Tortoise, box ( <i>Cistudo Carolina</i> )	<b>VII:</b> 441, 466, 495; <b>VIII:</b> 338, 339, 341, 342, 417, 418; <b>X:</b> 429; <b>XIII:</b> 412, 413
Tortoise, common ( <i>lacustrine</i> )	<b>X:</b> 486
Tortoise, mud ( <i>Kinosternon Pennsylvanicum</i> )	<b>IX:</b> 484, 485
Tortoise, painted ( <i>Emys picta</i> )	<b>II:</b> 311; <b>IV:</b> 8, 9, 59, 97, 162; <b>V:</b> 122, 143, 181, 207, 250, 255, 510; <b>VI:</b> 6, 249, 330, 341, 349, 350; <b>VII:</b> 49, 268, 327, 425-428, 452, 454, 455, 483, 485, 486, 493, 495; <b>VIII:</b> 4, 13, 16, 21, 24, 283, 303, 308, 374, 375, 394, 407, 409;
Tortoise, painted ( <i>Emys picta</i> ) (continued)	<b>IX:</b> 49, 58, 140, 299, 305, 307, 308, 309, 314, 361; <b>X:</b> 218, 222, 329, 330, 336, 337, 380, 381, 382, 383, 406, 418, 420, 429, 481, 489, 490, 491, 499, 505; <b>XII:</b> 102, 200; <b>XIII:</b> 204, 210, 310, 345, 346, 348, 355, 357, 367, 368
Tortoise, painted, eggs	<b>VIII:</b> 418; <b>IX:</b> 31-33; <b>X:</b> 491
Tortoise, painted, nest	<b>IX:</b> 31
Tortoise, pond ( <i>Emys terrapin</i> )	<b>IX:</b> 484
Tortoise, spotted or yellow-spotted ( <i>Emys guttata</i> ) (Also Turtle, yellow-spotted)	<b>III:</b> 379, 465, 471, 476; <b>V:</b> 40, 41, 101; <b>VI:</b> 342; <b>VII:</b> 273, 313, 318, 357, 409, 468; <b>VIII:</b> 258, 265, 271; <b>IX:</b> 276, 278, 309, 405, 421; <b>X:</b> 318, 342, 381, 406, 488, 496; <b>XII:</b> 80, 399; <b>XIII:</b> 210, 234, 313, 348, 357; <b>VI:</b> 451; <b>VII:</b> 468; <b>IX:</b> 309, 315, 405
Tortoise(s), wood ( <i>Emys insculpta</i> )	<b>V:</b> 84, 122; <b>VI:</b> 153, 350, 459; <b>VII:</b> 43, 287, 357, 428, 455, 456, 488, 495; <b>VIII:</b> 16, 21, 30, 364, 401; <b>IX:</b> 304, 305, 309, 366, 367, 412; <b>X:</b> 115, 380, 406, 416, 420, 481, 489-491, 499, 500, 507; <b>XII:</b> 148, 240, 244; <b>XIII:</b> 313, 316, 348, 352, 357, 377, 378, 413
Tortoise(s), wood ( <i>Emys insculpta</i> ) eggs	<b>X:</b> 489, 491
Tortoise, young	<b>VII:</b> 28
Tortoise-eggs	<b>VII:</b> 454
Tortoise-scales	<b>VII:</b> 456, 457
Trilobite	<b>XII:</b> 350
Trout	<b>I:</b> 475, 476; <b>III:</b> 57; <b>VI:</b> 155, 159; <b>VII:</b> 113, 233, 236, 283, 293; <b>VIII:</b> 170, 303, 327; <b>IX:</b> 201, 293, 326, 361, 424, 503; <b>X:</b> 180, 205, 259, 312, 359, 399; <b>XI:</b> 433; <b>XII:</b> 127, 222, 441; <b>XIII:</b> 209, 274
Trout-pond	<b>IX:</b> 502



THE HENRY DAVID THOREAU ANIMAL INDEX

Turkey(s) ( <i>Meleagris</i> )	<b>II:</b> 83, 430; <b>III:</b> 30; <b>VII:</b> 135, 136; <b>VIII:</b> 64, 165, 214, 220; <b>IX:</b> 130, 131; <b>X:</b> 307, 502; <b>XIII:</b> 209; <b>XIV:</b> 93
Turkey, wild	<b>VII:</b> 135
Turtledove	<b>IV:</b> 62, 68, 365; <b>V:</b> 85; <b>VI:</b> 18; <b>VII:</b> 31; <b>VIII:</b> 251, 329, 377; <b>IX:</b> 88, 355; <b>X:</b> 444; <b>XII:</b> 85, 322; <b>XIII:</b> 324; <b>XIV:</b> 296
Turtledove nest	<b>X:</b> 444
Turtle(s) (See also Tortoise)	<b>IV:</b> 221; <b>V:</b> 193, 272; <b>VI:</b> 333, 451; <b>VII:</b> 6, 9, 26, 28, 29, 32, 33, 45, 382, 475, 476, 482; <b>VIII:</b> 32, 342, 407, 431, 467; <b>IX:</b> 31, 32, 33, 100, 114, 129, 278, 297, 306, 328 and note, 329, 330, 351, 352, 436, 484, 485;
Turtle(s) (See also Tortoise) (continued)	<b>X:</b> 254, 269, 325, 342, 382, 425, 431, 446, 491, 499, 502; <b>XI:</b> 7, 394; <b>XII:</b> 80, 102, 124, 171, 172, 280; <b>XIII:</b> 346, 347, 352, 355, 357; <b>XIV:</b> 82
Turtle egg(s)	<b>VII:</b> 29; <b>VIII:</b> 29; <b>IX:</b> 33; <b>XII:</b> 247
Turtle, box	<b>VII:</b> 495; <b>X:</b> 429; <b>XIII:</b> 316, 346, 412
Turtle, fossil	<b>XI:</b> 180
Turtle, freetown	<b>IX:</b> 328, 484
Turtle, grass (maybe <i>Emys Picta</i> )	<b>X:</b> 429
Turtle, green	<b>VIII:</b> 403
Turtle, land	<b>VII:</b> 475; <b>XIII:</b> 316
Turtle, mud	<b>VI:</b> 475, 476, 478, 490; <b>VII:</b> 25, 32, 329, 382, 432; <b>VIII:</b> 25, 32, 33, 105; <b>IX:</b> 419, 423, 468; <b>XIII:</b> 265, 347
Turtle, mud, eggs	<b>VII:</b> 43; <b>X:</b> 328, 329
Turtle, musk or stinkpot ( <i>Sternotherus odoratus</i> )	<b>IV:</b> 222; <b>VI:</b> 271, 349, 355, 388; <b>VII:</b> 28, 29, 32, 33, 45, 382, 451, 495; <b>VIII:</b> 194, 361, 399, 423; <b>IX:</b> 328, 329, 366, 484, 484, 485; <b>X:</b> 340, 383, 393; <b>XI:</b> 80, 81; <b>XII:</b> 119, 244; <b>XIII:</b> 237, 313, 357, 407
Turtle, newly hatched	<b>VII:</b> 22
Turtle, painted	<b>VII:</b> 327; <b>IX:</b> 421; <b>X:</b> 329, 481, 489, 490, 499, 505; <b>X:</b> 336, 346, 348; <b>XII:</b> 102, 200; <b>XIII:</b> 237, 274, 282, 310, 335, 345, 347, 348; <b>XIV:</b> 82, 102
<i>Insculpta</i> (wood or pig-nosed turtle)	<b>VIII:</b> 12
Turtle, sea	<b>VII:</b> 442; <b>IX:</b> 419; <b>XIII:</b> 9
Turtle, shell	<b>VII:</b> 25; <b>X:</b> 194
Turtle, snapping or snap-	<b>VI:</b> 474, 478; <b>VII:</b> 4, 9, 33, 45, 474; <b>VIII:</b> 399, 400, 403, 407; <b>IX:</b> 328, 330, 344, 353, 361; <b>X:</b> 397, 429, 502, 507; <b>XI:</b> 335; <b>XII:</b> 391; <b>XIII:</b> 265, 266, 349, 355; <b>XIV:</b> 296

THE HENRY DAVID THOREAU ANIMAL INDEX

Turtle, snapping, egg	<b>VI:473</b>
Turtle, snapping or mud ( <i>Chelonura serpentina</i> )	<b>II:14, 15, 102; IV:222; VI:270, 271-274, 276, 334, 337, 367, 368, 414, 454, 474, 475, 476, 478, 479, 490; VII:4, 5, 6, 9, 10, 16, 25, 26, 33, 43, 44, 45, 66, 382, 428, 429, 432, 474, 475;</b>
Turtle, snapping or mud ( <i>Chelonura serpentina</i> ) (continued)	<b>VIII:25, 32, 33, 105, 171, 310, 311, 327, 328, 344-346, 350, 351, 403; IX:299, 361, 362; X:328, 329, 340, 341, 398, 399, 400, 429; XI:73, 74, 109, 110, 335; XII:355, 391; XIII:265, 349, 355</b>
Turtle, speckled	<b>XIII:182</b>
Turtle, wood	<b>X:336, 341, 373, 406; XII:442; XIII:210, 413</b>
Veery or Thursh, Wilson's ( <i>Turdus Wilsonii</i> )	<b>I:70; IV:89, 126, 135, 174; V:282; VI:251, 354, 457; VII:367, 375, 381, 419; VIII:26; IX:359, 377, 413; X:369, 411, 499, 500, 506; XI:14, 29, 34, 51; XIII:303; XIV:338</b>
Vermin	<b>XII:340</b>
Vireo	<b>IV:32; VII:37, 359, 419; VIII:161; IX:379; X:408, 412; XIII:289</b>
Vireo, red-eye (or red-eyed)	<b>IV:69, 117; V:243; VI:305, 306, 354, 457, 473; VII:379, 396, 404, 419, 443; IX:497; X:286, 419, 499; XI:50; XIII:307, 315, 320</b>
Vireo, solitary	<b>X:395, 396, 408</b>
Vireo, warbling	<b>V:133; VII:15, 31, 376, 396; VIII:458; IX:362; X:409, 412, 497; XI:159; XII:185, 317; XIII:316</b>
Vireo, white-eyed	<b>VII:398; X:396</b>
Vireo, yellow-throated	<b>VI:305, 306, 457, 458; VII:369, 396; VIII:346; X:409, 497; XII:183, 185; XIII:281, 307, 315</b>
Vireo-like birds, white beneath and olive above	<b>IX:92</b>
Vireos' nests	<b>VII:414, 419; VIII:108-110, 161, 162, 174, 175, 180</b>
Vulture	<b>XI:321</b>
Wagtail, water	<b>XIII:308</b>
Walrus	<b>XI:406</b>
Warbler(s)	<b>V:99, 131, 133, 144; VI:206; VII:55, 380, 424; VIII:395; IX:311, 317, 376, 385; X:30, 397, 398, 423; XII:146, 188, 190, 358; XIII:288, 294, 295, 296, 309, 327, 358; XIV:231</b>
Warbler, black and white	See Creeper
Warbler, black and yellow ( <i>Sylvia maculosa</i> )	<b>XIII:306, 422</b>
Warbler, Blackburnian	<b>VII:391; X:477; XI:29; XIII:319</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Warbler, black-poll ( <i>Sylvia striata</i> )	<b>VIII:349, 350; XIII:306, 307, 314, 315, 327</b>
Warbler, black-throated green (See also Evergreen-forest bird)	<b>VII:360, 399</b>
Warbler, blue yellow-backed ( <i>Sylvia Americana</i> ) (Also Warbler, parti-colored or Tweezer-bird)	<b>V:131; VI:369; VII:363, 364, 424, 425; VIII:335, 336, 340, 343, 344, 363, 395; IX:497; X:395, 398, 408, 490, 492; XII:187; XIII:288, 291, 373</b>
Warbler, Canada ( <i>Sylvia pardalina</i> )	<b>VII:406; XIII:309, 315</b>
Warbler, chestnut-sided	<b>VI:350; VII:384; VIII:344, 350; IX:376, 391; XII:215; XIII:294, 299, 315, 334</b>
Warbler, Connecticut	<b>XII:359 note</b>
Warbler, golden-winged	<b>VI:343, 354; XIII:382, 418, 419</b>
Warbler, maculosa	<b>XII:190</b>
Warbler, Maryland yellow-throat (or whittiche)	<b>VI:354; VII:361, 411 note, 435, 445 note; IX:9, 360, 410, 413, 459, 466; X:489; XI:170; XIII:285, 299</b>
Warbler, Maryland yellow-throat egg	<b>XII:201</b>
Warbler, Maryland yellow-throat nest	<b>X:489</b>
Warbler, Nashville	<b>IX:355; X:423 and note; XII:359</b>
Warbler, new	<b>XII:183</b>
Warbler, night (Night-Warbler)	<b>VI:310, 312; VII:373, 375, 377; IX:365; X:248, 426, 430, 500; XI:13; XII:187; XIII:283, 301; XIV:67</b>
Warbler, pine	<b>III:458, 464; V:85, 103, 104, 147; VI:203, 214, 218, 219, 354; VII:308, 379, 380; VIII:269, 270, 273, 288, 318, 379, 398; IX:8, 25, 331, 353, 472; X:336, 345, 365, 377; XII:140, 145, 146, 372, 373; XIII:247, 262, 280</b>
Warbler, pine-creeping	<b>VII:55</b>
Warblers, unidentified	<b>VII:55, 395, 400, 405, 406, 424; IX:385; XII:359; XIII:288</b>
Warbler, yellow-crowned	<b>X:124; XIV:124</b>
Warbler, yellow-rumped (or Myrtle-bird) ( <i>Sylvicola coronata</i> )	<b>IV:35; V:110, 143, 426, 458, 459; VI:213; VII:364, 458, 488; X:392, 404, 479; XI:184; XIV:22</b>
Warbler, yellow-green backed, blue	<b>VII:424</b>
Wasp(s) (see also Hornets)	<b>II:86, 407; III:40, 57; V:357; VI:428; VIII:221, 460; IX:112, 230, 372, 461, 462, 473, 475; X:44, 338; XI:47, 168, 427, 430; XII:318; XIV:35</b>

THE HENRY DAVID THOREAU ANIMAL INDEX

Water-bug ( <i>gyrinus</i> ) (or water bug)	<b>II:</b> 476; <b>IV:</b> 182, 189, 382, 384, 408; <b>VI:</b> 308; <b>VII:</b> 238, 379; <b>VIII:</b> 210, 213; <b>IX:</b> 299; <b>X:</b> 104, 105, 182, 249, 253, 254-256, 257, 315, 339; <b>XI:</b> 169, 307, 311, 319, 338; <b>XII:</b> 92, 248, 277, 302; <b>XIII:</b> 92, 93, 114, 204, 267, 325, 332, 341, 361; <b>XIV:</b> 336
Water-thrush ( <i>Turdus aquaticus</i> or <i>Noveboracensis</i> )	<b>VIII:</b> 346, 347; <b>XIII:</b> 308
Water-beetle	<b>XIV:</b> 311
Water-birds	<b>VI:</b> 456
Water-boatman	<b>XIII:</b> 277
Water-fowl	<b>X:</b> 321, 376; <b>XII:</b> 232, 355
Weasel(s)	<b>VII:</b> 187, 207, 252; <b>XII:</b> 121; <b>XIII:</b> 88, 346
Weasel, black	<b>IX:</b> 346
Weasel, ermine	<b>VII:</b> 241
Weasel, white	<b>VII:</b> 206; <b>X:</b> 220
Weaver-bird	<b>VII:</b> 120
Whale	<b>VII:</b> 92, 464; <b>IX:</b> 451
Whale-fish, black	<b>VII:</b> 464
Wheel bird ( <i>Caprimulgus Europeanus</i> )	<b>VII:</b> 126, 127
Whip-poor-will	<b>I:</b> 144, 378; <b>II:</b> 235, 236, 258, 259, 383, 387, 388, 475, 485; <b>IV:</b> 54, 161; <b>VII:</b> 12, 24, 31, 127; <b>IX:</b> 391; <b>XII:</b> 185, 189; <b>XIII:</b> 294; <b>XIV:</b> 54, 67
White-in-tails	<b>VII:</b> 30
Whiting	<b>VII:</b> 437
Wild creatures of the wood	<b>VIII:</b> 165
Wildcat (bay lynx)	<b>IX:</b> 100; <b>X:</b> 113, 212, 213; <b>XI:</b> 16, 180, 190; <b>XIV:</b> 86, 315, 316-318
Wildcat kitten	<b>XIV:</b> 317
Winkle (aka periwinkle)	<b>VII:</b> 467
Wireworm	<b>XIII:</b> 201, 209
Wolf or Wolves	<b>IV:</b> 345, 346; <b>VII:</b> 110, 134, 135; <b>VIII:</b> 35, 149, 220; <b>IX:</b> 264; <b>X:</b> 243, 436; <b>XI:</b> 44, 320
Wolf, gray	<b>XII:</b> 124
Wolf, she	<b>XI:</b> 321
Wolf-trap	<b>VIII:</b> 35; <b>X:</b> 243
Wolverine	<b>VII:</b> 135; <b>VIII:</b> 220; <b>XIV:</b> 231
Woodchuck	<b>I:</b> 364; <b>II:</b> 13, 320; <b>III:</b> 43, 44, 420-423; <b>IV:</b> 27, 59, 95, 96, 140, 172, 176; <b>V:</b> 57, 75, 259, 494; <b>VI:</b> 374, 424, 462; <b>VII:</b> 171, 246, 249-251, 319, 338, 339, 342, 455, 456;

THE HENRY DAVID THOREAU ANIMAL INDEX

Woodchuck (continued)	<b>VIII:</b> 219, 242, 336, 410; <b>X:</b> 341, 342, 378, 434, 435, 437 note; <b>XI:</b> 122, 203; <b>XII:</b> 118, 177, 178, 179, 195; <b>XIII:</b> 189, 219, 272, 283, 284, 304, 349, 350; <b>XIV:</b> 92
Woodchuck hole	<b>X:</b> 450
Woodchuck, odor	<b>VII:</b> 342; <b>XII:</b> 403
Woodchuck, toes	<b>XIII:</b> 195
Woodcock(s)	<b>III:</b> 83; <b>IV:</b> 209; <b>V:</b> 92; <b>VI:</b> 457, 488; <b>VII:</b> 353, 355, 380, 425; <b>VIII:</b> 354, 407, 416; <b>IX:</b> 183, 189, 319, 481; <b>X:</b> 194, 195; <b>XI:</b> 286; <b>XII:</b> 67, 99, 188, 245; <b>XIII:</b> 205, 209, 234, 252, 255, 266
Woodpecker(s)	<b>II:</b> 120; <b>III:</b> 235, 329; <b>V:</b> 37, 38, 94, 133; <b>VI:</b> 354; <b>VII:</b> 21, 81, 104, 161, 190, 245, 262, 369, 459; <b>VIII:</b> 313; <b>IX:</b> 127, 128, 287, 295, 296, 297, 305, 352, 358; <b>X:</b> 8, 66, 302, 303, 309, 368, 401; <b>XI:</b> 308; <b>XII:</b> 27, 35, 113; <b>XIV:</b> 158, 248
Woodpecker, arctic three-toed	<b>XIV:</b> 106
Woodpecker, downy	<b>V:</b> 38, 46, 62, 447; <b>VI:</b> 54, 91, 122; <b>VII:</b> 30, 176, 283, 515; <b>VIII:</b> 40, 47, 54, 72, 122, 383, 385, 402, 419, 420; <b>IX:</b> 378; <b>XII:</b> 458; <b>XIII:</b> 77, 301
Woodpecker, downy, nest	<b>VIII:</b> 402, 419
Woodpecker, hairy	<b>VII:</b> 176, 283, 298; <b>IX:</b> 403, 404; <b>XI:</b> 289; <b>XII:</b> 394; <b>XIII:</b> 301
Woodpecker, hole	<b>VIII:</b> 409; <b>XIV:</b> 314
Woodpecker, pileated (See also Woodpecker, red-headed)	<b>IX:</b> 493 and note
Woodpecker, red-headed (See also Woodpecker, pileated)	<b>V:</b> 426; <b>VI:</b> 21; <b>IX:</b> 493
Worm(s)	<b>VI:</b> 456; <b>VII:</b> 17, 116, 249, 337, 413; <b>VIII:</b> 217; <b>IX:</b> 281, 297, 357; <b>X:</b> 3, 4, 123, 124, 412; <b>XI:</b> 408, 425, 427, 440; <b>XII:</b> 42, 48, 266, 304; <b>XIII:</b> 3, 47, 48, 205, 209, 219, 320; <b>XIV:</b> 124
Worm piles	<b>XIII:</b> 234; <b>XIV:</b> 336
Worm holes	<b>XII:</b> 142
Worm, potato	<b>XIII:</b> 270
Worm(s), white	<b>IX:</b> 477; <b>XIII:</b> 271
Wren	<b>VII:</b> 62, 457; <b>IX:</b> 410; <b>XII:</b> 266; <b>XIII:</b> 344
Wren, golden-crested	<b>VII:</b> 331, 332, 334, 335; <b>XIII:</b> 48, 49
Wren, house	<b>IX:</b> 273
Wren, marsh	<b>VII:</b> 445; <b>XII:</b> 270
Wren, ruby-crested	<b>VIII:</b> 362, 411
Wren, ruby-crowned ( <i>Regulus</i> )	<b>VI:</b> 220, 243; <b>VII:</b> 361; <b>IX:</b> 348; <b>X:</b> 387; <b>XIII:</b> 259

THE HENRY DAVID THOREAU ANIMAL INDEX

Wren, short-billed marsh	<b>XI:74</b>
Wren, winter	<b>VI:191, 220; XI:34 note, 35</b>
Yellowbird(s)	<b>IV:32, 35, 53, 134, 146; V:134, 290, 302; VI:354; VII:368, 376, 400, 403, 410, 412, 425, 428, 429, 436; VIII:74, 120; IX:358, 376; X:409, 421, 447, 450; XII:184; XIII:295, 315</b>
Yellowbird's nest	<b>XII:199; XIII:113</b>
Yellow bug	<b>XIII:335</b>
Yellowleg(s) or Telltale	<b>IV:328; V:452; VII:381, 393, 450; X:129, 432; XI:151, 154, 181, 190; XII:104, 149, 187, 282, 355, 410, 411</b>
Yellow-legs, greater or greater telltale	<b>VI:318; VII:41; X:432; XII:149, 410</b>
Yellowlegs, lesser ( <i>Totanus flavipes</i> )	<b>VII:381; X:167</b>
Yellow-throat, Maryland (See also Warbler, Maryland yellow-throat)	<b>IV:40, 53; IV:35; V:109, 124, 231, 291; VII:411 and note; VIII:347; IX:14, 409, 410 and note, 411, 466; X:409, 489; XI:74; XIII:299</b>
Yorrick	<b>IX:365</b>

## THE HENRY DAVID THOREAU ANIMAL INDEX

The Walden Woods Project thanks all the volunteers, interns, and staff that spent winter weekends in February and December 2019 and February 2020 combing through Thoreau's *Journal* and collaborating in the creation of The Henry David Thoreau Animal Index.

### Volunteers

Bonnie Beudet	Giovanna Lorio
Emily Cahan	Lorraine Martin
Emma Corddry	Erin Martin
Ruth Corddry	Brenda McEleney
Jo-Anne Crystoff	Dennis McEleney
Christine Dugan	Karen McLean
Susan Erickson	Marlowe Miller
Deb Field	Sara Monahan
Hunter Gates	Randy Newcomer
Dina Gerosideris	Patricia Noe
Kathleen Guilday	Dennis Noson
Mahmoud Hamed	Barbara Olson
Janet Hammonds	Alison Pasinella
Mike Hansen	Stephanie Rodzewicz
Lori Harvey	Gerry Schmid
Spencer Harvey	Richard Smith
Guy Hermann	Nyanna Susan Tobin
Vivian Howell	Christine Thompson
Lauren Jefferson	Leslie Turek
Lauren Jefferson	Lisa Wilson
Kathleen Kelly	Sharon Wright
Yuliya Khaitova	Christie Wyman
Jacqui Kluft	Francis Wyman
Alberto Lazzarini	Robert Young
Erin Lehmann's Wayland High Senior Class	Bob Young
Chynna Lemire	

THE WALDEN WOODS PROJECT ARCHIVE

**Permission to Publish:** Requests for permission to publish material from the collection should be directed to the Curator.

**Copyright:** The Archives at the Thoreau Institute does not hold copyright on all materials in the collection. Researchers who obtain permission to publish from the Curator are responsible for identifying and contacting the persons or organizations that hold copyright.

**Description of Organization:** The parent organization of the Thoreau Institute at Walden Woods is the Walden Woods Project.

The Walden Woods Project was founded in 1990 by recording artist Don Henley. At that time, sixty percent of Walden Woods — a 2,680 acre ecosystem surrounding Thoreau's Walden Pond — was already protected from development. However, two large tracts of land were endangered when developers sought to construct an expansive office building and condominium complex in the mid-1980s. These commercial developments posed such a significant threat to the area that the National Trust for Historic Preservation twice listed Walden Woods as one of America's *Eleven Most Endangered Historic Places*.

In response, the Walden Woods Project embarked on a national campaign to raise public awareness and the funds necessary to purchase and preserve the endangered areas. In Jan. 1991, the Project bought the 25-acre tract that had been slated for the development of condominiums. A few years later, the second tract of land was acquired at Brister's Hill.

The Thoreau Institute at Walden Woods opened in 1998. The Institute is a center for research and education focused on Henry David Thoreau, his literary achievements and philosophy, and his influence on environmental and social movements. Through its technology center, education programs and the most comprehensive Thoreau research collection in the world, the Thoreau Institute at Walden Woods provides opportunities for lifelong learning about Thoreau's life and work.

Since its founding, the organization has *protected nearly 140 acres in and around Walden Woods and provided quality programming for more than 200 high school teachers and students*. The Thoreau Institute at Walden Woods provides services to hundreds of researchers on an annual basis both nationally and internationally.

The Library houses its archival collection, as well as its collection of Thoreauviana, including the complete second draft of Thoreau's essay on Sir Walter Raleigh.



THE HENRY DAVID THOREAU ANIMAL INDEX



The Walden Woods Project's Thoreau Institute Library  
44 Baker Farm  
Lincoln, mA 01773-3004

781-259-4730

[curator@walden.org](mailto:curator@walden.org)